

Heron - Oak and Walnut Wall Cabinet

Cut List & Material Report

Generated: 10/20/2026

HERON | Editable wall cabinet design study
36 W x 24 H x 10 D inches; pull adds 1/2 inch. Oak case, walnut frame/fronts, maple drawers. Created manually in Carvd Studio. Prevent Overlap is ON; keep it enabled.

Door and drawer-front reveals: 1/8 inch. Complementary 45-degree French cleats. Fit joints to actual stock; test on scrap. Keep the oak panel free in its grooves and verify seasonal movement.

Not a shop-tested build plan or load-rated design. Specify hinges, catch, drawer runners/stops, back attachment and a structural cleat-to-case connection before building. Do not rely on the 1/4-inch back to carry the cabinet. Hardware/fastener holes are not modeled. Prices are placeholders.

Walkthrough and review notes: carvd-studio.com/learn/heron-wall-cabinet

Parts:	Boards:	Board Feet:	Est. Cost:
29	7	64.33 66.7% waste	$503.00

Cut List

Blank sizes are optimized first. Apply listed operations after cutting blanks to size.

☐	Qty	Part IDs + Names	Blank L	Blank W	Thk	Stock	Ops / Notes
☐	1	#406ea337 Case top - whit...	36"	10"	3/4"	White Oak Glu...	Boards WHIT-01 | 1. P...
☐	1	#901dda15 Case left - whit...	24"	10"	3/4"	White Oak Glu...	Boards WHIT-02 | 1. T...
☐	1	#7f715482 Drawer deck - h...	35"	9"	3/4"	White Oak Glu...	Boards WHIT-02 | 1. ...
☐	1	#09390782 Upper divider - ...	17 3/4"	9"	3/4"	White Oak Glu...	Boards WHIT-03 | 1. ...
☐	1	#242b7fff Display shelf - sto...	12 1/2"	9"	3/4"	White Oak Glu...	Boards WHIT-03 | Bo...
☐	1	#5180b4d8 Drawer center d...	5"	7 3/4"	3/4"	White Oak Glu...	Boards WHIT-04 | Bo...
☐	1	#227fd43c Case right - whit...	24"	10"	3/4"	White Oak Glu...	Boards WHIT-02 | 1. T...
☐	1	#41dc2b1e Case bottom - ...	36"	10"	3/4"	White Oak Glu...	Boards WHIT-01 | 1. P...
☐	2	#716aa38e, #5e1402dc Do...	14 3/8"	9 3/8"	1/2"	White Oak Glu...	Boards WHIT-03 | 1. ...
☐	1	#9c1ded6f French cleat - c...	32"	2 1/2"	3/4"	White Oak Glu...	Boards WHIT-03 | 1. 4...
☐	1	#dcbd3d54 French cleat - w...	32"	2 1/2"	3/4"	White Oak Glu...	Boards WHIT-03 | 1. 4...
☐	1	#be612d59 Lower wall sp...	32"	1 1/2"	3/4"	White Oak Glu...	Boards WHIT-03
☐	2	#3730c664, #2fd98c01 Doo...	17"	1 1/2"	3/4"	4/4 Black Waln...	Boards 44BL-01 | 1. R...
☐	1	#dd4b0d03 Door top rail - t...	19 1/2"	1 1/2"	3/4"	4/4 Black Waln...	Boards 44BL-01 | 1. D...
☐	2	#e33124fa, #fb428e14 Left ...	16 5/8"	4 1/4"	3/4"	4/4 Black Waln...	Boards 44BL-01 | 1. T...
☐	1	#2a5f9853 Door bottom rail ...	19 1/2"	1 1/2"	3/4"	4/4 Black Waln...	Boards 44BL-01 | 1. D...
☐	1	#3c7ee0d0 Door pull - walnut	2"	3/8"	1/2"	4/4 Black Waln...	Boards 44BL-01 | Sto...
☐	2	#4f4d7c1c, #01045371 Left ...	8"	4 1/4"	1/2"	4/4 Hard Mapl...	Boards 44HA-01 | 1. P...
☐	2	#8b0fbf57, #105be889 Righ...	16 1/8"	3 3/4"	1/2"	4/4 Hard Mapl...	Boards 44HA-01
☐	2	#fd031ac1, #02a15d57 Left...	8"	4 1/4"	1/2"	4/4 Hard Mapl...	Boards 44HA-01 | 1. P...
☐	2	#c2e8b589, #6822675f Left...	16 1/8"	7 3/4"	1/4"	1/4" Plywood (...	Boards 14PL-01
☐	1	#e325ffdf Recessed cabine...	34 1/2"	22 1/2"	1/4"	1/4" Plywood (...	Boards 14PL-01

Fabrication Operations

Parts: #406ea337 Case top - white oak | Qty 1

1. Pin socket 1 - Cutout on Top Face | 3/4" x 0.9302" | Through | 10 deg taper in the face, widening toward Right | 0" from Left | 0" from Back
2. Pin socket 2 - Cutout on Top Face | 3/4" x 0.9302" | Through | 10 deg taper in the face, widening toward Right | 0" from Left | 3.0233" from Back
3. Pin socket 3 - Cutout on Top Face | 3/4" x 0.9302" | Through | 10 deg taper in the face, widening toward Right | 0" from Left | 6.0465" from Back
4. Pin socket 4 - Cutout on Top Face | 3/4" x 0.9302" | Through | 10 deg taper in the face, widening toward Right | 0" from Left | 9.0698" from Back
5. Pin socket 1 (Mirrored Length) - Cutout on Top Face | 3/4" x 0.9302" | Through | 10 deg taper in the face, widening toward Right | 35 1/4" from Left | 0" from Back
6. Pin socket 2 (Mirrored Length) - Cutout on Top Face | 3/4" x 0.9302" | Through | 10 deg taper in the face, widening toward Right | 35 1/4" from Left | 3.0233" from Back
7. Pin socket 3 (Mirrored Length) - Cutout on Top Face | 3/4" x 0.9302" | Through | 10 deg taper in the face, widening toward Right | 35 1/4" from Left | 6.0465" from Back
8. Pin socket 4 (Mirrored Length) - Cutout on Top Face | 3/4" x 0.9302" | Through | 10 deg taper in the face, widening toward Right | 35 1/4" from Left | 9.0698" from Back
9. Upper divider housing - Cutout on Bottom Face | 3/4" x 9" x 1/4" deep | 12 3/4" from Left | 1" from Back

Board stock assumed solid wood: allow about 0.1042" of seasonal movement across the grain. Housed panels must stay free to move.

Parts: #901dda15 Case left - white oak | Qty 1

1. Tail socket 1 - Cutout on Top Face | 3/4" x 2.093" | Through | 10 deg side walls, narrowing with depth | 0" from Left | 0.9302" from Back
2. Tail socket 2 - Cutout on Top Face | 3/4" x 2.093" | Through | 10 deg side walls, narrowing with depth |

Parts: #901dda15 Case left - white oak | Qty 1 (continued)

0" from Left | 3.9535" from Back
3. Tail socket 3 - Cutout on Top Face | 3/4" x 2.093" | Through | 10 deg side walls, narrowing with depth | 0" from Left | 6.9767" from Back
4. Tail socket 1 - Cutout on Top Face | 3/4" x 2.093" | Through | 10 deg side walls, narrowing with depth | 23 1/4" from Left | 0.9302" from Back
5. Tail socket 2 - Cutout on Top Face | 3/4" x 2.093" | Through | 10 deg side walls, narrowing with depth | 23 1/4" from Left | 3.9535" from Back
6. Tail socket 3 - Cutout on Top Face | 3/4" x 2.093" | Through | 10 deg side walls, narrowing with depth | 23 1/4" from Left | 6.9767" from Back
7. Drawer deck housing - Cutout on Top Face | 3/4" x 9" x 1/4" deep | 18" from Left | 1" from Back
8. Display shelf housing - Cutout on Top Face | 3/4" x 9" x 1/4" deep | 9 3/8" from Left | 1" from Back

Board stock assumed solid wood: allow about 0.1042" of seasonal movement across the grain. Housed panels must stay free to move.

Parts: #7f715482 Drawer deck - housed oak shelf | Qty 1

1. Upper divider housing - Cutout on Top Face | 3/4" x 9" x 1/4" deep | 12 1/4" from Left | 0" from Back
2. Drawer divider housing - Cutout on Bottom Face | 3/4" x 7 3/4" x 1/4" deep | 17 1/8" from Left | 0" from Back

Board stock assumed solid wood: allow about 3/32" of seasonal movement across the grain. Housed panels must stay free to move.

Parts: #09390782 Upper divider - white oak | Qty 1

1. Display shelf housing - Cutout on Top Face | 3/4" x 9" x 1/4" deep | 8 1/8" from Left | 0" from Back

Board stock assumed solid wood: allow about 3/32" of seasonal movement across the grain. Housed panels must stay free to move.

Parts: #242b7fff Display shelf - stopped housing | Qty 1

Board stock assumed solid wood: allow about 3/32" of seasonal movement across the grain. Housed panels must stay free to move.

Parts: #5180b4d8 Drawer center divider | Qty 1

Board stock assumed solid wood: allow about 0.0807" of seasonal movement across the grain. Housed panels must stay free to move.

Parts: #227fd43c Case right - white oak | Qty 1

1. Tail socket 1 - Cutout on Top Face | 3/4" x 2.093" | Through | 10 deg side walls, narrowing with depth | 0" from Left | 0.9302" from Back
2. Tail socket 2 - Cutout on Top Face | 3/4" x 2.093" | Through | 10 deg side walls, narrowing with depth | 0" from Left | 3.9535" from Back
3. Tail socket 3 - Cutout on Top Face | 3/4" x 2.093" | Through | 10 deg side walls, narrowing with depth | 0" from Left | 6.9767" from Back
4. Tail socket 1 - Cutout on Top Face | 3/4" x 2.093" | Through | 10 deg side walls, narrowing with depth | 23 1/4" from Left | 0.9302" from Back
5. Tail socket 2 - Cutout on Top Face | 3/4" x 2.093" | Through | 10 deg side walls, narrowing with depth | 23 1/4" from Left | 3.9535" from Back
6. Tail socket 3 - Cutout on Top Face | 3/4" x 2.093" | Through | 10 deg side walls, narrowing with depth | 23 1/4" from Left | 6.9767" from Back
7. Drawer deck housing - Cutout on Top Face | 3/4" x 9" x 1/4" deep | 5 1/4" from Left | 1" from Back

Board stock assumed solid wood: allow about 0.1042" of seasonal movement across the grain. Housed panels must stay free to move.

Parts: #41dc2b1e Case bottom - white oak | Qty 1

1. Pin socket 1 - Cutout on Top Face | 3/4" x 0.9302" | Through | 10 deg taper in the face, widening toward Right | 0" from Left | 0" from Back
2. Pin socket 2 - Cutout on Top Face | 3/4" x 0.9302" | Through | 10 deg taper in the face, widening toward Right | 0" from Left | 3.0233" from Back
3. Pin socket 3 - Cutout on Top Face | 3/4" x 0.9302" | Through | 10 deg taper in the face, widening toward Right | 0" from Left | 6.0465" from Back

Parts: #41dc2b1e Case bottom - white oak | Qty 1 (continued)

4. Pin socket 4 - Cutout on Top Face | 3/4" x 0.9302" | Through | 10 deg taper in the face, widening toward Right | 0" from Left | 9.0698" from Back
5. Pin socket 1 (Mirrored Length) - Cutout on Top Face | 3/4" x 0.9302" | Through | 10 deg taper in the face, widening toward Right | 35 1/4" from Left | 0" from Back
6. Pin socket 2 (Mirrored Length) - Cutout on Top Face | 3/4" x 0.9302" | Through | 10 deg taper in the face, widening toward Right | 35 1/4" from Left | 3.0233" from Back
7. Pin socket 3 (Mirrored Length) - Cutout on Top Face | 3/4" x 0.9302" | Through | 10 deg taper in the face, widening toward Right | 35 1/4" from Left | 6.0465" from Back
8. Pin socket 4 (Mirrored Length) - Cutout on Top Face | 3/4" x 0.9302" | Through | 10 deg taper in the face, widening toward Right | 35 1/4" from Left | 9.0698" from Back
9. Drawer divider housing - Cutout on Bottom Face | 3/4" x 7 3/4" x 1/4" deep | 17 5/8" from Left | 1 1/4" from Back

Board stock assumed solid wood: allow about 0.1042" of seasonal movement across the grain. Housed panels must stay free to move.

Parts: #716aa38e Door panel left - rift oak, #5e1402dc Door panel right - rift oak | Qty 2

1. Decorative flute 1 - Groove on Top Face | 1/8" wide x 1/16" deep | 1/2" from Back; full length
2. Decorative flute 2 - Groove on Top Face | 1/8" wide x 1/16" deep | 1 1/4" from Back; full length
3. Decorative flute 3 - Groove on Top Face | 1/8" wide x 1/16" deep | 2" from Back; full length
4. Decorative flute 4 - Groove on Top Face | 1/8" wide x 1/16" deep | 2 3/4" from Back; full length
5. Decorative flute 5 - Groove on Top Face | 1/8" wide x 1/16" deep | 3 1/2" from Back; full length

Board stock assumed solid wood: allow about 0.0977" of seasonal movement across the grain. Housed panels must stay free to move.

Stock preparation: start with 3/4" lumber and prepare stock to 1/2" finished thickness before cutting these blanks and their joinery. Keep thin or small parts on a larger blank during preparation. The layout allocates one full-thickness stock footprint per blank; additional pieces recovered by resawing are not counted.

Parts: #9c1ded6f French cleat - cabinet half | Qty 1

1. 45-degree cabinet cleat bevel - Edge Bevel 45 deg on Back Edge | High point on Top

Parts: #dcbd3d54 French cleat - wall half | Qty 1

1. 45-degree wall cleat bevel - Edge Bevel 45 deg on Front Edge | High point on Bottom

Parts: #3730c664 Door hinge stile - walnut, #2fd98c01 Door latch stile - walnut | Qty 2

1. Rail mortise - 1/4 x 1 x 1/2 - Mortise on Back Face | 1" x 1/4" x 1/2" deep | square corners | 1/4" from Left | 1/4" from Bottom
2. Rail mortise - 1/4 x 1 x 1/2 (Mirrored Length) - Mortise on Back Face | 1" x 1/4" x 1/2" deep | square corners | 15 3/4" from Left | 1/4" from Bottom
3. Floating panel groove - Cutout on Back Face | 14 1/2" x 1/2" x 1/4" deep | 1 1/4" from Left | 1/8" from Bottom

Parts: #dd4b0d03 Door top rail - tenoned walnut | Qty 1

1. Door rail tenon - 1/2 inch long - Tenon on Right End | 1/2" long x 1" wide x 1/4" thick | Tongue starts 1/4" from Front; centered through thickness
2. Door rail tenon - 1/2 inch long (Mirrored Length) - Tenon on Left End | 1/2" long x 1" wide x 1/4" thick | Tongue starts 1/4" from Front; centered through thickness
3. Floating panel groove - Cutout on Front Face | 18 1/2" x 1/2" x 1/4" deep | 1/2" from Left | 1/8" from Bottom

Parts: #e33124fa Left drawer front - walnut, #fb428e14 Right drawer front - walnut | Qty 2

1. Tail socket 1 - Mortise on Top Face | 1/2" x 1.1428" x 3/8" deep | square corners | 10 deg side walls, widening with depth | 0" from Left | 0.6328" from Back
2. Tail socket 1 (Mirrored Length) - Mortise on Top Face | 1/2" x 1.1428" x 3/8" deep | square corners | 10 deg side walls, widening with depth | 16 1/8" from Left | 0.6328" from Back
3. Tail socket 2 - Mortise on Top Face | 1/2" x 1.1428" x 3/8" deep | square corners | 10 deg side walls, widening with depth | 0" from Left | 2.4745" from Back
4. Tail socket 2 (Mirrored Length) - Mortise on Top Face | 1/2" x 1.1428" x 3/8" deep | square corners | 10 deg side walls, widening with depth | 16 1/8" from Left | 2.4745" from Back

Parts: #e33124fa Left drawer front - walnut, #fb428e14 Right drawer front - walnut | Qty 2 (continued)

5. Centered finger recess - Edge Notch on Front Side | 3" x 3/8" | Through | 6 13/16" from Left along the selected edge
6. Drawer bottom groove - Cutout on Top Face | 16 1/8" x 1/4" x 1/4" deep | 1/4" from Left | 1/4" from Back

Parts: #2a5f9853 Door bottom rail - tenoned walnut | Qty 1

1. Door rail tenon - 1/2 inch long - Tenon on Right End | 1/2" long x 1" wide x 1/4" thick | Tongue starts 1/4" from Front; centered through thickness
2. Door rail tenon - 1/2 inch long (Mirrored Length) - Tenon on Left End | 1/2" long x 1" wide x 1/4" thick | Tongue starts 1/4" from Front; centered through thickness
3. Floating panel groove - Cutout on Back Face | 18 1/2" x 1/2" x 1/4" deep | 1/2" from Left | 1/8" from Bottom

Parts: #3c7ee0d0 Door pull - walnut | Qty 1

Stock preparation: start with 3/4" lumber and prepare stock to 1/2" finished thickness before cutting these blanks and their joinery. Keep thin or small parts on a larger blank during preparation. The layout allocates one full-thickness stock footprint per blank; additional pieces recovered by resawing are not counted.

Parts: #4f4d7c1c Left drawer outer side - maple, #01045371 Right drawer inner side - maple | Qty 2

1. Pin socket 1 - Cutout on Top Face | 3/8" x 0.5667" | Through | 10 deg taper in the face, widening toward Right | 0" from Left | 0" from Back
2. Pin socket 2 - Cutout on Top Face | 3/8" x 0.5667" | Through | 10 deg taper in the face, widening toward Right | 0" from Left | 1.8417" from Back
3. Pin socket 3 - Cutout on Top Face | 3/8" x 0.5667" | Through | 10 deg taper in the face, widening toward Right | 0" from Left | 3.6833" from Back
4. Drawer bottom groove - Cutout on Top Face | 7 3/4" x 1/4" x 1/4" deep | 1/8" from Left | 3 3/4" from Back
5. Drawer back housing - Cutout on Top Face | 1/2" x 3 3/4" x 1/4" deep | 7 1/2" from Left | 0" from Back


Parts: #fd031ac1 Left drawer inner side - maple, #02a15d57 Right drawer outer side - maple | Qty 2

1. Pin socket 1 - Cutout on Top Face | 3/8" x 0.5667" | Through | 10 deg taper in the face, widening toward Right | 0" from Left | 0" from Back
2. Pin socket 2 - Cutout on Top Face | 3/8" x 0.5667" | Through | 10 deg taper in the face, widening toward Right | 0" from Left | 1.8417" from Back
3. Pin socket 3 - Cutout on Top Face | 3/8" x 0.5667" | Through | 10 deg taper in the face, widening toward Right | 0" from Left | 3.6833" from Back
4. Drawer bottom groove - Cutout on Top Face | 7 3/4" x 1/4" x 1/4" deep | 1/8" from Left | 1/4" from Back
5. Drawer back housing - Cutout on Top Face | 1/2" x 3 3/4" x 1/4" deep | 7 1/2" from Left | 1/2" from Back

Cutting Diagram WHIT-01 - White Oak Glued Panel (Board #1)

96" × 14"

2 parts | 53.6% utilization



☐	#	Part	Dimensions
☐	1	Case top - white oak	36" × 10"
☐	2	Case bottom - white oak	36" × 10"


Diagram shows blank layout only. Apply mitres, notches, and cutouts after blank breakdown.

Generated by Carvd Studio - carvd-studio.com

Cutting Diagram WHIT-02 - White Oak Glued Panel (Board #2)

96" × 14"

3 parts | 59.2% utilization



☐	#	Part	Dimensions
☐	1	Drawer deck - housed oak shelf	35" × 9"
☐	2	Case left - white oak	24" × 10"
☐	3	Case right - white oak	24" × 10"


Diagram shows blank layout only. Apply mitres, notches, and cutouts after blank breakdown.

Generated by Carvd Studio - carvd-studio.com

Cutting Diagram WHIT-03 - White Oak Glued Panel (Board #3)

96" × 14"

7 parts | 55.8% utilization



☐	#	Part	Dimensions
☐	1	Upper divider - white oak	17 3/4" × 9"
☐	2	Door panel left - rift oak	14 3/8" × 9 3/8"
☐	3	Door panel right - rift oak	14 3/8" × 9 3/8"
☐	4	Display shelf - stopped housing	12 1/2" × 9"
☐	5	French cleat - cabinet half	32" × 2 1/2"
☐	6	French cleat - wall half	32" × 2 1/2"
☐	7	Lower wall spacer	32" × 1 1/2"

Diagram shows blank layout only. Apply mitres, notches, and cutouts after blank breakdown.

Generated by Carvd Studio - carvd-studio.com

Cutting Diagram WHIT-04 - White Oak Glued Panel (Board #4)

96" × 14"

1 part | 2.9% utilization



☐	#	Part	Dimensions
☐	1	Drawer center divider	5" × 7 3/4"


Diagram shows blank layout only. Apply mitres, notches, and cutouts after blank breakdown.

Generated by Carvd Studio - carvd-studio.com

Cutting Diagram 44BL-01 - 4/4 Black Walnut (Board #1)

96" × 8"

7 parts | 32.8% utilization



☐	#	Part	Dimensions
☐	1	Left drawer front - walnut	16 5/8" × 4 1/4"
☐	2	Right drawer front - walnut	16 5/8" × 4 1/4"
☐	3	Door top rail - tenoned walnut	19 1/2" × 1 1/2"
☐	4	Door bottom rail - tenoned walnut	19 1/2" × 1 1/2"
☐	5	Door hinge stile - walnut	17" × 1 1/2"
☐	6	Door pull - walnut	2" × 3/8"
☐	7	Door latch stile - walnut	17" × 1 1/2"


Diagram shows blank layout only. Apply mitres, notches, and cutouts after blank breakdown.

Generated by Carvd Studio - carvd-studio.com

Cutting Diagram 44HA-01 - 4/4 Hard Maple (Board #1)

96" × 8"

6 parts | 33.5% utilization



☐	#	Part	Dimensions
☐	1	Right drawer back - maple	16 1/8" × 3 3/4"
☐	2	Left drawer outer side - maple	8" × 4 1/4"
☐	3	Left drawer inner side - maple	8" × 4 1/4"
☐	4	Right drawer outer side - maple	8" × 4 1/4"
☐	5	Right drawer inner side - maple	8" × 4 1/4"
☐	6	Left drawer back - maple	16 1/8" × 3 3/4"


Diagram shows blank layout only. Apply mitres, notches, and cutouts after blank breakdown.

Generated by Carvd Studio - carvd-studio.com

Cutting Diagram 14PL-01 - 1/4" Plywood (4x8) (Board #1)

96" × 48"

3 parts | 22.3% utilization



☐	#	Part	Dimensions
☐	1	Recessed cabinet back	34 1/2" × 22 1/2"
☐	2	Left drawer bottom - plywood	16 1/8" × 7 3/4"
☐	3	Right drawer bottom - plywood	16 1/8" × 7 3/4"

Diagram shows blank layout only. Apply mitres, notches, and cutouts after blank breakdown.

Generated by Carvd Studio - carvd-studio.com

Shopping List

Lumber & Sheet Goods

☐	Stock	Dimensions	Qty	Unit Price	Total
☐	White Oak Glued Panel	96" x 14" x 3/4"	5	$9.00/bf	$315.00
☐	4/4 Black Walnut	96" x 8" x 3/4"	2	$16.00/bf	$128.00
☐	4/4 Hard Maple	96" x 8" x 1/2"	2	$5.00/ea	$10.00
☐	1/4" Plywood (4x8)	96" x 48" x 1/4"	2	$25.00/ea	$50.00
				Subtotal:	**$503.00**
				GRAND TOTAL:	**$503.00**