About the API

This API is designed to handle various functionality around a practice's Suno credit management, including buying SMS/VC packages, checking their balance, choosing packages, and seeing their transaction history.

API Routes

1. **GET**: /api/credits/packages/ - List Available Credit Packages

```
<u>Description</u>: Gets all possible credit packages from db.
Path Parameters: None
Querystring Parameters: None
Request: None
Response:
       Packages: List of package elements (object array):
             id: the package's id (int)
             name: the package's name (string)
              credit_amount: amount of credits in package (int)
             price_cents: package's price in cents (int)
             is_active: is package available for purchase (boolean)
              description: the package's description (str)
Example:
Response:
{
       "packages": [
                    { "id": 1,
                    "name": "Starter Pack",
                     "credit amount": 1000,
                     "price cents": 2500,
                     "is active": true,
                     "description": "Perfect for small practices"
                    }, ...
                     ]
}
```

2. POST: /api/credits/purchase/ - Purchase a package of credits

<u>Description:</u> Buys a package, fulfilling payment and updating practice's credit balance, while logging the transaction.

```
Path Parameters: None
Querystring Parameters: None
Request:
      practice_id: the id of the buying practice (int)
       package id: the id of the package being bought (int)
       payment_method: the sale's payment method (obj):
             type: type of payment method (str)
             last_four: last four credit card digits (str)
Example:
Request:
{
       "practice_id": 123,
       "package_id": 1,
       "payment method": {
              "type": "credit card",
              "last four": "1234"
        }
}
Response:
       transaction id: The transaction's id (int)
       status: Status of transaction (str)
       credits_added: Amount of credits added to practice (int)
       New balance: New balance of credits post transaction (int)
```

receipt url: link for the receipt of the transaction (str)

```
Example:
Response:
{
    "transaction_id": "550e8400-e29b-41d4-a716-446655440000",
    "status": "success",
    "credits_added": 1000,
    "new_balance": 1500,
    "receipt_url": "/api/credits/receipts/550e8400-e29b-41d4-a716-446655440000/"
}
```

Check Credit Balance

3. **GET:** /api/credits/balance/?practice_id=123 - Check credit balance

```
<u>Description:</u> Provides a practice's current credit balance.
Path Parameters: None
Querystring Parameters:
      practice id: the identifier of the practice checking its balance (int)
Response:
      practice id: the practice checking its balance (int)
      current_balance: the practice's balance (int)
      last purchase: date when practice last bought a package (date)
      estimated_remaining_sms: estimation of remaining SMS to send (int)
      estimated_remaining_voice: estimation of remaining VCs to send (int)
Example:
Response:
{
        "practice_id": 123,
        "current balance": 1500,
        "last purchase": "2025-07-01T14:30:00Z",
        "estimated remaining sms": 750, // Based on average SMS consumption
        "estimated remaining voice": 300 // Based on average voice call consumption
}
```

4. **GET:** /api/credits/transactions/?practice_id=123 - See practice's past transactions

```
Description: Provides a practice's transaction history
Path Parameters: None
Querystring Parameters:
      practice id: the identifier of the practice checking its transaction history (int)
Response:
      transactions: list of transaction elements (object array):
             id: transaction's id (int)
             type: type of transaction (purchase, campaign, etc.) (str)
             amount: amount of credits added/deducted to/from practice (int)
             timestamp: record of the date and time of transaction (int)
             Package: package bought (if this is a purchase transaction) (obj)
                    Id: package identifier (int)
                    name: package name (str)
      pagination: object holding navigation for pages, spacing up a long list of
                    transactions (obj)
             next: url for next page with transactions (str)
             previous: url for previous page with transactions (str)
Example:
Response:
{
       "transactions": [
             {
             "id": "550e8400-e29b-41d4-a716-446655440000".
             "type": "PURCHASE",
             "amount": 1000,
             "timestamp": "2025-07-01T14:30:00Z",
              "package": {
                    "id": 1.
                    "name": "Starter Pack"
```

```
}
}
},
{
"id": "660e8400-e29b-41d4-a716-446655440001",
    "type": "SMS_USAGE",
    "amount": -50,
    "timestamp": "2025-07-02T10:15:00Z",
    "reference": "bulk_campaign_123"
    },
...
],
"pagination": {
    "next": "/api/credits/transactions/?practice_id=123&page=2",
    "previous": null
}
```