
## BG7 Finalproject report

## 開啟 cmsimfly



## 找到 checklogin

```
cmsimfly.leo in G:\cpb\20181223\fir
<u>File Edit Search Settings Outline Plugins Run Win</u>
 script-button start-wegi stop-wegi start-http-server stop-http-server 🔾 🔾 Chapters: main 🔻

■ @clean wsgi.py
■ wsgi declarations
                                                                                             @app.route('/checkLogin', methods=['POST'])
                                                                                            def checkLogin():
 ▲ □ 編輯 flaskapp.py
                                                                                                """Check user login process."""
   🛮 💷 @clean flaskapp.py
                                                                                                password = request.form["password"]
        Declarations
                                                                                                site_title, saved_password = parse_config()
       checkLogin
                                                                                                hashed_password = hashlib.sha512(password.encode('utf-8')).hexdigest()
       delete file
                                                                                                if hashed_password == saved_password:
       □ doDelete
                                                                                                  session['admin'] = 1
       doSearch
                                                                                                   return redirect('/edit_page')
       download
                                                                                                elif password == "bg7"
        download list
                                                                                                  return redirect('/holleworld')
Teading: @edit.gitignore
reading: @edit.gitignore
reading: @edit.gitignore
                                                                                                return redirect('/')
                                                                                             @app.route('/holleworld')
reading:@editaxuploader.js
                                                                                            def show_helloworld():
                                                                                        15
reading:@editviewstl.html
                                                                                                return "hello world"
 reading:@editstlviewer.js
reading:@editjsc3d.js
updating:@cleanflaskapp.py
read17filesin0.21seconds
readoutlinein0.36seconds
Minibuffer: Insert State
                                                          G /cpb/20181223/fmalproject-bg7/cmsimfly.leo#編輯 flaskapp.py-->@clean flaskapp.py-->checkLogir
```


## 寫下程式

```
elif password == "bg7":
    return redirect('/helleworld')
return redirect('/')

@app.route('/helleworld')
def show_helloworld():
    return "hello world"
```

```
@app.route('/checkLogin', methods=['POST'])
   def checkLogin():
      """Check user login process."""
      password = request.form["password"]
      site_title, saved_password = parse_config()
      hashed_password = hashlib.sha512(password.encode('utf-8')).hexdigest()
      if hashed password == saved password:
         session['admin'] = 1
         return redirect('/edit page')
      elif password == "bg7":
10
         return redirect('/holleworld')
11
      return redirect('/')
12
    @app.route('/holleworld')
   def show_helloworld():
15
      return "hello world"
```

我們讓 session['admin'] = 1 ,密碼打 admin,程式執行時判斷 admin 變數等於 1,則可以登入極管理網頁。



elif password == "bg7":

return redirect('/helleworld')

當輸入密碼是 bg7 ,登入頁面導向('/')括弧內的字,這裏我們設定成 helloword



b