

PulmoRelief-4 Asthma - Trial Protocol

Study Overview

[illegible]

Primary Objective

[illegible]

Study Design

[illegible]

Safety Monitoring

Frequent monitoring of adverse events and laboratory parameters. Frequent monitoring of adverse events and laboratory parameters. Frequent monitoring of adverse events and laboratory parameters.

Frequent monitoring of adverse events and laboratory parameters. Frequent monitoring of adverse events and laboratory parameters. Frequent monitoring of adverse events and laboratory parameters.

Frequent monitoring of adverse events and laboratory parameters. Frequent monitoring of adverse events and laboratory parameters. Frequent monitoring of adverse events and laboratory parameters.

Endpoints

[illegible]

Study Overview

[illegible]

Primary Objective

[illegible]

Study Design

[illegible]

Safety Monitoring

[illegible]

Endpoints

[illegible]

Study Overview

The Phase 3 study enrolled 750 severe asthma patients. The Phase 3 study enrolled 750 severe
asthma patients. The Phase 3 study enrolled 750 severe asthma patients. The Phase 3 study enrolled
750 severe asthma patients. The Phase 3 study enrolled 750 severe asthma patients. The Phase 3
study enrolled 750 severe asthma patients. The Phase 3 study enrolled 750 severe asthma patients.
The Phase 3 study enrolled 750 severe asthma patients.

Primary Objective

[illegible]

Study Design

Randomized, placebo-controlled, double-blind methodology. Randomized, placebo-controlled,
double-blind methodology. Randomized, placebo-controlled, double-blind methodology. Randomized,
placebo-controlled, double-blind methodology. Randomized, placebo-controlled, double-blind
methodology. Randomized, placebo-controlled, double-blind methodology. Randomized,
placebo-controlled, double-blind methodology. Randomized, placebo-controlled, double-blind
methodology.

Safety Monitoring

Frequent monitoring of adverse events and laboratory parameters. Frequent monitoring of adverse events and laboratory parameters. Frequent monitoring of adverse events and laboratory parameters.

Frequent monitoring of adverse events and laboratory parameters. Frequent monitoring of adverse events and laboratory parameters. Frequent monitoring of adverse events and laboratory parameters.

Frequent monitoring of adverse events and laboratory parameters. Frequent monitoring of adverse events and laboratory parameters. Frequent monitoring of adverse events and laboratory parameters.

Endpoints

[illegible]