

# MANAVA Multiverse Discord Bot

## Implementation & Command Guide

|             |                                                                                                                                                  |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| PROJECT     | MANAVA Multiverse — custom Discord bot: squad system, unified XP & leaderboard economy, application review workflows, MANAVA Gateway integration |
| SCOPE       | Milestone 1 (Squads) · Milestone 2 (XP & MANAVA) · Milestone 3 (Applications, Seasons, Reliability, Handover)                                    |
| BUILD       | 718a6d3 · branch main                                                                                                                            |
| DATE        | 7 September 2026                                                                                                                                 |
| RUNTIME     | Python 3.11+ · discord.py 2.x · Supabase Postgres                                                                                                |
| PREPARED BY | Muhammad Nadeem                                                                                                                                  |
| RECIPIENT   | MANAVA                                                                                                                                           |

This guide describes what each milestone delivers, every command and who can run it, and the main user flows. Companion technical docs live in the repository's docs/ folder ( command-reference.md , schema.md , deployment.md , recovery.md , manava-gateway-integration.md , logging.md ).

## 1. Overview

---

The bot adds four capabilities on top of the existing MANAVA Multiverse server:

- **Squads** — members form esports teams. Each squad gets its own role and four channels (member text/voice, officer text/voice), created automatically and placed in the  [SQUADS 01] ... 07 categories.
- **Unified XP economy** — one Personal XP balance per member, earned from Discord chat activity and from MANAVA gameplay events. It has a Lifetime counter (never resets) and a Season counter (reset when a new season starts). A member's XP also flows 1:1 into their current squad's XP.
- **Leaderboards** — a global squad leaderboard (ranked by Season XP, top 32 badged) and a per-squad member leaderboard, both shown on demand.
- **Applications** — Developer and Creator/Streamer application forms with a review workflow (Approve / Reject / Request More Info) in a private staff channel.

Seasons are started and reset manually by staff. MANAVA account status ("Verified Player") and gameplay events come from the **MANAVA Gateway**; until MANAVA supplies credentials the bot runs in a **stub mode** with manual admin overrides.

|                                                                     |           |
|---------------------------------------------------------------------|-----------|
| 1 Overview                                                          | this page |
| 2 Milestone 1 — Squad system                                        | §2        |
| 3 Milestone 2 — XP economy, leaderboards & MANAVA integration       | §3        |
| 4 Milestone 3 — Applications, seasons, account linking, reliability | §4        |
| 5 Command reference                                                 | §5        |
| 6 Configuration & tunable values                                    | §6        |
| 7 Server prerequisites & operating notes                            | §7        |
| 8 MANAVA Gateway integration                                        | §8        |
| 9 Known limitations & items owned by MANAVA                         | §9        |

## 2. Milestone 1 — Squad system

---

### 2.1 What it delivers

- **Gated squad creation.** A member can create a squad only if they: hold the **Member** role, have  $\geq 1500$  **Personal Lifetime XP**, are a **Verified Player** (linked MANAVA account with a confirmed email), are **not already in or leading another active squad**, and chose a **valid, unused name** (3–32 characters; letters, numbers, spaces, hyphens, underscores). Every failed check is reported back in one plain-language message.
- **Automatic Discord objects.** On creation the bot makes one squad-specific role and four channels — Member Text, Member Voice, Officer Text, Officer Voice — inside the first `SQUADS 0N` category with room.
- **Capacity limits.** 10 squads (40 channels) per category, 7 categories → a ceiling of **70 active squads**. Assignment is purely by free space, never by rank. Creating past the ceiling fails with a "server at capacity, contact staff" message.
- **Roles & leadership.** Every member holds the squad role + the shared **Squad Member** rank role; the leader also holds **Squad Leader**; officers hold **Squad Officer** (max 2 per squad).
- **Channel visibility.** Member channels are visible to that squad's members and to staff (Admin, MANAVA Team, Senior Moderator, Moderator). Officer channels are visible only to that squad's Leader + Officers and staff.
- **Cross-squad isolation.** Officer-channel access is granted per individual member, not via the shared "Squad Officer" role, so an officer of one squad can never see another squad's officer channels.
- **Safe destructive actions.** Remove, Demote, Transfer Leadership and Disband all require an explicit **Confirm / Cancel** step — nothing fires on the first click. A squad can never be left without a Leader.
- **Disband & 30-day archive.** On disband, access is revoked immediately and the squad drops off the leaderboard, but the channels stay (hidden) for 30 days before a daily job deletes them. The squad record, its XP history and audit trail are kept permanently, and the name stays reserved forever. Within the 30-day window a squad can be fully restored ( `/admin restore-squad` ).

### 2.2 Flows

#### Create a squad

- 1 Member runs `/squad create name:<name>`.
- 2 The bot checks every eligibility gate. If any fail, it lists them and stops — nothing is created.
- 3 The squad role and four channels are created in the first category with space; the creator is made Leader.
- 4 The creator gets a confirmation (and a note if their DMs are closed, since join requests arrive by DM).

#### Apply and join

- 1 Member runs `/squad apply squad_name:<name>` (name auto-completes from active squads).

The bot checks the applicant isn't already in a squad and that it can DM them, then records the request and DMs a receipt.

The squad's Leader and Officers each get a DM with **Approve** / **Reject** buttons.

A reviewer clicks a button. On **Approve** the bot re-checks the one-squad rule and the level's member cap, then assigns the squad role + Squad Member and grants channel access.

The applicant is DMed the decision. The buttons keep working even after a bot restart.

## Manage members

**Invite** — a Leader/Officer runs `/squad invite user:@member` ; the same one-squad and capacity checks apply, then the member is added directly.

**Promote / Demote** — the Leader runs `/squad promote` / `/squad demote` . Promote is capped at 2 officers; Demote asks to confirm.

**Remove** — a Leader/Officer runs `/squad remove user:@member [reason]` , confirms, and the member loses roles and access. The Leader can't be removed.

**Leave** — any member runs `/squad leave` (no cooldown; they can join another squad immediately). A Leader must transfer or disband first.

## Transfer leadership & disband

**Transfer** — the Leader runs `/squad transfer-leadership user:@member` and confirms. Leadership moves; the outgoing Leader becomes an Officer if there's room, otherwise a Member.

**Disband** — the Leader runs `/squad disband [reason]` and confirms. Access and rank roles are removed at once, the squad leaves the leaderboard, and a 30-day archive timer starts.

**Restore (staff)** — within 30 days, `/admin restore-squad squad_name:<name>` recreates the role, re-activates the squad, re-adds the members it had, and restores access. Members who have since joined another squad are skipped; if the former Leader has, the restore is refused until that's resolved.

## 3. Milestone 2 — XP economy, leaderboards & MANAVA integration

---

### 3.1 Unified Personal XP

- One balance per member, fed by two sources: **Discord chat** and **MANAVA gameplay events**. Every gain increases both the **Lifetime** counter (never reset — this is what the 1500 squad-creation gate reads) and the **Season** counter (reset by "Start New Season").
- **Discord chat XP**: +15 XP for a message of at least 10 characters, with a 60-second per-member cooldown. Only counts in normal channels — an admin-managed exclusion list removes staff / log / bot / applications channels (individual channels or whole categories). A single message can never grant XP twice.
- Voice XP is intentionally not implemented (out of scope).

### 3.2 Squad XP & member capacity

- Each squad has **Lifetime Squad XP** (permanent) and **Season Squad XP** (seasonal). When a *current* member earns +X Personal XP, +X is added to both squad counters and to that member's contribution figure.
- XP earned before joining is never back-filled; XP already contributed stays with the squad after the member leaves.
- A squad's **level** (1–7) is derived from its Lifetime Squad XP against configurable thresholds, and the level sets the **member cap**:

| Level | Lifetime Squad XP required (default) | Member cap |
|-------|--------------------------------------|------------|
| 1     | — (starting level)                   | 20         |
| 2     | 5,000                                | 50         |
| 3     | 15,000                               | 100        |
| 4     | 40,000                               | 200        |
| 5     | 100,000                              | 300        |
| 6     | 250,000                              | 500        |
| 7     | 600,000                              | 1,000      |

Thresholds are editable with `/xpconfig set-threshold`; the member caps are fixed by specification.

### 3.3 MANAVA gameplay events

MANAVA's Gateway pushes one signed webhook per event to the bot. Three event types are consumed: **match completed**, **tournament registered**, and **tournament placement** (which also carries the finishing place and whether the player won a paid prize slot). Each event grants a configurable amount of XP.

Every event is processed in a fixed order, and a repeated event is a guaranteed no-op:

1 Verify the request signature (or reject it).

2 Validate the payload shape.

3 Check the event id against the processed-events log — **if already seen, stop and grant nothing**.

4 Resolve the MANAVA player to a Discord member. If unknown, record the event and grant nothing.

5 Compute the XP for the event type and apply it to Personal Lifetime + Season XP, and to Squad XP if the member is in a squad.

6 Mark the event id processed and write a log entry.

A test harness — `/xpconfig simulate-manava-event` — runs a synthetic event through this exact pipeline so the whole flow can be exercised before MANAVA's side is live.

### 3.4 XP configuration

XP amounts and level thresholds are stored in the database, not in code, and are changed live with `/xpconfig set-xp / set-threshold` — no redeploy. Defaults:

| Setting                                                         | Key                                      | Default                        |
|-----------------------------------------------------------------|------------------------------------------|--------------------------------|
| Match completed                                                 | <code>skill_match_xp</code>              | 50                             |
| Tournament registered / participation base                      | <code>tournament_participation_xp</code> | 100                            |
| Placement bonus — 1st / 2nd / 3rd                               | <code>placement_reward_1 / 2 / 3</code>  | 500 / 300 / 150                |
| Prize-slot bonus (added when <code>wonPrizeSlot</code> is true) | <code>prize_slot_bonus_xp</code>         | 0 (inert until MANAVA sets it) |

### 3.5 Leaderboards

- **Global squad leaderboard** — active squads ranked by Season Squad XP, with the top 32 badged. No automatic qualification or bracket sync (out of scope).
- **Per-squad member leaderboard** — rank, member, Personal Lifetime XP, Personal Season XP, and contribution to the squad.
- Both are on-demand slash commands and use a single efficient query each.

## 4. Milestone 3 — Applications, seasons, account linking, reliability

### 4.1 Applications

Two application types, both reviewed in a private staff channel ( `#applications-review` by default; per-type channels can be set with `/admin set-application-channel` ).

| Type                                                              | Fields collected                                                                                                                                                                                                                               | On approval                                                                                        |
|-------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| <b>Developer</b><br><code>/apply developer</code>                 | Company / Studio · Project / Game · Website / Portfolio URL · Integration Interest (dropdown) · Relevant Experience · Contact Email · optional Additional Comments. Discord id, username and timestamp are captured automatically.             | Removes <b>Developer Pending</b> , assigns <b>Developer</b> .                                      |
| <b>Creator / Streamer</b><br><code>/apply creator-streamer</code> | Profile Type (Creator / Streamer / Both) · Primary Platform · Region · Audience Size (dropdowns) · Profile / Channel URL · Content Languages · Average Views / Live Viewers · Content Examples · Contact Email · optional Additional Comments. | Assigns <b>Creator</b> and/or <b>Streamer</b> per the Profile Type. No pending role for this type. |

- The form is a 3-step flow — dropdowns, then a modal for the text fields, then an optional comments step. Contact email and URLs are format-checked on submit; a bad value shows a **Fix & resubmit** button that reopens the form pre-filled.
- **One open application per type per member.** After a rejection, the same type can be resubmitted only after **30 days** (enforced by the bot).
- The review channel is locked to **Admin** and **MANAVA Team**; Moderator and Senior Moderator are explicitly excluded.
- Application contact details are never written to general logs — they stay inside the review channel and the applicant's own DMs.

#### Flow — submit and review

- 1 Member runs `/apply developer` (or `/apply creator-streamer` ), fills the form.
- 2 The bot assigns **Developer Pending** (Developer only), posts a summary card to the review channel, and DMs the applicant a receipt.
- 3 A reviewer clicks a button on the card:
  - **Approve** → assigns the role(s), removes Pending, DMs the applicant.
  - **Reject** → optional reason, removes Pending, DMs the applicant, starts the 30-day clock.
  - **Request More Info** → the reviewer types a question; the applicant is DMed a **Respond** button.
- 4 If more info was requested, the applicant clicks **Respond**, types an answer; it is attached to the *same* application and the card returns to the reviewers.
- 5 The reviewer confirmation names the applicant with a mention. All buttons survive a bot restart.

## 4.2 Seasons

- Staff-only. `/season start` opens a season; `/season end` freezes Season XP; `/season status` shows the current one.
- `/season new` (with a confirm step) ends the current season and **resets every member's Personal Season XP and every squad's Season Squad XP to 0**. Lifetime XP and per-member contribution are never touched. The action and the staff member who ran it are recorded.

## 4.3 Account linking / Verified Player

Linking a Discord account to a MANAVA account happens on the **MANAVA website** — there is no bot command for it. The bot only *reads* the result.

- **Gateway mode** (once MANAVA supplies credentials): when a member tries to create a squad, the bot asks the MANAVA Gateway whether that Discord id is linked and email-verified, and shows the right guidance — "link your MANAVA account" vs "confirm your email" — with a link to the MANAVA site.
- **Stub mode** (default until then): staff set the flag manually with `/admin set-verified`, and map a MANAVA id with `/admin link-manava-account`. These commands stay available as a support tool even after Gateway mode is on.

### Flow — a member becomes eligible

- 1 Member runs `/squad create` and is told they aren't a Verified Player, with a link to the MANAVA site.
- 2 Member signs in / registers on the MANAVA site with Discord and confirms their email.
- 3 Member runs `/squad create` again — the bot re-checks with the Gateway, sees they're linked and verified, and (assuming the other gates pass) creates the squad.

## 4.4 Reliability

- Duplicate / retried MANAVA events never grant XP twice (checked before any XP is computed).
- Bad or unsigned webhooks are rejected; a database blip returns a retryable response so the Gateway re-delivers; a temporary Gateway outage falls back to the last known value.
- All persistent buttons (squad join requests, application review, applicant "Respond") keep working across a bot restart.
- The bot never grants Admin, MANAVA Team, Senior Moderator or Moderator — a hard deny-list blocks it even on a logic bug.
- Squad creation rolls back its Discord objects if the database write fails — no half-made squads.
- Every administrative change (XP corrections, verification, config edits, season actions, application decisions, squad lifecycle) is written to an audit log with the actor, timestamp, and before/after values.
- If a member has DMs closed, `/squad apply` tells them to enable DMs before continuing, and a reviewer is told when a decision DM couldn't be delivered.

## 5. Command reference

Replies are private (only the person who ran the command sees them). "Staff" = the **Admin** or **MANAVA Team** role. The `/admin`, `/xpconfig` and `/season` groups are hidden from non-administrators in the command menu. Name fields auto-complete as you type.

### 5.1 Squads — `/squad`

| Command                                              | Who              | What it does                                                                                    |
|------------------------------------------------------|------------------|-------------------------------------------------------------------------------------------------|
| <code>/squad create name:&lt;3-32&gt;</code>         | EVERYONE         | Create a squad (subject to the eligibility gates). Makes the role + 4 channels.                 |
| <code>/squad apply squad_name:&lt;name&gt;</code>    | EVERYONE         | Request to join a squad; Leader/Officers get Approve/Reject buttons by DM.                      |
| <code>/squad invite user:@member</code>              | LEADER · OFFICER | Add a member directly (one-squad and capacity checked).                                         |
| <code>/squad leave</code>                            | ANY MEMBER       | Leave your squad. A Leader must transfer or disband first.                                      |
| <code>/squad remove user:@member [reason]</code>     | LEADER · OFFICER | Remove a member. Confirm step. Can't remove the Leader.                                         |
| <code>/squad promote user:@member</code>             | LEADER           | Member → Officer (max 2).                                                                       |
| <code>/squad demote user:@member</code>              | LEADER           | Officer → Member. Confirm step.                                                                 |
| <code>/squad transfer-leadership user:@member</code> | LEADER           | Hand over leadership. Confirm step.                                                             |
| <code>/squad disband [reason]</code>                 | LEADER           | Disband. Confirm step. Access revoked now; channels deleted after 30 days; record kept forever. |
| <code>/squad info</code>                             | ANY MEMBER       | Show your squad's roster.                                                                       |

### 5.2 Leaderboards — `/leaderboard`

| Command                                      | Who      | What it does                                              |
|----------------------------------------------|----------|-----------------------------------------------------------|
| <code>/leaderboard squads</code>             | EVERYONE | Global squad leaderboard by Season XP; top 32 badged.     |
| <code>/leaderboard squad [squad_name]</code> | EVERYONE | A squad's member leaderboard. Defaults to your own squad. |

### 5.3 Applications — `/apply`

| Command                       | Who      | What it does                                                                                   |
|-------------------------------|----------|------------------------------------------------------------------------------------------------|
| <code>/apply developer</code> | EVERYONE | Start a Developer application. Assigns <b>Developer Pending</b> , posts to the review channel. |

| Command                              | Who             | What it does                            |
|--------------------------------------|-----------------|-----------------------------------------|
| <code>/apply creator-streamer</code> | <b>EVERYONE</b> | Start a Creator / Streamer application. |

Review is done with the **Approve / Reject / Request More Info** buttons on the card in the review channel — **Admin / MANAVA Team only**. One open application per type; 30-day wait after a rejection.

## 5.4 Seasons — `/season` **STAFF**

| Command                     | What it does                                                                                                      |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------|
| <code>/season status</code> | Show the current / last season.                                                                                   |
| <code>/season start</code>  | Open a new season (fails if one is already active).                                                               |
| <code>/season end</code>    | End the active season; Season XP is frozen until the next starts.                                                 |
| <code>/season new</code>    | Confirm step. End the current season and reset <b>all</b> Personal + Squad Season XP to 0. Lifetime XP untouched. |

## 5.5 XP configuration — `/xpconfig` **STAFF**

| Command                                                                                | What it does                                                                    |
|----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| <code>/xpconfig view</code>                                                            | Show current XP amounts, level thresholds, excluded channels, integration mode. |
| <code>/xpconfig set-xp key:&lt;...&gt; value:&lt;n&gt;</code>                          | Change an XP amount (match / participation / placement 1–3 / prize-slot bonus). |
| <code>/xpconfig set-threshold level:&lt;2–7&gt; value:&lt;n&gt;</code>                 | Change the Lifetime Squad XP needed for a level.                                |
| <code>/xpconfig exclude-channel channel:&lt;#ch&gt; excluded:&lt;true false&gt;</code> | Add / remove a channel or category from text-XP.                                |
| <code>/xpconfig simulate-manava-event ...</code>                                       | Test harness: push a synthetic MANAVA event through the real pipeline.          |

## 5.6 Admin — `/admin` **STAFF**

| Command                    | What it does                                                                                                                                                                                                          |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>/admin status</code> | Read-only summary of the bot's configuration and live counts (integration mode, webhook auth, migrations, XP rule, application routing, active/archived squads, memberships, applications by status, current season). |

| Command                                                                            | What it does                                                                                                           |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <code>/admin set-verified user:@member verified:&lt;bool&gt;</code>                | Manually set Verified Player status (support fallback).                                                                |
| <code>/admin add-xp user:@member amount:&lt;n&gt; [reason]</code>                  | Manually grant Personal XP (also cascades to the member's squad). Recorded with the reason.                            |
| <code>/admin link-manava-account user:@member manava_user_id:&lt;id&gt;</code>     | Manually map a Discord member to a MANAVA id (support fallback).                                                       |
| <code>/admin restore-squad squad_name:&lt;name&gt;</code>                          | Recover a squad disbanded in the last 30 days — recreates the role, re-activates it, re-adds members, restores access. |
| <code>/admin set-application-channel application_type:&lt;...&gt; [channel]</code> | Route a given application type to a specific channel (locked to staff). Blank = back to #applications-review .         |
| <code>/admin gateway refresh-identity user:@member</code>                          | Gateway mode only — re-fetch a member's MANAVA linked/verified status.                                                 |

## 5.7 Utility

| Command                                                 | Who             | What it does                                                                                                                                                                          |
|---------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>/help</code>                                      | <b>EVERYONE</b> | Command list, tailored — members see the member commands; staff also see the admin sections.                                                                                          |
| <code>!sync</code> (typed message, not a slash command) | <b>STAFF</b>    | Re-register slash commands, re-check roles/categories/permissions, re-create the application roles + channel, refresh caches — without a restart. Run after any server-object change. |

## 6. Configuration & tunable values

---

### 6.1 Changed live from Discord (no redeploy)

| What                                                                      | How                                                                           |
|---------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| XP per event type (match, participation, placement 1–3, prize-slot bonus) | <code>/xpconfig set-xp</code>                                                 |
| Lifetime Squad XP needed for levels 2–7                                   | <code>/xpconfig set-threshold</code>                                          |
| Channels / categories excluded from text-XP                               | <code>/xpconfig exclude-channel</code>                                        |
| Review channel per application type                                       | <code>/admin set-application-channel</code>                                   |
| Verified-Player flag / MANAVA id mapping (support)                        | <code>/admin set-verified ,</code><br><code>/admin link-manava-account</code> |

### 6.2 Fixed rules (by specification)

| Rule                                  | Value                                                    |
|---------------------------------------|----------------------------------------------------------|
| Squad-creation Lifetime XP gate       | 1,500                                                    |
| Discord text XP                       | +15 per message · min 10 characters · 60-second cooldown |
| Officers per squad                    | max 2                                                    |
| Squads per category / total           | 10 per category · 70 total (7 categories)                |
| Member caps by level                  | 20 / 50 / 100 / 200 / 300 / 500 / 1,000                  |
| Disband archive window                | 30 days (env <code>SQUAD_ARCHIVE_DAYS</code> )           |
| Reapplication cooldown after a reject | 30 days                                                  |
| Global leaderboard highlight          | top 32                                                   |

### 6.3 Environment variables (set at deploy)

| Variable                                                                       | Purpose                                                                      |
|--------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <code>DISCORD_BOT_TOKEN</code> , <code>DISCORD_GUILD_ID</code>                 | Bot token and server id. Needs the Server Members + Message Content intents. |
| <code>DATABASE_URL</code>                                                      | Supabase Postgres (session pooler) connection string.                        |
| <code>MANAVA_GATEWAY_BASE_URL</code> ,<br><code>DISCORD_BACKEND_API_KEY</code> | Set both to turn on Gateway mode (real identity lookups).                    |
| <code>WEBHOOK_SIGNING_SECRET</code>                                            | Verifies the signature on inbound MANAVA event webhooks.                     |
| <code>MANAVA_LINK_URL</code>                                                   | The MANAVA site members are sent to for account linking.                     |
| <code>PORT</code> , <code>LOG_LEVEL</code> , <code>SQUAD_ARCHIVE_DAYS</code>   | Webhook/health port; log level; archive window. Have sensible defaults.      |

Full descriptions are in `docs/deployment.md` . Secrets are read only from the environment — never committed.

## 7. Server prerequisites & operating notes

### 7.1 Must already exist on the server

- **Roles** (matched by name): Admin, MANAVA Team, Senior Moderator, Moderator, Squad Leader, Squad Officer, Squad Member, Member.
- **Categories** (created by staff, exact names): 🦋 [SQUADS 01] through 🦋 [SQUADS 07].
- The bot's own role must sit **above** the squad and application roles it assigns.

### 7.2 Created automatically by the bot

- Roles Developer Pending, Developer, Creator, Streamer, and the #applications-review channel (locked to Admin + MANAVA Team; Moderator / Senior Moderator denied). Created on startup or !sync if missing.
- Per-squad roles and channels, on each squad creation.

### 7.3 Day-to-day

| Need                                                        | Do                             |
|-------------------------------------------------------------|--------------------------------|
| See configuration and live status                           | /admin status                  |
| After changing roles / channels / categories                | !sync                          |
| Recover a squad disbanded by mistake (within 30 days)       | /admin restore-squad           |
| Send an application type to its own channel                 | /admin set-application-channel |
| Discord ↔ database out of sync (deleted channel/role, etc.) | see docs/recovery.md           |

#### Command visibility

The /admin, /xpconfig and /season groups are set to require the Discord **Administrator** permission, so members without it don't see them in the command menu. If the **MANAVA Team** role should use them without being full Administrators, a server admin allows the role once under **Server Settings → Integrations → MANAVA Setup Bot → Command Permissions**.

## 8. MANAVA Gateway integration

---

The bot and the MANAVA Gateway have exactly two contact points.

### 8.1 Bot → Gateway: "is this Discord account a verified player?"

When a member hits the squad-creation gate, the bot asks the Gateway about their Discord id and gets back whether the account is linked to a MANAVA account, the MANAVA player id, and whether the email is confirmed. The bot caches this so later gameplay events can be attributed to the right member.

### 8.2 Gateway → Bot: gameplay events

The Gateway sends one signed webhook per event (match completed, tournament registered, tournament placement) to a URL **MANAVA registers on their side**. The bot verifies the signature, de-duplicates by event id, and grants the configured XP. If the bot can't be reached or replies with an error, the Gateway retries on its own schedule.

#### Two modes

**Gateway mode** is active once `MANAVA_GATEWAY_BASE_URL`, `DISCORD_BACKEND_API_KEY` and `WEBHOOK_SIGNING_SECRET` are set. Until then the bot is in **stub mode**: `/admin set-verified` and `/admin link-manava-account` stand in for the identity lookup, and the event pipeline is exercised with `/xpconfig simulate-manava-event`. Switching modes is an environment-variable change and a restart — no code change.

Full request/response detail is in `docs/manava-gateway-integration.md`.

## 9. Known limitations & items owned by MANAVA

---

### 9.1 By design

- The 60-second text-XP cooldown is kept in memory, so it resets on a bot restart (at most one extra grant right after a redeploy).
- Text-XP grants are best-effort during a database outage — they're logged and skipped, not queued.
- A season reset is recorded but final standings aren't snapshotted — export the leaderboard before `/season new` if a record is wanted.
- A member's "contribution" figure is per-membership-stint lifetime, not per-season.
- Disbanded squads keep hidden channels for 30 days before deletion; recover with `/admin restore-squad` within that window.
- Run only one instance of the bot per token.
- A gameplay event for a MANAVA player the bot has never looked up is recorded but grants no XP until an identity lookup warms the cache (confirmed acceptable for launch).

### 9.2 Provided / done by MANAVA

- Real `DISCORD_BACKEND_API_KEY` and `WEBHOOK_SIGNING_SECRET` values.
- Registering this deployment's event webhook URL with the Gateway.
- A value for the prize-slot XP bonus (currently 0, so it has no effect).
- The production MANAVA account-linking URL.
- Deployment and CI/CD (GitLab → VPS). The repository provides the container, a runtime contract ( `docs/deployment.md` ) and the database migrations.