

Basic HTML Questions

1) What does HTML stand for?

=> HTML stands for HyperText Markup Language.

2) What is the purpose of the <html> tag?

=> This tag defines the root of an HTML document. It contains all the HTML content of the webpage.

3) What is the use of the <head> section in HTML?

=> This tag contains metadata about the webpage such as: title, link css, link js, metatags, favicon etc.

4) What is the <title> tag used for?

=> title tag is used to set the title of the webpage, display on browser tab and also used in SEO

5) What is the difference between <h1> and <h6>?

=> H1 tag used to define largest heading, H6 used to define smallest heading in webpage.

6) What is the use of the <p> tag?

=> this tag is used to define paragraph of text.

7) What is an HTML attribute? Give two examples.

=> HTML attribute provide additional information about tag

(1) `<a href="url">Test</a>`

(2) ``

8) What is the purpose of the `<br>` tag?

=> this tag is used to break current line.

9) What is the difference between `<b>` and `<strong>` tags?

=> both same make text bold in webpage.

10) What does the `<em>` tag do?

=> this tag emphasizes text, display text in italic format.

Links & Images

1) How do you create a hyperlink in HTML?

=> Syntax : `<a href="url" > Link Caption <a>`

Example : [Click to Open Google Page](#)

2) What is the purpose of the href attribute?

=> href contains the URL or page link of the page you want to open.

3) How do you open a link in a new tab?

=> Use target="_blank" attribute inside the <a>

4) What is the purpose of the tag?

=> img tag is used to display image on webpage

5) What does the alt attribute do in an image?

=> alt attribute is used to display text when image fails to load.

6) What is the difference between absolute and relative URLs?

=> absolute url means full url of webpage including base url

i.e. `<a href="http://myproject/Contactus.php"> Contactus <a>`

=> relative url means short url of webpage or excluding base url

i.e. `<a href="Contactus.php"> Contactus <a>`

Lists in HTML

1) What is an ordered list in HTML?

=> Order list is used to display list in ordered i.e. serial numbered/alphabet/roman number format

Example : `<ol>`

`<li> Item 1 </li>`

```
        <li> Item 2 </li>
        <li> Item 3 </li>
        <li> Item 4 </li>
    </ol>
```

Output :

1. Item 1
2. Item 2
3. Item 3
4. Item 4

2) What is an unordered list in HTML?

=> unordered list is used to display list shows with bullet instead of serial numbered format.

Example :

```
        <li> Item 1 </li>
        <li> Item 2 </li>
        <li> Item 3 </li>
```

```
        <li> Item 4 </li>
    </ul>
```

Output :

- Item 1
- Item 2
- Item 3
- Item 4

3) What is the purpose of the tag?

=> This tag is used to display item on webpage as per above examples.

4) Write the tags used to create a definition list.

=> Definition list tags used to display list of definition with its terms/points.

Example : <dl>

```
        <dt> ABC </dt>
        <dd> Lorem ipsum dolor, sit amet
consectetur adipisicing elit. Dignissimos
blanditiis, expedita. </dd>

        <dt> XYZ </dt>
        <dd> Lorem ipsum dolor, sit amet
consectetur adipisicing elit. Dignissimos
blanditiis, expedita. </dd>
</dl>
```

Output :

ABC:

Lorem ipsum dolor, sit amet consectetur
adipisicing elit. Dignissimos blanditiis,
expedita.

XYZ:

Lorem ipsum dolor, sit amet consectetur
adipisicing elit. Dignissimos blanditiis,
expedita.

Tables in HTML

1) What is the use of <table>?

=> table tag is used to create table which display data in row and column format.

2) What do <tr>, <td>, and <th> stand for?

=> <tr> : Table Row

<td> : Table Data

<th> : Table Header

3) What is the purpose of the colspan attribute?

=> colspan attribute is used to merged multiple column into single cell

4) What is the purpose of the rowspan attribute?

=> rowspan attribute is used to merged multiple row into single cell

5) How do you create a table header?

=> th tag is used to create table header.

Example :

```
<table>
```

```
<tr>
```

```
<th> Sr.No. </th>
```

```
<th> Name </th>
```

```
<th> Mo.No. </th>
```

```
</tr>
<tr>
    <th> 1 </th>
    <th> Mayur Fadadalia </th>
    <th> 9408662385 </th>
</tr>
</table>
```

Output :

Sr.No.	Name	Mo.No.
1	Mayur Fadadalia	9408662385

Forms in HTML

1) What is the purpose of the <form> tag?

=> This tag used to send response to server which collected using input/textarea tags

2) What does the action attribute do?

=> in action attribute's assing address(url) for send data on url location when user submit the form.

i.e. <form action="url.html">

3) What does method="post" mean?

=> post method used to sending data securely

meanas data not shown in url.

4) What is the purpose of the `<input>` tag?

=> this tag is used to take user input.

5) Name 5 different input types in HTML.

=> `<input type="text">` : input text data from user

`<input type="number">` : input number data from user

`<input type="email">` : input email from user

`<input type="password">` : input password from user

`<input type="date">` : input date from user

also other input types (i.e. : checkbox, color, radio, file, etc...) availabe.

6) What is the `<textarea>` tag used for?

=> this tag is used to take multi line text data input i.e. address, remarks, etc.

7) How do you create a dropdown menu in HTML?

=> we can create dropdown menu using `<select>` & `<option>`.

Example : `<select>`

`<option>` Option 1 `</option>`

`<option>` Option 2 `</option>`

`<option>` Option 3 `</option>`

`</select>`

Output : 

8) What is the purpose of the <label> tag?

=> this tag is used to set text label of input fields.

i.e. <label>Enter Your Name </label>

Semantic HTML

1) What is semantic HTML?

=> Semantic HTML means using HTML tags that clearly describe the meaning and structure of the content.

2) What is the use of <header>?

=> this tag represent the top section of webpage. it mostly contains webpage logo, title, heading, navigation, etc...

3) What is the use of <footer>

=> this tag represent bottom section of webpage. it mostly contains copyright, company information, social media links etc...

4) What does <section> represent?

=> this tag represent group of contents. like Homepage Section, About section, contactus section etc....

5) What does <article> represent?

=> this tag display data or content in webpage

6) What is the use of <nav>?

=> this tag is used to define navigation link.

Example : <nav>

```
    <a href="home"> Home <a>
    <a href="about"> About <a>
    <a href="contactus"> Contactus <a>
</nav>
```

Output :

[Home](#) | [About](#) | [Contactus](#)

Multimedia

1) How do you embed a video in HTML?

=> using video tag we embed video in html.

Example : <video src="video url" controls>
</video>

0:00

Output :

2) How do you embed audio in HTML?

=> using audio tag we embed audio in html.

Example : `<audio src="audio url" controls>`
`</audio>`

0:00 / 0:00

Output :

3) What is the purpose of the `<source>` tag?

=> source tag is used to define path audio/video inside audio and video tags.

Example : `<audio controls>`
`<source src="audio url"`
`type="audio/mp3">`
`</audio>`

0:00 / 0:00

Output :

HTML5 Concepts

1) What is a self-closing tag? Give examples.

=> this tag does not need to closing that tag

Example : `<hr>`, `<br>`, `<input>`, `<link>`, `<meta>`,
`<img>`, `<p>`

2) What is the `<!DOCTYPE html>` declaration?

=> inform to the browser that page content written in HTML.

3) What is the difference between block-level and inline elements?

=> block level elements means start on new line

and that takes full length of width. in this type of elements contains one or more inline-elements.

inline elements means do not start on new line. that takes necessary length of width. in this type of elements generally not written block elements.

4) Name 5 block-level HTML elements.

=> <div>, <p>, <h1>, <h2>, <h3>, <h4>, <h5>, <h6>, <section>

5) Name 5 inline HTML elements.

=> <a>, , , , <sub>, <sup>

6) What is the purpose of the <meta> tag?

=> this tag provides information about webpage.

7) What is localStorage and is it part of HTML?

=> localStorage means store data in browser, this feature provided by Javascript using function

```
localStorage.setItem("variable name", "data");
```

localStorage is not part of HTML but used in HTML with use of Javascript.

8) What is the difference between HTML and HTML5?

=> HTML:

- Older versions and Limited features

- Not provides built-in audio/video tags

- not provides built-in input validation

HTML5:

- Latest version of HTML

- Supports built-in audio & video tags

also support New semantic tags like
(<header>, <nav>, <footer>, etc....)
provides built-in form validation