

Bangladesh University of Business & Technology (BUBT)



LAB Report

Course Code : CSE 208
Course Title : Database Systems Lab
Experiment No. : 05

Name: Md. Fahim Islam
ID: 20245103035
Intake: 53
Section: 01
Program: B.Sc. Engg. in CSE

Name: Farha Akhter Munmun
Dept. of Computer Science and
Engineering (CSE)
Bangladesh University of Business and
Technology

Date of Submission:

Signature of Teacher

1. Fetch all the customer's name in alphabetic order who lives in Harrison.

Select customer_name from `the customer relatoin` where customer_city='Harrison' order by customer_name;

✓ Showing rows 0 - 1 (2 total, Query took 0.0002 seconds.) [customer_name: HAYES... - JONES...]

```
Select customer_name from `the customer relatoin` where customer_city='Harrison' order by customer_name;
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 ▾ | Filter rows:

Extra options

customer_name ▲ 1
Hayes
Jones

2. Find the list of all customers in alphabetic order who have a loan at the Perryridge branch.

Select customer_name from `the borrower relatoin`,`the loan relatoin` where `the borrower relatoin`.loan_number = `the loan relatoin`.loan_number and branch_name='Perryridge' order by customer_name;

✓ Showing rows 0 - 1 (2 total, Query took 0.0002 seconds.) [customer_name: ADAMS... - HAYES...]

```
Select customer_name from `the borrower relatoin`,`the loan relatoin` where `the borrower relatoin`.loan_number = `the loan relatoin`.loan_number and branch_name='Perryridge' order by customer_name;
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 ▾ | Filter rows:

Extra options

customer_name ▲ 1
Adams
Hayes

3. Find all customers who have a loan from the bank, find their names, loan numbers and loan amount.

Select customer_name,`the borrower relatoin`.loan_number, amount from `the borrower relatoin`,`the loan relatoin` where `the loan relatoin`.loan_number=`the borrower relatoin`.loan_number;

✓ Showing rows 0 - 7 (8 total, Query took 0.0002 seconds)

```
Select customer_name, `the borrower relation`  
relation`.`loan_number`;
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create](#)]

☐ Show all | Number of rows: 25 ▾ Filter rows:

Extra options

customer_name	loan_number	amount
Adams	L-16	1300
Curry	L-93	500
Hayes	L-15	1500
Johnson	L-14	1500
Jones	L-17	1000
Smith	L-11	900
Smith	L-23	2000
Williams	L-17	1000

5. Find the name of all branches from "loan" table.

Select distinct branch_name from `the loan relation`;

✓ Showing rows 0 - 4 (5 total, Query took 0.0002 seconds.)

```
Select distinct branch_name from `the loan relation`;
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Create](#)]

☐ Show all | Number of rows: 25 ▾ Filter rows:

Extra options

branch_name
Round Hill
Downtown
Perryridge
Redwood
Mianus

6. Find loan no and 5 times amount from loan relation and replace the column name with "total balance".

Select loan_number, 5*amount "total_balance" from `the loan relatoin`;

✓ Showing rows 0 - 6 (7 total, Query took 0.0002 seconds.)

```
Select loan_number, 5*amount "total_balance" from `the loan relatoin`;
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 ▾ Filter rows:

Extra options

loan_number	"total_balance"
L-11	4500
L-14	7500
L-15	7500
L-16	6500
L-17	5000
L-23	10000
L-93	2500

7. Increase all loan amount by 5 percent from loan relation.

select loan_number, amount*1.05 from `the loan relatoin`;

✓ Showing rows 0 - 6 (7 total, Query took 0.0002 seconds.)

```
select loan_number, amount*1.05 from `the loan relatoin`;
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 ▾ Filter rows:

Extra options

loan_number	amount*1.05
L-11	945.00
L-14	1575.00
L-15	1575.00
L-16	1365.00
L-17	1050.00
L-23	2100.00
L-93	525.00

8. Give 6 percent interest for all loans with amount over 1000.

select loan_number, amount*1.06 from `the loan relatoin` where amount>1000;

✓ Showing rows 0 - 3 (4 total, Query took 0.0002 seconds.)

```
select loan_number, amount*1.06 from `the loan relatin` where amount>1000;
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 Filter rows:

Extra options

loan_number	amount*1.06
L-14	1590.00
L-15	1590.00
L-16	1378.00
L-23	2120.00

9. Delete all information of Perryridge branch from branch table.

Delete from `the branch relation` where branch_name='Perryridge';

✓ 1 row deleted. (Query took 0.0148 seconds.)

```
Delete from `the branch relation` where branch_name='Perryridge';
```

[[Edit inline](#)] [[Edit](#)] [[Create PHP code](#)]

branch_name	branch_city	assets
Brighton	Brooklyn	7100000
Downtown	Brooklyn	9000000
Mianus	Horseneck	400000
North Town	Rye	3700000
Pownal	Bennington	300000
Redwood	Palo Alto	2100000
Round Hill	Horseneck	8000000

10. Delete all loans with loan amounts between 1300 and 1500.

Delete from `the loan relatin` where amount>=1300 and amount<=1500;

loan_number	branch_name	amount
L-11	Round Hill	900
L-17	Downtown	1000
L-23	Redwood	2000
L-93	Mianus	500