

Bangladesh University of Business & Technology (BUBT)



LAB Report

Course Code : CSE 210
Course Title : Operating Systems Lab
Experiment No. : 01

Name: MD. Abdur Rahim
ID: 20234103011
Intake: 52
Section: 01
Program: B.Sc. Engg. in CSE

Name: Mishal Al Rahman
Dept. of Computer Science and
Engineering (CSE)
Bangladesh University of Business and
Technology

Date of Submission: 29/07/2025

Signature of Teacher

1. Display the path of your current directory.

`pwd`

```
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop$ pwd
/home/ubuntu-25/Desktop
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop$
```

2. Create a new directory called "LabFiles" in your home Directory.

`mkdir` LabFiles

```
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop$ pwd
/home/ubuntu-25/Desktop
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop$ mkdir LabFiles
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop$
```

3. Navigate into the "LabFiles" directory.

cd LabFiles

```
ubuntu-25@ubuntu-25-VirtualBox: ~/Desktop$ pwd
/home/ubuntu-25/Desktop
ubuntu-25@ubuntu-25-VirtualBox: ~/Desktop$ mkdir LabFiles
ubuntu-25@ubuntu-25-VirtualBox: ~/Desktop$ cd LabFiles
ubuntu-25@ubuntu-25-VirtualBox: ~/Desktop/LabFiles$
```

4. Create 3 new directories inside "LabFiles": FileDir1,FileDir2,FileDir3.

mkdir FileDir1 FileDir2 FileDir3

```
ubuntu-25@ubuntu-25-VirtualBox: ~/Desktop$ pwd
/home/ubuntu-25/Desktop
ubuntu-25@ubuntu-25-VirtualBox: ~/Desktop$ mkdir LabFiles
ubuntu-25@ubuntu-25-VirtualBox: ~/Desktop$ cd LabFiles
ubuntu-25@ubuntu-25-VirtualBox: ~/Desktop/LabFiles$ mkdir FileDir1 FileDir2 FileDir3
ubuntu-25@ubuntu-25-VirtualBox: ~/Desktop/LabFiles$
```

5. Create three new files inside the new directories as follows:

"file1.txt," inside FileDir1


"file2.txt" inside FileDir2

```
cd /home/ubuntu-25/Desktop/LabFiles/FileDir1
```

```
touch file1.txt
```

```
cd /home/ubuntu-25/Desktop/LabFiles/FileDir2
```

```
touch file2.txt
```




```
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles$ cd FileDir1
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles/FileDir1$ touch file1.txt
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles/FileDir1$ cd /home/ubuntu-25/d
esktop/LabFiles/FileDir2
bash: cd: /home/ubuntu-25/desktop/LabFiles/FileDir2: No such file or directory
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles/FileDir1$ cd /home/ubuntu-25/D
esktop/LabFiles/FileDir2
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles/FileDir2$ touch file2.txt
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles/FileDir2$
```

6. List the files in the "LabFiles" directory using the 'ls' Command.

```
cd /home/ubuntu-25/Desktop/LabFiles
```

```
ls
```



```
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles/FileDir2$ cd /home/ubuntu-25/D
esktop/LabFiles
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles$ ls
FileDir1  FileDir2  FileDir3
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles$
```

7. Add some contents in the "file1.txt" and "file2.txt" file
From the terminal.

nano /home/ubuntu-25/Desktop/LabFiles/FileDir1/file1.txt

nano /home/ubuntu-25/Desktop/LabFiles/FileDir2/file2.txt

```
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles$ nano /home/ubuntu-25/Desktop/
LabFiles/FileDir1/file1.txt
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles$ nano /home/ubuntu-25/Desktop/
LabFiles/FileDir2/file2.txt
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles$
```

```
GNU nano 7.2 /home/ubuntu-25/Desktop/LabFiles/FileDir1/file1.txt *
Hello Valorant
```


```
Save modified buffer?
```

```
GNU nano 7.2 /home/ubuntu-25/Desktop/LabFiles/FileDir2/file2.txt *
hello sova
```

```
Save modified buffer?
```


8. Display the contents of "file1.txt" using the 'cat' Command.

`cat /home/ubuntu-25/Desktop/LabFiles/FileDir1/file1.txt`

A terminal window with a dark purple background. The prompt is 'ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles\$'. The command 'cat /home/ubuntu-25/Desktop/LabFiles/FileDir1/file1.txt' has been entered and executed. The output is 'Hello Valorant' on the next line. The prompt is now 'ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles\$'.

9. Make a copy of "file1.txt" called "backup.txt" using the 'cp' command in the "LabFiles" directory.

`cp /home/ubuntu-25/Desktop/LabFiles/FileDir1/file1.txt /home/ubuntu-25/Desktop/LabFiles/backup.txt`

A terminal window with a dark purple background. The prompt is 'ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles\$'. The command 'cp /home/ubuntu-25/Desktop/LabFiles/FileDir1/file1.txt /home/ubuntu-25/Desktop/LabFiles/backup.txt' has been entered and executed. The prompt is now 'ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles\$'.

10.Rename "file2.txt" to "newfile.txt."

mv file2.txt newfile.txt

```
ubuntu-25@ubuntu-25-VirtualBox: ~/Desktop/LabFiles$ mv /home/ubuntu-25/Desktop/LabFiles/FileDir2/file2.txt /home/ubuntu-25/Desktop/LabFiles/FileDir2/newfile.txt
ubuntu-25@ubuntu-25-VirtualBox: ~/Desktop/LabFiles$
```


11.Move "newfile.txt" to the FileDir3 using the 'mv' Command changing its name to "newfile2.txt".

mv /home/ubuntu-25/Desktop/LabFiles/FileDir2/newfile.txt
/home/ubuntu-25/Desktop/LabFiles/FileDir3/newfile2.txt

```
ubuntu-25@ubuntu-25-VirtualBox: ~/Desktop/LabFiles$ mv /home/ubuntu-25/Desktop/LabFiles/FileDir2/newfile.txt /home/ubuntu-25/Desktop/LabFiles/FileDir3/newfile2.txt
ubuntu-25@ubuntu-25-VirtualBox: ~/Desktop/LabFiles$
```

12.Remove "file1.txt" from the FileDir1 directory.

rm /home/ubuntu-25/Desktop/LabFiles/FileDir1/file1.txt

A terminal window with a dark purple background. The prompt is 'ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles\$'. The command 'rm /home/ubuntu-25/Desktop/LabFiles/FileDir1/file1.txt' has been entered and executed. The prompt is now 'ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles\$'.

```
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles$ rm /home/ubuntu-25/Desktop/LabFiles/FileDir1/file1.txt
ubuntu-25@ubuntu-25-VirtualBox:~/Desktop/LabFiles$
```