

# Bangladesh University of Business & Technology (BUBT)



## LAB Report

Course Code : CSE 210  
Course Title : Operating Systems Lab  
Experiment No. : 01

Name: Md. Fahim Islam  
ID: 20245103035  
Intake: 53  
Section: 01  
Program: B.Sc. Engg. in CSE


Name: Mishal Al Rahman  
Dept. of Computer Science and  
Engineering (CSE)  
Bangladesh University of Business and  
Technology

**Date of Submission:** 29/07/2025

\_\_\_\_\_  
**Signature of Teacher**

## 1. Display the path of your current directory.


pwd

A terminal window titled 'fahim@GTX3060' showing the command 'pwd' being executed. The output is '/home/fahim'. The prompt is 'fahim@GTX3060:~\$'.

```
fahim@GTX3060:~$ pwd
/home/fahim
fahim@GTX3060:~$ |
```

## 2. Create a new directory called "LabFiles" in your home Directory.


mkdir LabFiles

A terminal window titled 'fahim@GTX3060' showing the command 'mkdir LabFiles' being executed. The output is empty, indicating successful creation. The prompt is 'fahim@GTX3060:~\$'.

```
fahim@GTX3060:~$ mkdir LabFiles
fahim@GTX3060:~$ |
```

### 3. Navigate into the "LabFiles" directory.


cd LabFiles

A terminal window titled 'fahim@GTX3060 - LabFiles' showing the command 'cd LabFiles' being executed. The prompt changes from '~\$' to '~/LabFiles\$'.

```
fahim@GTX3060:~$ cd LabFiles
fahim@GTX3060:~/LabFiles$ |
```

### 4. Create 3 new directories inside "LabFiles": FileDir1,FileDir2,FileDir3.

mkdir FileDir1 FileDir2 FileDir3

A terminal window titled 'fahim@GTX3060 - LabFiles' showing the command 'mkdir FileDir1 FileDir2 FileDir3' being executed. The prompt changes from '~/LabFiles\$' to '~/LabFiles\$' after the command is run.

```
fahim@GTX3060:~/LabFiles$ mkdir FileDir1 FileDir2 FileDir3
fahim@GTX3060:~/LabFiles$
```

**5. Create three new files inside the new directories as follows:**

**"file1.txt," inside FileDir1**


**"file2.txt" inside FileDir2**

```
cd /home/fahim/LabFiles/FileDir1
```

```
touch file1.txt
```

```
cd /home/fahim/LabFiles/FileDir2
```

```
touch file2.txt
```


A terminal window showing a series of commands to create files in subdirectories. The user navigates to FileDir1, creates file1.txt, then navigates to FileDir2 and creates file2.txt.

```
fahim@GTX3060:~/LabFiles$ cd /home/fahim/LabFiles/FileDir1
fahim@GTX3060:~/LabFiles/FileDir1$ touch file1.txt
fahim@GTX3060:~/LabFiles/FileDir1$ cd /home/fahim/LabFiles/FileDir2
fahim@GTX3060:~/LabFiles/FileDir2$ touch file2.txt
fahim@GTX3060:~/LabFiles/FileDir2$ |
```

**6. List the files in the "LabFiles" directory using the 'ls' Command.**

```
cd /home/fahim/LabFiles
```

```
ls
```

A terminal window showing the user navigating to the LabFiles directory and running the ls command, which lists FileDir1, FileDir2, and FileDir3.

```
fahim@GTX3060:~/LabFiles/FileDir2$ cd /home/fahim/LabFiles
fahim@GTX3060:~/LabFiles$ ls
FileDir1 FileDir2 FileDir3
fahim@GTX3060:~/LabFiles$
```

## 7. Add some contents in the "file1.txt" and "file2.txt" file From the terminal.

nano /home/fahim/LabFiles/FileDir1/file1.txt

nano /home/fahim/LabFiles/FileDir2/file2.txt

```
fahim@GTX3060:~/LabFiles$ nano /home/fahim/LabFiles/FileDir1/file1.
txt
fahim@GTX3060:~/LabFiles$ nano /home/fahim/LabFiles/FileDir2/file2.
txt
fahim@GTX3060:~/LabFiles$ |
```

```
GNU nano 7.2 /home/fahim/LabFiles/FileDir1/file1.txt *
Bangladesh University of Business and Technology (BUBT)|


^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify
```

```
GNU nano 7.2 /home/fahim/LabFiles/FileDir2/file2.txt *
Hello World|

[ Read 0 lines ]
^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify
```

## 8. Display the contents of "file1.txt" using the 'cat' Command.


```
cat /home/fahim/LabFiles/FileDir1/file1.txt
```

A terminal window titled 'fahim@GTX3060 - LabFiles' shows the command 'cat /home/fahim/LabFiles/FileDir1/file1.txt' being executed. The output is 'Bangladesh University of Business and Technology (BUBT)'. The prompt is 'fahim@GTX3060:~/LabFiles\$'.

```
fahim@GTX3060:~/LabFiles$ cat /home/fahim/LabFiles/FileDir1/file1.txt
Bangladesh University of Business and Technology (BUBT)
fahim@GTX3060:~/LabFiles$
```

## 9. Make a copy of "file1.txt" called "backup.txt" using the 'cp' command in the "LabFiles" directory.

```
cp /home/fahim/LabFiles/FileDir1/file1.txt
/home/fahim/LabFiles/backup.txt
```


A terminal window titled 'fahim@GTX3060 - LabFiles' shows the command 'cp /home/fahim/LabFiles/FileDir1/file1.txt /home/fahim/LabFiles/backup.txt' being executed. The prompt is 'fahim@GTX3060:~/LabFiles\$'.

```
fahim@GTX3060:~/LabFiles$ cp /home/fahim/LabFiles/FileDir1/file1.txt
/home/fahim/LabFiles/backup.txt
fahim@GTX3060:~/LabFiles$
```

## 10.Rename "file2.txt" to "newfile.txt."

cd FileDir2

mv file2.txt newfile.txt




```
fahim@GTX3060:~/LabFiles$ cd FileDir2
fahim@GTX3060:~/LabFiles/FileDir2$ mv file2.txt newfile.txt
fahim@GTX3060:~/LabFiles/FileDir2$ |
```

A terminal window titled 'fahim@GTX3060 - LabFiles' showing the execution of the 'cd FileDir2' and 'mv file2.txt newfile.txt' commands. The prompt changes from '~/' to '~/LabFiles/FileDir2\$' after the first command. A large, faint watermark 'fahim' is visible diagonally across the right side of the terminal window.

## 11.Move "newfile.txt" to the FileDir3 using the 'mv' Command changing its name to "newfile2.txt".

mv /home/fahim/LabFiles/FileDir2/newfile.txt  
/home/fahim/LabFiles/FileDir3/newfile2.txt




```
fahim@GTX3060:~/LabFiles/FileDir2$ mv newfile.txt /home/fahim/LabFiles/FileDir3/newfile2.txt
fahim@GTX3060:~/LabFiles/FileDir2$ |
```

A terminal window titled 'fahim@GTX3060 - LabFiles' showing the execution of the 'mv newfile.txt /home/fahim/LabFiles/FileDir3/newfile2.txt' command. The prompt remains at '~/LabFiles/FileDir2\$'. A large, faint watermark 'fahim' is visible diagonally across the right side of the terminal window.

## 12.Remove "file1.txt" from the FileDir1 directory.

```
rm /home/fahim/LabFiles/FileDir1/file1.txt
```

A screenshot of a terminal window with a black background and green text. The prompt is 'fahim@GTX3060:~/LabFiles\$'. The command 'rm /home/fahim/LabFiles/FileDir1/file1.txt' is entered and executed. The prompt returns to 'fahim@GTX3060:~/LabFiles\$'. The terminal window has a title bar at the top and a taskbar at the bottom.

```
fahim@GTX3060:~/LabFiles$ rm /home/fahim/LabFiles/FileDir1/file1.txt
fahim@GTX3060:~/LabFiles$ |
```