

Assignment No. 2

Test Plan and Test Case Writing Using Testworthy

Submitted by: Muhammad Faizan Ahmad

University: Bahria University (Islamabad Campus)

Tool Used: Testworthy (testworthy.com)

Project: Assignment2_testWriting

Date: May 1, 2026

Introduction

In this assignment, I had to create a complete test plan and write test cases for refined user stories using a tool called Testworthy. The project I worked on is based on an online bookstore application. The goal was to understand how professional testers organize, write, and execute test cases using a dedicated test management platform. The six tasks I had to complete were: writing test cases for user stories, adding a test plan, running test case executions, generating execution reports, maintaining test suites, and classifying test cases by type and priority.

Step 1: Setting Up the Project on Testworthy

The first thing I did was go to testworthy.com and sign in to my account. After logging in, I navigated to the Projects section from the left sidebar. I created a new project and named it 'Assignment2_testWriting' with the description 'Managing test plans and cases for refined user stories.' This project became the central place where all my test suites, test plans, test cases, and test runs would be stored.

As you can see in the screenshot below, the project was set to active status and by the time I was done, it had 34 test cases, 3 test runs, and an overall health of 89%. The last update was on 5/1/2026.




Fig 1.1 – Projects page showing 'Assignment2_testWriting' project

Step 2: Adding a Test Plan (Task 2)

The second task in the assignment required me to add a test plan inside Testworthy. A test plan is basically a blueprint that defines the scope of testing. It tells you which test suites and cases

you are going to run and under what conditions. To add it, I went inside my project and clicked on the 'Plans' tab at the top. Then I clicked '+ New Plan' to create a new one.

I named it 'Main Plan for User Stories' and wrote the description as: 'This plan covers the testing boundary for all user stories refined in assignment 1.' I set the status to active and created it on 5/1/2026. Later I linked test runs (sprints) to this plan when I started execution.




Fig 2.1 – Test Plans tab showing 'Main Plan for User Stories' (active)

Step 3: Maintaining Test Suites (Task 5)

Before writing any test cases I first needed to organize where they would live. In Testworthy, test cases are organized inside Test Suites, and suites can have sections and sub-sections. This is what task 5 (Maintain test suites) is all about.

I went to the 'Suites' tab of my project and created one main test suite called 'User Story 1: Login Module'. Inside this suite, I added three top-level sections corresponding to the three sprints of the project:

- Sprint 1 (The Basics)
- Sprint 2 (The Shop & User Experience)
- Sprint 3 (Account Management & Post-Purchase)




Fig 3.1 – Test Suites tab showing the main suite with 3 sprint sections




Fig 3.2 – Expanded view of all three sprints inside the suite

Sprint 1 – The Basics

Inside Sprint 1, I created two sub-sections: 'Account Login & Registration' (which contained 15 test cases) and 'Book Database & Search' (which contained 3 test cases).

▼ Sprint 1 (The Basics)	2 sub	📁	📄	⛶	🗑️
▼ Account Login & Registration	15 cases	📁	📄	⛶	🗑️
🔍 Verify login fails with unregistered username				⛶	🗑️
🔍 Reset password to the same old password				⛶	🗑️
🔍 Secure Logout				⛶	🗑️
🔍 Verify user can log in with valid credentials				⛶	🗑️
🔍 Successful User Registration				⛶	🗑️
🔍 Invalid email format				⛶	🗑️
🔍 Verify user cannot login with wrong password				⛶	🗑️
🔍 Registration with existing email				⛶	🗑️
🔍 Passwords do not match in confirm password				⛶	🗑️
🔍 Weak password validation				⛶	🗑️
🔍 Verify login is prevented when fields are left blank				⛶	🗑️
🔍 Changing the password via emailed link				⛶	🗑️
🔍 Request reset for unregistered email				⛶	🗑️
🔍 Successful Password Reset Link Request				⛶	🗑️
🔍 Using an expired password reset link				⛶	🗑️
> Book Database & Search		📁	📄	⛶	🗑️

Fig 3.3 – Sprint 1: Account Login & Registration (15 cases) and Book Database & Search

▼ Sprint 1 (The Basics)	2 sub	📁	📄	⛶	🗑️
> Account Login & Registration	15 cases	📁	📄	⛶	🗑️
▼ Book Database & Search	3 cases	📁	📄	⛶	🗑️
🔍 View Book Details / Product Page				⛶	🗑️
🔍 Search for a book by Exact Title				⛶	🗑️
🔍 Search with no matching results				⛶	🗑️

Fig 3.4 – Sprint 1: Book Database & Search sub-section (3 cases)

Sprint 2 – The Shop & User Experience

Sprint 2 had two sub-sections: 'Shopping Cart & Filtering' with 5 test cases and 'Secure Payment Checkout' with 4 test cases.

▼ Sprint 2 (The Shop & User Experience)	2 sub	📁	📄	⛶	🗑️
▼ Shopping Cart & Filtering	5 cases	📁	📄	⛶	🗑️
🔍 Add a book to the empty shopping cart				⛶	🗑️
🔍 Add out-of-stock book to cart				⛶	🗑️
🔍 Remove a book from the cart				⛶	🗑️
🔍 Filter books by Category/Genre				⛶	🗑️
🔍 Increase quantity of a book in cart				⛶	🗑️

Fig 3.5 – Sprint 2: Shopping Cart & Filtering (5 cases)

▼ Sprint 2 (The Shop & User Experience)	2 sub	📁	📄	⛶	🗑️
▶ 📁 Shopping Cart & Filtering	5 cases	📁	📄	⛶	🗑️
▼ 📁 Secure Payment Checkout	4 cases	📁	📄	⛶	🗑️
🔍 Checkout with an empty cart				⛶	🗑️
🔍 Proceed to checkout with items				⛶	🗑️
🔍 Missing mandatory shipping address fields				⛶	🗑️
🔍 Successful Order Placement				⛶	🗑️

Fig 3.6 – Sprint 2: Secure Payment Checkout (4 cases)

Sprint 3 – Account Management & Post-Purchase

Sprint 3 also had two sub-sections: 'Profile & Order History' with 5 test cases and 'Smart Suggestions' with 2 test cases.

▼ Sprint 3 (Account Management & Post-Purchase)	2 sub	📁	📄	⛶	🗑️
▼ 📁 Profile & Order History	5 cases	📁	📄	⛶	🗑️
🔍 View User Profile Dashboard				⛶	🗑️
🔍 Update Profile Information				⛶	🗑️
🔍 View Past Order History				⛶	🗑️
🔍 Order History for an account with zero orders				⛶	🗑️
🔍 View Details of a specific Past Order				⛶	🗑️

Fig 3.7 – Sprint 3: Profile & Order History (5 cases)

▼ Sprint 3 (Account Management & Post-Purchase)	2 sub	📁	📄	⛶	🗑️
▶ 📁 Profile & Order History	5 cases	📁	📄	⛶	🗑️
▼ 📁 Smart Suggestions	2 cases	📁	📄	⛶	🗑️
🔍 Add a Smart Suggestion book directly to cart				⛶	🗑️
🔍 Verify Smart Suggestions based on Order History				⛶	🗑️

Fig 3.8 – Sprint 3: Smart Suggestions (2 cases)

Login Scenarios Section View

Inside the suite, all test cases were also visible as a flat list under their sections. This gave a quick view of all 27 cases that fall under the login-related scenarios.

Sections	+ Add Section
Login Scenarios 27 cases Verify login fails with unregistered username Registration with existing email Request reset for unregistered email Verify login is prevented when fields are left blank Successful User Registration Weak password validation Passwords do not match in confirm password Changing the password via emailed link Reset password to the same old password Search for a book by Exact Title View Book Details / Product Page Add a book to the empty shopping cart Checkout with an empty cart Proceed to checkout with items Invalid email format Secure Logout Search with no matching results	

Fig 3.9 – Login Scenarios section showing all test cases (27 total)

Search with no matching results	
Add out-of-stock book to cart	
Missing mandatory shipping address fields	
Verify user cannot login with wrong password	
Verify user can log in with valid credentials	
Successful Password Reset Link Request	
Using an expired password reset link	
Filter books by Category/Genre	
Remove a book from the cart	
Increase quantity of a book in cart	
Successful Order Placement	

Fig 3.10 – Additional test cases in the Login Scenarios section


Step 4: Writing Test Cases for Refined User Stories (Task 1)

This was the main and most important task. I had to write detailed test cases for all the refined user stories from Assignment 1. In Testworthy, I went to the 'Cases' tab of my project, which showed a summary at the top: 34 Total Cases, 18 High Priority, 30 Functional type, and 0 Automated. Each test case I created included the following fields:

- Title – a short descriptive name
- Type – Functional or Security
- Priority – Critical, High, Medium, or Low
- Suite – which suite it belongs to
- Description – what the test is checking

- Preconditions – what must be true before running the test
- Test Steps – numbered steps to perform
- Expected Results – what should happen if the software works correctly

I wrote a total of 34 test cases covering the entire bookstore application: login, registration, password reset, search, shopping cart, checkout, profile management, and smart suggestions.



testworthy

Free Trial
You're on a free trial with limited features. Upgrade to unlock higher credit quotas and more users. [Upgrade Plan](#)

Assignment2_testWriting
Managing test plans and cases for refined user stories.

Overview Milestones Plans Suites **Cases** Runs Git

Test Cases
Browse and manage all test cases in this project.

Search test cases... [+ New Case](#)


Total Cases: **34** High Priority: **18** Functional: **30** Automated: **0**

Showing 1-34 of 34 test cases

ID	Title	Suite	Type	Priority	Created	Actions
TC-1	Verify user cannot login with wrong password	User Story 1: Login Module	Functional	Critical	5/1/2026	Edit Delete
TC-2	Verify user can log in with valid credentials	User Story 1: Login Module	Functional	Critical	5/1/2026	Edit Delete
TC-3	Verify login fails with unregistered username	User Story 1: Login Module	Functional	High	5/1/2026	Edit Delete
TC-4	Verify login is prevented when fields are left blank	User Story 1: Login Module	Functional	Medium	5/1/2026	Edit Delete

Muhammad Faizan Ahmad
Testcase Owner

Fig 4.1 – Cases tab showing 34 total test cases (18 high priority, 30 functional)



ID	Title	Suite	Type	Priority	Created	Actions
TC-1	Verify user cannot login with wrong password	User Story 1: Login Module	Functional	Critical	5/1/2026	Edit Delete
TC-2	Verify user can log in with valid credentials	User Story 1: Login Module	Functional	Critical	5/1/2026	Edit Delete
TC-3	Verify login fails with unregistered username	User Story 1: Login Module	Functional	High	5/1/2026	Edit Delete
TC-4	Verify login is prevented when fields are left blank	User Story 1: Login Module	Functional	Medium	5/1/2026	Edit Delete
TC-5	Successful User Registration	User Story 1: Login Module	Functional	Critical	5/1/2026	Edit Delete
TC-6	Registration with existing email	User Story 1: Login Module	Functional	High	5/1/2026	Edit Delete
TC-7	Weak password validation	User Story 1: Login Module	Security	Medium	5/1/2026	Edit Delete
TC-8	Passwords do not match in confirm password	User Story 1: Login Module	Functional	Medium	5/1/2026	Edit Delete
TC-9	Invalid email format	User Story 1: Login Module	Functional	Medium	5/1/2026	Edit Delete
TC-10	Successful Password Reset Link Request	User Story 1: Login Module	Functional	High	5/1/2026	Edit Delete
TC-11	Request reset for unregistered email	User Story 1: Login Module	Functional	Medium	5/1/2026	Edit Delete
TC-12	Changing the password via emailed link	User Story 1: Login Module	Functional	Medium	5/1/2026	Edit Delete
TC-13	Using an expired password reset link	User Story 1: Login Module	Security	Low	5/1/2026	Edit Delete
TC-14	Reset password to the same old password	User Story 1: Login Module	Security	Medium	5/1/2026	Edit Delete
TC-15	Secure Logout	User Story 1: Login Module	Security	Critical	5/1/2026	Edit Delete

Muhammad Faizan Ahmad
Testcase Owner

Fig 4.2 – Test cases list: TC-1 to TC-15 with types and priorities

Step 5: Classifying Test Cases (Task 6)

Task 6 required me to classify test cases by their type and tags. When I created each test case in Testworthy, I assigned it a 'Type' and a 'Priority'. The classification I used across all 34 test cases was:

- **Functional:** Most test cases, testing core application functionality
- **Security:** Tests related to password and authentication edge cases (TC-7, TC-13, TC-14, TC-15)
- **Critical:** Priority for TC-1, TC-2, TC-5, TC-15, TC-20, TC-25, TC-27: these are must-pass cases
- **High:** Priority for important but not mission-critical cases
- **Medium:** Priority for standard validation cases
- **Low:** Priority for edge cases that are unlikely but still worth testing

By classifying test cases this way, it becomes easy for any tester or reviewer to quickly see which tests are most critical to run first and which ones are about security vs. general functionality. This classification is visible in the Cases tab (shown in Step 4) under the Type and Priority columns.

Step 6: Running Test Case Execution and Marking Statuses (Task 3)

After all 34 test cases were written and organized, the next step was to actually execute them. In Testworthy, you do this by creating 'Test Runs'. I went to the 'Runs' tab and created three separate test runs, one for each sprint. Each run was set to In-Progress status since the testing was still ongoing during the assignment.

The screenshot displays the 'Test Runs' tab in the Testworthy application. The interface includes a sidebar with navigation options like Dashboard, Projects, Reports, and Jira Integration. The main content area shows a summary of test runs with statistics: Total Runs (3), Completed (0), In Progress (3), and Draft (0). Below this, a table lists three test runs, each corresponding to a sprint. All three sprints are currently in the 'In-Progress' status.

Title	Status	Milestone	Due Date	Created	Actions
Sprint 3 Account Management & Post-Purchase	In-Progress	No milestone	5/11/2026	5/2/2026	[Edit] [Delete]
Sprint 2 The Shop & User experience	In-Progress	No milestone	5/10/2026	5/2/2026	[Edit] [Delete]
Sprint 1 The Basics	In-Progress	No milestone	5/9/2026	5/2/2026	[Edit] [Delete]

Fig 5.1 – Test Runs tab showing all 3 sprints (Sprint 1, Sprint 2, Sprint 3)

Sprint 1 Execution – The Basics

Sprint 1 had 18 test cases. Out of these, 15 passed and 3 failed. The execution progress was at 83.3%. The environment was set to Staging and I used Selenium WebDriver as the automation tool.




Fig 5.2 – Sprint 1 run: 83.3% complete, 15 passed, 3 failed

Sprint 2 Execution – The Shop & User Experience

Sprint 2 had 9 test cases total. Out of these, 8 passed and 1 failed. The success rate was 88.9%. The one failed case was TC-21 (Add out-of-stock book to cart).




Fig 5.3 – Sprint 2 run: 88.9% complete, 8 passed, 1 failed

Sprint 3 Execution – Account Management & Post-Purchase

Sprint 3 had 7 test cases. Out of these, 6 passed and 1 was blocked (TC-34). The success rate was 85.7%.




Fig 5.4 – Sprint 3 run: 85.7% complete, 6 passed, 1 blocked

Marking Individual Test Case Results

For each test case during execution, I had to manually go into the case and mark its result. I could choose from: Passed, Failed, Blocked, Skipped, Partial, or Pending. Below are three examples showing how I marked results for different cases:




Fig 5.5 – TC-17 'Search with no matching results' – marked as PASSED




Fig 5.6 – TC-21 'Add out-of-stock book to cart' – marked as FAILED with Jira defect BUG-004




Fig 5.7. – TC-34 'Add a Smart Suggestion book to cart' – marked as BLOCKED with Jira defect BUG-005

Step 7: Generating Execution Reports (Task 4)

After completing the test executions and connecting test runs with test plan, task 4 required me to generate execution reports. I went to the 'Reports' section in the left sidebar of Testworthy. Initially, there were no reports and the page showed 'No reports found'.




Fig 6.1 – Reports page before any report was generated

I then clicked '+ Generate Report' to create a new one. The form asked for the Project, Report Type, Entity (the specific plan or run), Report Name, Description, and Status Filters (Passed, Failed, Blocked, etc.).

 This screenshot shows the 'Create New Report' modal form overlaid on the Reports page. The form contains the following fields and options:

- Project ***: A dropdown menu with the placeholder text 'Select a project'.
- Report Type ***: A dropdown menu with 'Test Plan Report' selected.
- Entity ***: A dropdown menu with the placeholder text 'Select a project first'.
- Report Name ***: A text input field with the placeholder text 'Enter report name'.
- Description**: A text input field with the placeholder text 'Enter report description (optional)'.
- Status Filters (Optional)**: A group of four radio buttons labeled 'Passed', 'Untested', 'Failed', and 'Blocked'. There are also two checkboxes for 'Retest' and 'Partial'.
- Access Scope**: A dropdown menu with 'Only Me' selected.
- Schedule**: A dropdown menu with 'One Time' selected.

 At the bottom of the form are 'Cancel' and 'Create Report' buttons. The background shows the same Reports page as in Fig 6.1, but it is dimmed.

Fig 6.2 – Create New Report form (blank)

Test Plan Summary Report

Project	Generated By	Generated On
Assignment2_testWriting	Muhammad Faizan Ahmad	01 May 2026
Report Type	Entity	Completion
Test Plan	Main Plan for User Stories	85% Complete

Status Summary



85%
Success Rate

29/34 passed

34 total cases

Status	Count	Percentage
Passed	29	85.3%
Failed	4	11.8%
Blocked	1	2.9%

Passed
Skipped

Failed
Partial

Blocked
Pending

Fig 6.3.1 – Create New Report filled in: “Full Bookstore Execution Report” (Test Plan Report for Main Plan)

Test Runs Using This Plan

- Sprint 1
- Sprint 2
- Sprint 3

Test Cases Summary

Total: 34 test cases - 29 Passed, 4 Failed, 1 Blocked

Test Cases Details

- Sprint 1 - TC-1: Verify user cannot login with wrong password [Passed]
- Sprint 1 - TC-2: Verify user can log in with valid credentials [Passed]
- Sprint 1 - TC-3: Verify login fails with unregistered username [Passed]
- Sprint 1 - TC-4: Verify login is prevented when fields are left blank [Passed]
- Sprint 1 - TC-5: Successful User Registration [Passed]
- Sprint 1 - TC-6: Registration with existing email [Passed]
- Sprint 1 - TC-7: Weak password validation [Failed]
- Sprint 1 - TC-8: Passwords do not match in confirm password [Failed]
- Sprint 1 - TC-9: Invalid email format [Passed]
- Sprint 1 - TC-10: Successful Password Reset Link Request [Passed]
- Sprint 1 - TC-11: Request reset for unregistered email [Passed]
- Sprint 1 - TC-12: Changing the password via emailed link [Passed]
- Sprint 1 - TC-13: Using an expired password reset link [Passed]
- Sprint 1 - TC-14: Reset password to the same old password [Failed]
- Sprint 1 - TC-15: Secure Logout [Passed]
- Sprint 1 - TC-16: Search for a book by Exact Title [Passed]
- Sprint 1 - TC-17: Search with no matching results [Passed]
- Sprint 1 - TC-19: View Book Details / Product Page [Passed]
- Sprint 2 - TC-18: Filter books by Category/Genre [Passed]
- Sprint 2 - TC-20: Add a book to the empty shopping cart [Passed]
- Sprint 2 - TC-21: Add out-of-stock book to cart [Failed]
- Sprint 2 - TC-22: Remove a book from the cart [Passed]
- Sprint 2 - TC-23: Increase quantity of a book in cart [Passed]
- Sprint 2 - TC-24: Checkout with an empty cart [Passed]

Fig 6.3.2

• Sprint 2 - TC-24: Checkout with an empty cart [Passed]

- Sprint 2 - TC-25: Proceed to checkout with items [Passed]
- Sprint 2 - TC-26: Missing mandatory shipping address fields [Passed]
- Sprint 2 - TC-27: Successful Order Placement [Passed]
- Sprint 3 - TC-28: View User Profile Dashboard [Passed]
- Sprint 3 - TC-29: Update Profile Information [Passed]
- Sprint 3 - TC-30: View Past Order History [Passed]
- Sprint 3 - TC-31: View Details of a specific Past Order [Passed]
- Sprint 3 - TC-32: Order History for an account with zero orders [Passed]
- Sprint 3 - TC-33: Verify Smart Suggestions based on Order History [Passed]
- Sprint 3 - TC-34: Add a Smart Suggestion book directly to cart [Blocked]

Fig 6.3.3

The screenshot displays the Testworthy Reports page. On the left is a sidebar with navigation links: Dashboard, Projects, Reports (highlighted), Jira Integration, SETTINGS, Credits & Billing, and User Management. The main content area is titled 'view and generate reports for your testing activities'. It includes a filter section with 'Filter by:' and dropdowns for 'All Projects', 'All Types', and 'All Time', along with a 'Clear Filters' button. Below this is the 'Reports Overview' section, which states '1 report found' and includes an 'Export PDFs (1)' button. A table lists the reports with columns: Report Name, Project, Type, Generated, By, and Actions. The table contains one entry: 'Full Bookstore Execution Report' for project 'Assignment2_testWriting', type 'Test Plan Report', generated 'today at 3:25 AM', by 'Muhammad Faizan Ahmad', with 'View' and download icons in the actions column. Below the table, it shows 'Showing 1-1 of 1 reports' and a 'Show: 5' dropdown. The 'Quick Report Generation' section at the bottom allows generating common report types with a single click. It features three cards: 'Test Plan Summary' (Overview of test plans, coverage, and execution status) with a '+ Generate Test Plan Summary' button; 'Execution Results' (Detailed test execution results and metrics) with a '+ Generate Execution Report' button; and 'Milestone Report' (Generate milestone progress and status reports) with a '+ Generate Milestone Report' button. The footer shows the user 'Muhammad Faizan Ahmad' as the Tenant Owner.

Report Name	Project	Type	Generated	By	Actions
Full Bookstore Execution Report	Assignment2_testWriting	Test Plan Report	today at 3:25 AM	Muhammad Faizan Ahmad	View

Fig 6.4 – Reports page after generating the first report

I also created separate Test Run Reports for each sprint to have detailed per-sprint breakdowns. For each one, I selected 'Test Run Report' as the type and picked the specific sprint as the entity.




Fig 6.5 – Creating 'Sprint1 execution report' (Test Run Report)




Fig 6.7 – Reports filtered by 'Test Plan' type: 1 report found

testworthy

Dashboard

Projects

Reports

Jira Integration

SETTINGS

Credits & Billing

User Management

Muhammad Faizan Ahmad
Tenant Owner

Reports

View and generate reports for your testing activities

Filter by:

All Projects

Test Run

All Time

Clear Filters

Reports Overview

4 reports found

Export PDFs (4)

Report Name	Project	Type	Generated	By	Actions
Sprint2 execution report	Assignment2_testWriting	Test Run Report	today at 3:34 AM	Muhammad Faizan Ahmad	View
Sprint3 execution report	Assignment2_testWriting	Test Run Report	today at 3:34 AM	Muhammad Faizan Ahmad	View
Sprint12execution report	Assignment2_testWriting	Test Run Report	today at 3:33 AM	Muhammad Faizan Ahmad	View
Sprint1 execution report	Assignment2_testWriting	Test Run Report	today at 3:33 AM	Muhammad Faizan Ahmad	View

Showing 1-4 of 4 reports Show: 5

PreviousNext

Quick Report Generation

Generate common report types with a single click

Fig 6.8 – Reports filtered by 'Test Run' type: 4 reports found (Sprint1, Sprint2, Sprint3, Sprint12)

Downloaded PDF Reports

I also downloaded the generated reports as PDFs. Each report showed the project name, generated by (Muhammad Faizan Ahmad), date (01 May 2026), the sprint entity, and the full test case summary with pass/fail status per case.

Test Run Summary Report

Project	Generated By	Generated On
Assignment2_testWriting	Muhammad Faizan Ahmad	01 May 2026
Report Type	Entity	Completion
Test Run	Sprint 1	No Data

Status Summary

Unable to generate status data

Test Cases Summary

Total: 18 test cases - 15 Passed, 3 Failed

Test Cases Details

- TC-1: Verify user cannot login with wrong password [Passed]
- TC-2: Verify user can log in with valid credentials [Passed]
- TC-3: Verify login fails with unregistered username [Passed]
- TC-4: Verify login is prevented when fields are left blank [Passed]
- TC-5: Successful User Registration [Passed]
- TC-6: Registration with existing email [Passed]
- TC-7: Weak password validation [Failed]
- TC-8: Passwords do not match in confirm password [Failed]
- TC-9: Invalid email format [Passed]
- TC-10: Successful Password Reset Link Request [Passed]
- TC-11: Request reset for unregistered email [Passed]
- TC-12: Changing the password via emailed link [Passed]
- TC-13: Using an expired password reset link [Passed]
- TC-14: Reset password to the same old password [Failed]
- TC-15: Secure Logout [Passed]

Fig 6.9 – Sprint 1 Test Run Summary Report PDF (18 cases: 15 Passed, 3 Failed)

TestWorthy
Professional Test Management Platform

Test Run Summary Report

Project	Generated By	Generated On
Assignment2_testWriting	Muhammad Faizan Ahmad	01 May 2026
Report Type	Entity	Completion
Test Run	Sprint 2	No Data

Status Summary

Unable to generate status data

Test Cases Summary

Total: 9 test cases - 8 Passed, 1 Failed

Test Cases Details

- TC-18: Filter books by Category/Genre [Passed]
- TC-20: Add a book to the empty shopping cart [Passed]
- TC-21: Add out-of-stock book to cart [Failed]
- TC-22: Remove a book from the cart [Passed]
- TC-23: Increase quantity of a book in cart [Passed]
- TC-24: Checkout with an empty cart [Passed]
- TC-25: Proceed to checkout with items [Passed]
- TC-26: Missing mandatory shipping address fields [Passed]
- TC-27: Successful Order Placement [Passed]

Fig 6.10 – Sprint 2 Test Run Summary Report PDF (9 cases: 8 Passed, 1 Failed)

TestWorthy

Professional Test Management Platform

Test Run Summary Report

Project	Generated By	Generated On
Assignment2_testWriting	Muhammad Faizan Ahmad	01 May 2026
Report Type	Entity	Completion
Test Run	Sprint 3	No Data

Status Summary

Unable to generate status data

Test Cases Summary

Total: 7 test cases - 6 Passed, 1 Blocked

Test Cases Details

- TC-28: View User Profile Dashboard [Passed]
- TC-29: Update Profile Information [Passed]
- TC-30: View Past Order History [Passed]
- TC-31: View Details of a specific Past Order [Passed]
- TC-32: Order History for an account with zero orders [Passed]
- TC-33: Verify Smart Suggestions based on Order History [Passed]
- TC-34: Add a Smart Suggestion book directly to cart [Blocked]

Fig 6.11 – Sprint 3 Test Run Summary Report PDF (7 cases: 6 Passed, 1 Blocked)

Step 8: Final Dashboard and Project Overview

After completing all the tasks, I took a final look at the Dashboard and the project overview to confirm all the numbers were correct. The dashboard showed:

- **Total Projects:** 1
- **Total Test Cases:** 34
- **Total Test Runs:** 3
- **Passed:** 29
- **Failed:** 4
- **Pending:** 1
- **Overall Pass Rate:** 85% – 87.9%




Fig 7.1 – Testworthy Dashboard: overall metrics for the project




Fig 7.2 – Project Overview tab: 34 tests, 29 passed, 4 failed, 1 pending, 87.9% pass rate




Fig 7.3 – Project overview showing Sprint 1, 2, and 3 test runs all in-progress

Conclusion

Through this assignment, I got hands-on experience with a professional test management tool — Testworthy. I learned how to create and manage a project, set up a test plan, organize test cases into logical suites and sections, write detailed test cases with steps and expected results, classify them by type and priority, actually execute them and record whether they pass or fail, and finally generate formal reports.

Out of 34 test cases, 29 passed, 4 failed, and 1 was blocked. The failures were mostly in the TC-7 (Weak password validation), TC-8 (Passwords do not match), TC-14 (Reset to same old password) for Sprint 1, and TC-21 (Add out-of-stock book to cart) for Sprint 2.

Overall, this assignment gave me a clear picture of what a QA engineer does on a day-to-day basis when using a test management platform, and Testworthy made it very straightforward to go from user stories all the way to execution reports.