

A diagram showing a horizontal line with a vertical line intersecting it. On the left side of the vertical line, there is a small square button with a house icon. Below this button are two more buttons, one with a plus sign and one with a minus sign. On the right side of the horizontal line, there is a grey rectangular button labeled "Disable map scroll".

Powered by Esri

If viewing on a mobile device, scroll down on each dashboard to view the full list of parameters.

The figure displays eight water quality parameters in a 2x4 grid, each represented by a semi-circular gauge chart with a needle and a digital readout. The parameters and their values are:


- CO2:** 116.73 NORMAL (Scale: 0 to 5k)
- Temperature:** 60.438 F NORMAL (Scale: 0 to 100)
- Turbidity:** 6.3 NTU NORMAL (Scale: 0 to 300)
- Specific Conductivity:** 1375.64 NORMAL (Scale: 0 to 2500)
- Salinity:** 0.69 ppt NORMAL (Scale: 0 to 1)
- DO Concentration:** 10.54 mg/L NORMAL (Scale: 0 to 20)
- DO Concentration (% Sat):** 106.77 % NORMAL (Scale: 0 to 150)
- pH:** 7.12 NORMAL (Scale: 0 to 12.5)

Each gauge also includes a timestamp: 2025-12-12 06:50:16 for CO2, and 2025-12-25 13:46:04 for the other seven parameters.


The figure displays eight water quality parameters in a 2x4 grid. Each parameter is represented by a gauge chart with a needle, a scale, a current value, a status (NORMAL), and a timestamp.

Parameter	Value	Status	Timestamp
CO2	564.37	NORMAL	2025-11-12 07:20:38
Temperature	62.577 F	NORMAL	2025-12-25 13:45:20
Turbidity	15.39 NTU	NORMAL	2025-12-25 13:45:20
Specific Conductivity	874.32	NORMAL	2025-12-25 13:45:20
Salinity	0.43 ppt	NORMAL	2025-12-25 13:45:20
DO Concentration	11.34 mg/L	NORMAL	2025-12-25 13:45:20
DO Concentration (% Sat)	117.57 %	NORMAL	2025-12-25 13:45:20
pH	7.31	NORMAL	2025-12-25 13:45:20

Blind Buoy Weather Station Data



Maurepas Buoy Water Quality Data



Tickfaw Buoy Water Quality Data



CO2




2025-11-12 01:20:18

Temperature




2025-12-25 14:00:22

Turbidity



2025-12-25 14:00:22

Specific Conductivity



2025-12-25 14:00:22

Salinity




2025-12-25 14:00:22

DO Concentration




2025-12-25 14:00:22

DO Concentration (% Sat)



2025-12-25 14:00:22

pH



2025-12-25 14:00:22