

A diagram showing a map interface. On the left, there is a vertical toolbar with three buttons: a home button (house icon), a plus button (+), and a minus button (-). To the right of the toolbar is a large rectangular area representing the map. A grey rectangular button labeled "Disable map scroll" is positioned over the map area.

Powered by Esri

If viewing on a mobile device, scroll down on each dashboard to view the full list of parameters.

The figure displays eight water quality parameters in a 2x4 grid, each represented by a semi-circular gauge chart. The gauges are blue with white needles and text. The parameters and their values are as follows:

Parameter	Value	Status	Timestamp
CO2	116.73	NORMAL	2025-11-12 06:50:16
Temperature	60.624 F	NORMAL	2025-12-25 14:46:04
Turbidity	6.29 NTU	NORMAL	2025-12-25 14:46:04
Specific Conductivity	1382.8	NORMAL	2025-12-25 14:46:04
Salinity	0.7 ppt	NORMAL	2025-12-25 14:46:04
DO Concentration	10.84 mg/L	NORMAL	2025-12-25 14:46:04
DO Concentration (% Sat)	110.04 %	NORMAL	2025-12-25 14:46:04
pH	7.42	NORMAL	2025-12-25 14:46:04

CO2
564.37
NORMAL
2025-11-12 07:20:38

Temperature
62.496 F
NORMAL
2025-12-25 14:45:20

Turbidity
17.84 NTU
NORMAL
2025-12-25 14:45:20

Specific Conductivity
842.48
NORMAL
2025-12-25 14:45:20


Salinity
0.42 ppt
NORMAL
2025-12-25 14:45:20

DO Concentration
11.58 mg/L
NORMAL
2025-12-25 14:45:20

DO Concentration (% Sat)
119.95 %
NORMAL
2025-12-25 14:45:20

pH
7.43
NORMAL
2025-12-25 14:45:20


Blind Buoy Weather Station Data




Wind Rose Chart: Historic Wind Speed and Direction

Historic wind speed and direction for the date range listed below. The frequency of winds over a time period is plotted by wind direction, with color bands showing wind speed ranges. Spoke length shows wind direction frequency.

[2025-11-25 16:19:41 - 2025-12-25 16:19:41]



Maurepas Buoy Water Quality Data



Tickfaw Buoy Water Quality Data



CO2




2025-11-12 01:20:18

Temperature




2025-12-25 15:00:22

Turbidity



2025-12-25 15:00:22

Specific Conductivity



2025-12-25 15:00:22

Salinity




2025-12-25 15:00:22

DO Concentration




2025-12-25 15:00:22

DO Concentration (% Sat)



2025-12-25 15:00:22

pH



2025-12-25 15:00:22