

A diagram showing a map interface. On the left, there is a vertical toolbar with three buttons: a home button (house icon), a zoom in button (+), and a zoom out button (-). To the right of the toolbar is a large map area. A grey rectangular button labeled "Disable map scroll" is positioned over the map area.

Powered by Esri

If viewing on a mobile device, scroll down on each dashboard to view the full list of parameters.



The figure displays eight water quality parameters in a 2x4 grid, each represented by a semi-circular gauge chart. The parameters and their values are:

- CO2:** 116.73 (NORMAL), Range: 0 to 5k, Timestamp: 2025-11-12 06:50:16
- Temperature:** 58.298 F (NORMAL), Range: 0 to 100, Timestamp: 2026-01-05 10:46:04
- Turbidity:** 64.3 NTU (NORMAL), Range: 0 to 300, Timestamp: 2026-01-05 10:46:04
- Specific Conductivity:** 1216.62 (NORMAL), Range: 0 to 2000, Timestamp: 2026-01-05 10:46:04
- Salinity:** 0.61 ppt (NORMAL), Range: 0 to 1, Timestamp: 2026-01-05 10:46:04
- DO Concentration:** 10.3 mg/L (NORMAL), Range: 0 to 20, Timestamp: 2026-01-05 10:46:04
- DO Concentration (% Sat):** 101.62 % (NORMAL), Range: 0 to 150, Timestamp: 2026-01-05 10:46:04
- pH:** 6.78 (NORMAL), Range: 0 to 12.5, Timestamp: 2026-01-05 10:46:04


The figure displays eight water quality parameters in a 2x4 grid, each represented by a gauge chart. The parameters and their values are as follows:

Parameter	Value	Status	Timestamp
CO2	564.37	NORMAL	2025-11-12 07:20:38
Temperature	58.143 F	NORMAL	2026-01-05 10:45:20
Turbidity	18.47 NTU	NORMAL	2026-01-05 10:45:20
Specific Conductivity	1248.5	NORMAL	2026-01-05 10:45:20
Salinity	0.63 ppt	NORMAL	2026-01-05 10:45:20
DO Concentration	9.77 mg/L	NORMAL	2026-01-05 10:45:20
DO Concentration (% Sat)	96.26 %	NORMAL	2026-01-05 10:45:20
pH	6.39	NORMAL	2026-01-05 10:45:20

Blind Buoy Weather Station Data



Maurepas Buoy Water Quality Data



Tickfaw Buoy Water Quality Data




CO2




2025-11-12 01:20:18

Temperature




2026-01-05 11:00:22

Turbidity




2026-01-05 11:00:22

Specific Conductivity



2026-01-05 11:00:22

Salinity




2026-01-05 11:00:22

DO Concentration




2026-01-05 11:00:22

DO Concentration (% Sat)



2026-01-05 11:00:22

pH



2026-01-05 11:00:22