





Recap


- 1. Basics of Linux
- 2. Phases of Deployment
 - a. Phase 1 - 1990's
 - b. Phase 2 - 2000's
 - c. Phase 3 - 2013's
- 3. Containerization
 - a. Why it came
 - b. how it is used
 - c. Architecture
 - d. Images, containers
- 4. Basic commands of Docker
- 5. Configured apache server in base machine
- 6. Configured apache server in Container
- 7. Port Forwarding
- 8. Custom Image - Dockerfile

- 1. Problem with Docker
- 2. Why kubernetes came
- 3. how it can be used
- 4. Components of kubernetes
- 5. Installation of kubernetes
- 6. How to access it
- 7. Resources of kubernetes
 - a. Namespaces
 - b. Pods
 - c. Deployments
 - d. Service



Solomon hykes ✓ → 2013






Multiple master kubernetes

HA


Win / Linux / mac



to 1-1


Docker is a tool that can help us to create container

Kubernetes is a tool/ platform that will help you to manage your containers



1. Kubeapi server
2. etcd server
3. kube scheduler

4. kube proxy
5. CoreDNS




Resources

RAM
CPU

foo -> Captain




Kubelet



Kubelet
kubeadm -- manage your cluster / create destroy
kubectl



+ Container creation tool -- crio

1. At least 2 machines
2. Swap memory should be turned off.
3. ip forwarding
4. enable and load kernel module for networking - br_netfilter
5. 4 tools should be installed



Pod → Api
Var

② → ① key = value
+ indentation




✓ ② int - Google - write - copy → patch → edit → run → 1 mins


③ < 10 sec → Generating game

Service

=





1. ClusterIp ✓
2. NodePort
3. LoadBalancer
4. External Name



Labels = selector

Labels of your pod = Selectors value in service



Port → 30000-32767

