

TECHNISCHE UNIVERSITÄT
CHEMNITZ

Privacy-Preserving Source Code Vulnerability Detection and Repair using Retrieval-Augmented LLMs for Visual Studio Code

Master Thesis

Submitted in Fulfilment of the
Requirements for the Academic Degree
M.Sc. Web Engineering

Dept. of Computer Science
Chair of Computer Engineering

Submitted by: Md Hafizur Rahman
Student ID: 806286
Date: 14.05.2026
Internal Supervisor: Abubaker Gaber M.Sc.
Internal Examiner: Dr.-Ing. Sebastian Heil

Abstract

Developers want security feedback directly in the IDE while they write code. Traditional static analysis tools work well for many rule-based problems, but they often miss issues that need deeper reasoning or security context. Large Language Models (LLMs) may help with vulnerability detection and repair, but they also bring problems such as unstable quality, many false positives, and privacy risks when source code is sent to cloud services.

This thesis studies a privacy-preserving way to detect and repair vulnerabilities by combining locally running LLMs with Retrieval-Augmented Generation (RAG) in a VS Code extension. The system runs on the developer’s device and uses locally stored CWE, CVE, and OWASP knowledge, so source code does not need to leave the machine. It provides two modes: a low-latency inline mode for IDE-triggered feedback, and an audit mode that adds retrieved security knowledge to the model’s analysis.

The system is evaluated on 128 JavaScript/TypeScript cases (113 vulnerable and 15 secure) based on CWE/OWASP-related concepts. The evaluation uses precision, recall, F1-score, false-positive rate, and latency. The results show trade-offs between speed, quality, and noise that depend on the model and prompting mode. The best F1-score (63.76%) is reached by `qwen3:8b` with RAG. Overall, the study shows that local privacy-preserving LLM workflows can support useful vulnerability analysis, but careful model choice and false-positive control are still necessary for practical use.

Keywords: source code security, vulnerability detection, secure code repair, LLMs, RAG, privacy-preserving systems, VS Code

Acknowledgment

I am grateful to everyone who supported me during this Master's thesis.

My sincere thanks go to my internal supervisor, *Abubaker Gaber, M.Sc.*, for his continuous guidance, constructive feedback, and thoughtful discussions throughout the project. His support was essential in shaping both the technical direction and the academic quality of this work.

I also thank the academic staff of the Master's program for providing a strong foundation and a stimulating learning environment.

I am equally thankful to my colleagues and peers for their encouragement and for creating a supportive atmosphere during the study period.

Most of all, I thank my family for their patience, trust, and constant encouragement. Their support made it possible for me to complete this thesis.

Task Description

Traditional rule-based security analysis tools are effective for detecting predefined vulnerability patterns but can struggle with context-dependent weaknesses that require semantic reasoning. Cloud-based language model assistants provide stronger contextual analysis, yet compromise confidentiality and reproducibility because proprietary source code must leave the local environment. This thesis designs and evaluates a fully local, privacy-preserving secure coding assistant for Visual Studio Code that integrates large language models (LLMs) with Retrieval-Augmented Generation (RAG). The prototype is built around a no-source-code-exfiltration boundary: analyzed code and IDE-derived context are processed on-device and sent only to a local LLM runtime.

The assistant combines two complementary modes: real-time inline diagnostics that surface debounced vulnerability alerts during active development, and asynchronous audit and question-answering modes for deeper inspection. In audit mode, the prompt can optionally be grounded with a local retrieval index over security guidance (e.g., CWE/OWASP-aligned summaries and optionally cached public CVE/NVD metadata). In question-answering mode, users provide explicit file/folder context and receive narrative security review guidance. A modular architecture separates the LLM inference layer, the retrieval pipeline, and the Visual Studio Code extension interface. Privacy is enforced primarily through local deployment (no external inference APIs) and by limiting knowledge refresh to public metadata; rerunability is supported by version-pinned artifacts where available and by explicit reporting of model fingerprints and runtime settings. The threat model includes prompt injection via attacker-controlled code text and retrieval-quality risks; the prototype mitigates these risks primarily through strict JSON output contracts in diagnostic workflows, defensive parsing, and curated retrieval sources, while stronger provenance controls remain future work.

Evaluation is conducted on a project-authored JavaScript/TypeScript suite aligned to CWE/OWASP concepts, combining vulnerable and secure/negative cases to quantify both detection quality and false-positive behavior. The comparison covers LLM-only and LLM+RAG prompting, and includes baseline SAST tools (Semgrep, CodeQL, and ESLint security rules) to contextualize trade-offs.

Evaluation metrics include precision, recall, F1-score, secure-sample false-positive rate, JSON parse success, and latency. Privacy and reproducibility are assessed primarily through architectural/configuration evidence (local inference boundary, optional refresh behavior) and run-provenance reporting under controlled local

execution.

Contents

Abstract	ii
Acknowledgment	iii
Task Description	iv
Contents	vi
List of Figures	xi
List of Tables	xiii
List of Abbreviations	xv
1. Introduction	1
1.1. Current Situation	1
1.2. Motivation and Problem Statement	1
1.3. Objectives and Scope	2
1.4. Contributions	3
1.5. Research Method	4
1.6. Outline	4
1.7. Summary	4
2. Analysis	5
2.1. Requirements Analysis	5
2.1.1. R1: Accuracy	6
2.1.2. R2: Consistency	7

CONTENTS

2.1.3.	R3: Repair Quality	8
2.1.4.	R4: Usability	9
2.1.5.	R5: Privacy	10
2.2.	Related Work and Positioning	11
2.2.1.	Traditional Static Application Security Testing	11
2.2.2.	LLM-Based Vulnerability Detection and Repair	13
2.2.3.	Retrieval-Augmented Generation for Secure Coding	15
2.2.4.	Privacy-Preserving and IDE-Integrated Approaches	17
2.2.5.	Positioning of This Thesis	18
2.2.6.	Critical Comparison Across Paradigms	21
2.3.	Summary	21
3.	Concept	22
3.1.	Overview	22
3.2.	Concept Derivation from Analysis Results	23
3.2.1.	From Cloud-Based to Privacy-Preserving Local Deployment	23
3.2.2.	Retrieval-Augmented Generation for Security Knowledge Grounding	24
3.2.3.	IDE Integration for In-Context Security Assistance	24
3.2.4.	Modular Component Architecture	25
3.2.5.	Context-Aware Analysis with Code Understanding	25
3.2.6.	Explainability Through Structured Reasoning	26
3.3.	System Components	27
3.3.1.	Context Extraction Component	27
3.3.2.	Knowledge Retrieval Component (RAG)	28
3.3.3.	Vulnerability Detection Component	29
3.3.4.	Repair Generation Component	29
3.3.5.	IDE Integration Layer	30
3.3.6.	Supporting Subsystems	30

CONTENTS

3.4. Detection Workflows	31
3.4.1. Real-Time Function-Level Diagnostics	31
3.4.2. On-Demand File Diagnostics	31
3.4.3. Interactive Analysis and Follow-up Q&A	32
3.4.4. Workspace Scan and Security Dashboard	32
3.4.5. Repair Suggestion Workflow	33
3.4.6. Workflow Selection in Practice	33
3.5. System Architecture and Design	33
3.5.1. Context View: System Boundary and External Interactions . .	33
3.5.2. Container View: Internal Component Structure	35
3.5.3. Process View: End-to-End Workflows	35
3.5.4. Sequence Diagrams: Concrete Detection Flows	37
3.6. Summary	40
4. Implementation	44
4.1. Overview	44
4.2. Technology Stack and Runtime Boundary	44
4.3. End-to-End Detection Pipeline	45
4.4. Core Components	45
4.5. Orchestration and Responsiveness	46
4.6. User-Facing Integration	46
4.7. Repair Safety	47
4.8. Implementation Summary	47
5. Evaluation	48
5.1. Datasets	48
5.1.1. Dataset Design Rationale	48
5.2. Evaluation Metrics	52
5.3. Experimental Setup	54
5.3.1. Run Configuration and Data Merging	58

CONTENTS

5.4.	R1: Accuracy	61
5.4.1.	Detection Quality Across Configurations	61
5.4.2.	RAG Ablation Impact on Accuracy	63
5.4.3.	Per-Category Detection Breakdown	63
5.4.4.	SAST Baseline Comparison	64
5.4.5.	Level Mapping	64
5.5.	R2: Consistency	65
5.5.1.	Structured Output Stability	65
5.5.2.	Inter-Run Detection Agreement	65
5.5.3.	Label and Severity Stability	66
5.5.4.	Consistency by Vulnerability Category	67
5.5.5.	SAST Baseline Consistency	67
5.5.6.	Level Mapping	68
5.6.	R3: Repair Quality	68
5.6.1.	Repair Generation Rate and Correctness	68
5.6.2.	Repair Quality by Vulnerability Type	69
5.6.3.	Representative Examples	70
5.6.4.	Level Mapping	70
5.7.	R4: Usability	70
5.7.1.	Latency Across Configurations	71
5.7.2.	Latency Component Breakdown	72
5.7.3.	Latency Feasibility for IDE Workflows	72
5.7.4.	Level Mapping	72
5.8.	R5: Privacy	73
5.8.1.	Verification Results	73
5.8.2.	Evidence	74
5.8.3.	Comparison with Cloud-Based Tools	74
5.8.4.	Architectural Enforcement	75
5.8.5.	Level Mapping	75

CONTENTS

5.9. Summary	75
5.9.1. Requirement Compliance	75
5.9.2. Key Findings	76
5.9.3. Limitations	76
5.9.4. Threats to Validity	77
6. Conclusion	78
6.1. Summary of Contributions	78
6.2. Key Findings	78
6.3. Answers to Research Questions	79
6.4. Implications for Practice	79
6.5. Limitations	80
6.6. Responsible Use	80
6.7. Future Work	81
6.8. Conclusion	82
A. Privacy Verification Evidence	83
A.1. Network Traffic Analysis	83
A.1.1. Test Configuration	83
A.1.2. Monitoring Method	83
A.1.3. Results	83
A.1.4. Configuration Validation	84
A.2. Privacy Boundary Architecture	86
A.2.1. Trust Boundary Definitions	87
A.2.2. Out-of-Scope Threats	87
A.3. Offline Operation Mode	87
A.4. Privacy Compliance Summary	88
Bibliography	89
Declaration of Originality	95

List of Figures

- 3.1. C4 Context diagram showing system boundary and external interactions. Code Guardian (blue box) operates as a VS Code extension with local backend. Developer interacts with VS Code, which triggers analysis. Code Guardian communicates with local Ollama LLM (localhost:11434), local vector database, and optionally fetches public metadata from CVE/NVD APIs (dashed gold). Privacy boundary (green dashed line): all source code analysis stays on localhost. 34
- 3.2. C4 Container diagram showing internal components. VS Code Extension contains Diagnostics Provider, Command Handlers, Cache Manager, and UI Renderer. Local Backend contains Analysis Engine, RAG Orchestrator, Knowledge Refresher, and Repair Generator. Data containers include Vector Database (CWE/OWASP/CVE embeddings) and Result Cache. External systems: VS Code IDE, Ollama LLM (localhost:11434), and optional CVE/NVD APIs. All source code stays within system boundary. 36
- 3.3. Process view showing two primary workflows with swim lanes. Workflow 1: Real-time function analysis with debouncing (800 ms) and caching, where cache hits bypass LLM inference and cache misses invoke local analysis. Workflow 2: On-demand analysis with optional RAG, including embedding generation, configurable vector search, prompt augmentation, and local LLM inference. The runtime default uses $k = 3$ retrieved chunks; Chapter 5 benchmarks a $k = 5$ setting. Color coding: user events (yellow), extension (orange), backend (purple), LLM (green). Privacy boundary (green dashed): all processes execute on localhost. 38
- 3.4. Sequence diagram: Inline mode with cache hit. No LLM invocation is required for previously analyzed code. 41
- 3.5. Sequence diagram: Audit mode with RAG. Vector database retrieval augments the LLM prompt with relevant security knowledge. 42
- 3.6. Sequence diagram: Real-time detection flow with debouncing. An 800 ms timer prevents excessive LLM invocations during active typing. 43

LIST OF FIGURES

5.1.	F1 scores across all configurations. LLM-based approaches outperform SAST baselines on recall-driven F1, with <code>qwen3:8b+RAG</code> achieving the highest score.	62
5.2.	RAG ablation: F1 comparison by model. RAG improves <code>qwen3</code> models but degrades <code>gemma3</code> and <code>code llama</code>	63
5.3.	Recall by vulnerability category for <code>qwen3:8b+RAG</code> . Injection-style vulnerabilities (SQL, XSS, command) are detected most reliably. Niche categories (NoSQL, deserialization) remain challenging.	64
5.4.	JSON parse success rate by model and mode. Larger models produce more reliably structured output. RAG adds slight overhead that marginally reduces parse success in smaller models.	65
5.5.	Repair quality breakdown for <code>qwen3:8b+RAG</code> (25 manually reviewed samples). Most repairs are semantically correct and strategy-aligned, but less than half contain directly executable code.	69
5.6.	Median and p95 latency across configurations. SAST baselines are orders of magnitude faster. Among LLM configurations, smaller models trade accuracy for speed.	71
A.1.	Local privacy boundary for code analysis workflows.	86

List of Tables

1.1. Threat model summary for Code Guardian.	3
2.1. Requirements overview for Code Guardian.	5
2.2. Evaluation scale for R1: Detection Accuracy (example thresholds). . .	7
2.3. Evaluation scale for R2: Detection Consistency (example thresholds). .	8
2.4. Evaluation scale for R3: Repair Quality (example thresholds).	9
2.5. Evaluation scale for R4: Usability (example thresholds).	10
2.6. Verification checklist for R5: Privacy.	11
2.7. Evaluation of traditional SAST tools against requirements R1–R5. . .	12
2.8. Evaluation of LLM-based vulnerability detection approaches against requirements R1–R5.	15
2.9. Evaluation of RAG-based secure coding approaches against require- ments R1–R5.	16
2.10. Evaluation of privacy-preserving and IDE-integrated approaches against requirements R1–R5.	18
2.11. Positioning comparison with representative security assistance ap- proaches.	20
2.12. Critical comparison of major security-assistance paradigms.	21
3.1. Comparison of detection flow characteristics.	40
5.1. Run configuration used for reported results.	57
5.2. Artifact provenance manifest for this thesis run.	58
5.3. Detection accuracy across all configurations.	62
5.4. Inter-run detection agreement (3 runs per sample, 113 vulnerable samples).	66

LIST OF TABLES

5.5. Label and severity stability among consistently detected samples (3/3 runs).	67
5.6. Repair generation rate by vulnerability type (qwen3:8b+RAG).	69
5.7. End-to-end latency per analysis request (milliseconds).	71
5.8. Latency feasibility for IDE workflow modes.	72
5.9. Privacy verification results for R5.	73
5.10. Privacy comparison: Code Guardian vs. cloud-based security tools. .	74
5.11. Requirement compliance summary for Code Guardian (qwen3:8b+RAG). 76	
6.1. Recommended deployment profiles from thesis results.	80
A.1. Privacy-preserving configuration parameters.	84
A.2. Trust boundaries and data residency guarantees.	87
A.3. Privacy requirement compliance evidence summary.	88

List of Abbreviations

AST	Abstract Syntax Tree	LLM	Large Language Model
CVE	Common Vulnerabilities and Exposures	LRU	Least Recently Used
CWE	Common Weakness Enumeration	OWASP	Open Worldwide Application Security Project
F1	F1 Score	RAG	Retrieval-Augmented Generation
FPR	False Positive Rate	SAST	Static Application Security Testing
HNSW	Hierarchical Navigable Small World	VS Code	Visual Studio Code
IDE	Integrated Development Environment		

1. Introduction

1.1. Current Situation

Modern software systems underpin critical infrastructure, enterprise platforms, and consumer services. Vulnerabilities introduced during implementation remain a major attack vector, with recurring weakness classes such as injection and insecure design consistently reported by OWASP and CWE sources [1, 2, 3]. This persists despite secure development practices and automated checks [4, 5, 6].

Static Application Security Testing (SAST) tools are widely used because they are deterministic and scalable [7, 8, 9]. In practice, however, developers still face noisy findings, weak framework-level context handling, and limited repair guidance [10, 11]. Under delivery pressure, these limitations increase triage cost and reduce trust in security warnings.

1.2. Motivation and Problem Statement

Large Language Models (LLMs) add strong code understanding and explanation capabilities [12, 13, 14], but they are probabilistic and can hallucinate or miss security constraints [15, 16]. Retrieval-Augmented Generation (RAG) can improve grounding by injecting relevant security knowledge at inference time [17, 18, 19, 20]. Many existing assistants, however, rely on cloud inference, which raises confidentiality concerns for proprietary code [21, 22].

This thesis investigates a local, privacy-preserving alternative: Code Guardian, a Visual Studio Code assistant that combines a locally hosted LLM, local retrieval over curated security knowledge, and IDE context extraction for JavaScript/TypeScript vulnerability detection and repair suggestions. The evaluation uses documented local experiments and reports precision, recall, F1, false-positive rate (FPR), JSON parse success, and latency.

Motivating Scenario

Consider a developer implementing an Express.js endpoint that builds a SQL query from request parameters. A conventional linter may remain silent, while a rule-based scanner may flag a generic injection warning without explaining whether existing validation is sufficient or how the code should be repaired. A cloud-based assistant might provide a stronger explanation, but at the cost of transmitting proprietary code outside the local environment. This scenario captures the gap addressed in this thesis: developers need contextual, explainable, and privacy-preserving security assistance directly in the IDE.

1.3. Objectives and Scope

The objective is to design and evaluate an IDE-integrated assistant that improves secure-coding feedback while preserving source-code confidentiality. This thesis focuses on **JavaScript/TypeScript** projects in **Visual Studio Code**. The primary privacy goal is **no source-code exfiltration**: code and IDE context are processed only by local services. Optional knowledge-base refresh may fetch *public* vulnerability metadata (for example CVE/CWE descriptions) and can be disabled for fully offline operation.

In scope are local privacy boundaries and robustness of developer-facing output. Out of scope are endpoint hardening, hardware attacks, and enterprise identity/network controls.

Research Questions

The thesis addresses:

- **RQ1 (Feasibility)**: To what extent can a locally deployed LLM integrated into VS Code provide useful vulnerability detection and repair suggestions without transmitting source code to external services?
- **RQ2 (Grounding)**: How does retrieval-augmented prompting influence detection quality and the qualitative grounding of explanations compared to an LLM-only configuration?
- **RQ3 (Practicality)**: What performance mechanisms (scoping, caching, debouncing) are necessary to make LLM-based security feedback usable within interactive IDE workflows?

Threat Model and Trust Assumptions

The main threat addressed is unintended disclosure of proprietary code through external analysis services. Local inference reduces this risk surface but does not remove all security risks.

Table 1.1.: Threat model summary for Code Guardian.

Threat class	Assumption / attack path	Design response in this thesis
Source-code exfiltration	External API calls could expose proprietary code or derived context.	Local inference only; prompts and code remain on localhost in evaluated workflows.
Prompt injection	Attacker-controlled code/comments attempt to override analysis instructions [23].	Strict JSON contract, defensive parsing, and user approval before applying any repair.
Retrieval poisoning	Low-quality or malicious knowledge entries reduce grounding quality.	Curated local knowledge sources and explicit retrieval scope; stronger provenance controls left for future work.
Local host compromise	Malware or untrusted local users access local code, prompts, or caches.	Out of scope; assumes trusted host and OS-level hardening.

1.4. Contributions

The thesis contributes:

- **Code Guardian prototype:** a VS Code extension for local vulnerability analysis and developer-controlled repair suggestions.
- **Privacy-preserving architecture:** local inference and local retrieval that keep source code and analysis artifacts on-device.
- **Documented evaluation harness:** repository-contained scripts and datasets for model/mode comparison over precision, recall, F1, FPR, parse success, and latency.
- **IDE integration mechanisms:** debounced triggering, function-level scoping, and caching for practical interaction latency.
- **Empirical findings:** in this thesis run, `qwen3:8b` with RAG provides the strongest overall trade-off among tested local configurations (F1 63.76%, FPR 26.67%, median latency ~1.5 s; Chapter 5).

1.5. Research Method

The thesis follows a design-and-evaluate method: derive requirements from analysis and related work, map them to architecture and implementation, then evaluate the system under documented local settings. Evidence combines quantitative metrics (precision, recall, F1, FPR, parse success, latency) and qualitative case analysis (representative true positives, false positives, and false negatives).

This mixed strategy is necessary because no single metric captures deployment value. High recall with persistent false positives increases triage cost, while low latency with poor recall limits security utility.

1.6. Outline

Chapter 2 derives requirements and reviews related work. Chapter 3 presents the architecture and design rationale. Chapter 4 details the VS Code extension and runtime mechanisms. Chapter 5 reports quantitative and qualitative results. Chapter 6 summarizes findings and outlines next steps.

1.7. Summary

This introduction established the current limitations of secure-coding support, motivated a local privacy-preserving alternative, defined the research questions and scope, and outlined the method and chapter structure. The next chapter derives the requirements for such a system and positions the thesis against existing approaches.

2. Analysis

This chapter defines the requirements for automated vulnerability detection and repair assistance in an IDE and positions the thesis approach against related work. Following the style of the reference theses, the chapter first derives the requirements baseline, then reviews existing approaches, and finally summarizes the implications for the proposed concept.

2.1. Requirements Analysis

The thesis targets local IDE assistance for JavaScript/TypeScript development: detect vulnerabilities, explain them, and propose repairs without code exfiltration. Compared with rule-based SAST, the approach adds LLM reasoning and optional retrieval grounding, but must still satisfy strict operational constraints.

Based on the problem statement and related work, five requirements define the evaluation baseline. Table 2.1 summarizes them before they are discussed in detail.

Table 2.1.: Requirements overview for Code Guardian.

ID	Requirement	Operational intent
R1	Accuracy	Find real vulnerabilities with useful precision, recall, and controlled false positives, using context-aware reasoning.
R2	Consistency	Produce stable findings and structured output under fixed settings.
R3	Repair quality	Suggest concrete, security-improving fixes while keeping the developer in control.
R4	Usability	Deliver feedback at latencies that fit normal IDE workflows.
R5	Privacy	Keep all analysis local with no source-code transmission.

The following subsections define these requirements in detail and map them to measurable criteria.

2.1.1. R1: Accuracy

R1 addresses accuracy. Code Guardian should find real vulnerabilities while keeping false alarms low. In an IDE workflow, accuracy means not just finding issues, but producing results that developers can trust and act on. This includes context-aware reasoning: the system should tell apart code that is actually vulnerable from code that only looks suspicious, by considering surrounding logic like input validation and sanitization.

This requirement comes from a key trade-off in security tools. Traditional tools often produce too many false warnings because they match surface patterns without understanding context [10, 8]. LLM-based systems can both over-warn and miss real issues, depending on the model and prompt [16, 15]. Without enough context, they may give confident but wrong explanations. A useful tool must be judged by how correct its findings are, not just by whether it can explain them.

For this thesis, R1 means detection quality must be good enough to deserve developer attention under local deployment. This includes recognizing when mitigation is already present and avoiding false conclusions when context is missing. The design uses scoped code extraction, structured prompts, optional retrieval grounding, comparison with rule-based tools, and clear reporting of precision, recall, F1, and false-positive rate (FPR).

Accuracy has four key parts. Precision measures how many reported issues are real, since too many false alarms cause developers to ignore the tool. Recall measures how many real vulnerabilities the system finds, including those that depend on data flow and surrounding context. F1 balances both into a single score. The secure-sample FPR tracks how often the system flags safe code as vulnerable, which is the best predictor of whether developers will accept the tool [10].

To allow comparison with other tools and across Code Guardian’s own settings, we define a four-level scoring scale. The thresholds follow standard conventions from information retrieval and software engineering [10, 16]. Table 2.2 shows this scale.

Table 2.2.: Evaluation scale for R1: Detection Accuracy (example thresholds).

Visual Score	Interpretation (with thresholds)
	High accuracy. $F1 \geq 0.75$, precision ≥ 0.70 , recall ≥ 0.70 , and $FPR \leq 0.20$. The system finds vulnerabilities well with few false alarms. Suitable for always-on IDE use.
	Medium accuracy. $F1$ in $[0.60, 0.75)$, precision ≥ 0.55 , recall ≥ 0.55 , and FPR in $(0.20, 0.40]$. Results are worth reviewing with some manual checking needed. Suitable for on-demand or audit-mode use.
	Low accuracy. $F1$ in $[0.45, 0.60)$, or precision/recall below 0.55, or FPR in $(0.40, 0.70]$. Findings need heavy manual checking. Only useful alongside rule-based tools.
	Insufficient accuracy. $F1 < 0.45$ or $FPR > 0.70$. Detection is too weak or false alarms too frequent. The system is not useful in practice.

2.1.2. R2: Consistency

R2 addresses detection consistency. Code Guardian should produce stable results when the same code is analyzed multiple times with the same settings. In security analysis, unstable output quickly reduces trust and makes it harder for developers to act on findings.

This requirement matters because LLMs are nondeterministic. They can produce different outputs, schema errors, or changed labels across runs [16, 14]. Even if detection quality is good, inconsistent output makes a tool unsuitable for IDE use. Developers need to trust that warnings will not change randomly between runs [10].

Consistency has four key parts. First, structured output: the system must return valid JSON that follows the expected schema, since broken output is useless for IDE automation. Second, detection agreement: running the same code twice should produce the same findings. Third, labeling: vulnerability types and severity ratings should stay the same across runs. Fourth, localization: reported line ranges should not shift between runs.

For this thesis, R2 means stable JSON output, stable findings across repeated runs, and repeatable labels and locations. The design uses a strict JSON contract, defensive parsing, scoped prompts, caching, and optional retrieval grounding to reduce random variation.

2. Analysis

We define a four-level scale for R2. Output stability is measured by JSON parse success rate. Detection agreement is measured by inter-run agreement rate or Cohen’s kappa. Table 2.3 shows this scale.

Table 2.3.: Evaluation scale for R2: Detection Consistency (example thresholds).

Visual Score	Interpretation (with thresholds)
	High consistency. JSON parse rate $\geq 99\%$, detection agreement ≥ 0.90 , and label/severity $\kappa \geq 0.80$. Output is stable and reliable. Suitable for always-on IDE use.
	Medium consistency. JSON parse rate in $[95\%, 99\%)$, detection agreement in $[0.75, 0.90)$, or κ in $[0.60, 0.80)$. Mostly stable with occasional changes. Suitable for on-demand or audit-mode use.
	Low consistency. JSON parse rate in $[85\%, 95\%)$, detection agreement in $[0.60, 0.75)$, or κ in $[0.40, 0.60)$. Frequent variation. Findings need repeated confirmation before acting.
	No consistency. JSON parse rate $< 85\%$, detection agreement < 0.60 , or $\kappa < 0.40$. Output is unreliable. The system cannot produce repeatable findings.

2.1.3. R3: Repair Quality

R3 addresses repair quality. Code Guardian should not only detect vulnerabilities but also suggest concrete fixes. A good repair is specific to the affected code, follows recognized secure-coding practices, and is presented as a suggestion that the developer can review and accept or reject.

This matters because developers often receive warnings without usable guidance on how to fix them, which increases effort and reduces follow-through [10, 11]. At the same time, research on automated program repair shows that generated patches are only useful when they fix the root cause without introducing new problems [24].

For Code Guardian, R3 means repairs should target the affected code region, use established mitigations like parameterization, input validation, and safer API choices, and be delivered as optional diffs rather than automatic edits. The developer always keeps control over whether to apply a fix.

To measure repair quality, we define a three-level scale. The metrics focus on whether repairs are syntactically valid, address the reported vulnerability type, and follow recognized secure-coding patterns. Table 2.4 shows this scale.

Table 2.4.: Evaluation scale for R3: Repair Quality (example thresholds).

Visual Score	Interpretation (with thresholds)
	High. $\geq 75\%$ of repairs are syntactically valid, address the correct vulnerability type, and follow established secure-coding patterns. Fixes are specific and ready for developer review.
	Medium. $[50\%, 75\%)$ of repairs are valid and relevant. Most fixes target the right issue but may use generic patterns or need minor edits before applying.
	Low. $< 50\%$ of repairs are valid and relevant. Fixes are mostly unusable, too generic, or miss the root cause.

2.1.4. R4: Usability

R4 addresses usability. Security feedback is only useful if it arrives fast enough to fit normal editing workflows. A tool that takes too long will be ignored, no matter how accurate it is.

This is especially important for local LLM-based systems because model inference, retrieval, and prompt processing can make analysis noticeably slower than traditional diagnostics [25, 26]. Growing delay breaks the developer’s flow and reduces willingness to use the tool.

For Code Guardian, R4 means that both inline and on-demand analysis must stay practical on real hardware. The design uses function-level scoping, debouncing, caching, and separate modes for lightweight inline checks versus heavier full-file scans.

To measure usability, we define a three-level scale based on end-to-end latency. The thresholds reflect established response-time guidelines from HCI research [25, 26]. Table 2.5 shows this scale.

2. Analysis

Table 2.5.: Evaluation scale for R4: Usability (example thresholds).

Visual Score	Interpretation (with thresholds)
	High. Median latency $\leq 5s$ for inline analysis, $\leq 15s$ for full-file scans. Feedback feels responsive and fits normal editing flow.
	Medium. Median latency in $(5s, 15s]$ for inline, $(15s, 30s]$ for full-file. Noticeable delay but still practical for on-demand use.
	Low. Median latency $> 15s$ for inline or $> 30s$ for full-file. Too slow for regular IDE use. Only practical for planned audit scans.

2.1.5. R5: Privacy

R5 addresses privacy. Code Guardian must detect and repair vulnerabilities without sending source code to external services. All prompts, findings, retrieved context, and generated fixes should stay on the developer’s machine.

This matters because source code often contains proprietary logic or regulated information. Many organizations cannot use cloud-based analysis tools for this reason. Partial redaction does not solve the problem, since security-relevant context is spread across the code and may be lost when stripped.

For Code Guardian, R5 means local model inference, local retrieval, and clear separation between code-bearing workflows and optional public-metadata refresh paths. The design uses Ollama for local inference, local vector storage for RAG, and disabled-by-default background data updates.

Unlike the other requirements, privacy is a design constraint rather than a spectrum. Table 2.6 defines the verification checklist.

Table 2.6.: Verification checklist for R5: Privacy.

Privacy criterion	
☐	LLM inference runs locally via Ollama. No source code is sent to cloud APIs.
☐	RAG vector store and embeddings are stored locally. No code-derived data leaves the machine.
☐	Analysis prompts and results stay on localhost. No telemetry or external transmission.
☐	Optional vulnerability data refresh uses only public metadata (NVD, OWASP, CWE) and can be disabled for fully offline operation.
☐	No source code or code fragments are included in any outbound network request.

2.2. Related Work and Positioning

This section reviews prior work on SAST, LLM-based security assistance, retrieval-augmented prompting, and privacy-preserving IDE integration, then positions the thesis approach against these paradigms.

2.2.1. Traditional Static Application Security Testing

Static Application Security Testing (SAST) tools remain the default workhorse for vulnerability detection in many development workflows. Rule-based analyzers and taint-analysis systems such as Semgrep and CodeQL statically inspect source code for predefined patterns and data-flow queries [27, 28]. Their main advantage is operational: results are deterministic, reproducible, and easy to integrate into CI/CD pipelines and compliance-driven environments.

From a research perspective, modern static analyzers build on foundational ideas such as abstract interpretation [29] and scalable bug-finding techniques [30]. In practice, large-scale deployments demonstrate that static analysis can find real defects in industrial codebases at massive scale [7]. Security-oriented static analysis has also been studied explicitly, including work that frames static analysis as an effective security engineering control when combined with secure development processes [8, 4, 5].

A second advantage of SAST is *auditability*. Findings are tied to explicit rules or queries, which enables traceable reasoning, stable regression behavior, and predictable security gates. This is particularly relevant in regulated settings, where organizations

2. Analysis

need evidence of controls rather than only aggregate accuracy claims. Determinism also simplifies governance: when a rule is updated, teams can review the diff in findings directly instead of inferring changes from opaque model behavior.

These strengths come with well-known limitations. SAST tools can struggle with contextual reasoning and generalization, producing false positives when a risky-looking pattern is guarded elsewhere (e.g., validation in a different function, framework-enforced invariants) and false negatives when vulnerabilities depend on semantic relationships or framework-specific behavior. Language and framework abstractions further complicate exhaustive rule coverage and often push teams toward conservative, noisy rulesets.

There is also a structural precision/recall tension in static analysis deployments. Aggressive rule sets can improve vulnerable-case coverage, but often increase triage burden through noisy alerts; stricter rules reduce noise but risk under-detection. The trade-off is not only technical but organizational: teams with limited security-review capacity may prefer conservative rule sets, while high-assurance environments may tolerate larger alert queues to avoid misses.

Finally, many SAST tools provide limited remediation guidance, requiring developers to interpret findings and design fixes manually. Empirical studies show that warning overload and poor actionability reduce adoption and remediation rates [10, 11]. This gap between *detection* and *remediation support* is one reason why SAST outputs are often strongest as gatekeeping signals, but weaker as day-to-day developer coaching tools.

Table 2.7 evaluates the main SAST tools discussed above against the requirements defined in Section 2.1.

Table 2.7.: Evaluation of traditional SAST tools against requirements R1–R5.

Tool	R1	R2	R3	R4	R5
Semgrep [27]					
CodeQL [28]					
ESLint security plugins					

All three tools achieve high consistency (R2) because their results are deterministic and reproducible. They also score high on usability (R4) due to fast execution and CI/CD integration, and high on privacy (R5) since they run fully locally. However, accuracy (R1) varies: CodeQL’s taint analysis provides better context than Semgrep’s pattern matching, while ESLint security plugins cover only surface-level patterns. The main gap is repair quality (R3) — none of these tools suggest concrete fixes, leaving developers to interpret findings and write repairs manually.

These limitations motivate approaches that keep deterministic checks as guardrails while adding more flexible reasoning and repair generation closer to the developer workflow.

2.2.2. LLM-Based Vulnerability Detection and Repair

Recent advances in Large Language Models (LLMs) have renewed interest in using learned models for code understanding, vulnerability detection, and repair suggestions. Contemporary systems build on transformer architectures [31] and large-scale pretraining objectives in the style of BERT/T5 [32, 33]. Both general-purpose LLMs and code-specialized models can generate syntactically plausible code and perform transformations such as refactoring and patch drafting [12, 13, 14, 34, 35, 36]. For IDE-integrated security assistance, these capabilities are attractive because they enable explanations and candidate fixes at the point of code.

However, empirical evaluations show that model-generated code can be *functionally correct yet insecure*, and that probabilistic generation can introduce hallucinated assumptions or omit critical security checks [15, 16, 37]. This matters disproportionately in security, where small omissions (e.g., missing validation, unsafe sinks) can create exploitable weaknesses.

Recent survey work shows both the breadth and the fragmentation of this area. Reviews by Zhang et al. and Gholami cover broad cybersecurity use cases, but both report recurring problems in reproducibility, evaluation quality, false positives, and operational trust [38, 39]. Focusing specifically on code security, Basic and Giarretta show that the literature spans not only detection and repair but also security risks introduced by LLM-generated code itself [40].

A key difference from classical static analysis is that LLM behavior is strongly prompt- and format-dependent. Small changes in instructions, output schema, or contextual examples can materially change both finding rates and false-positive behavior. As a result, measured model quality is not only a property of model weights, but also of engineering choices such as scope selection, schema strictness, retrieval context, and failure handling.

For IDE integration, this dependence has an additional implication: free-form natural language answers are often insufficient for automation. Practical tools typically require machine-checkable outputs (e.g., JSON findings with line spans) and conservative handling of malformed responses. In this thesis, structured-output robustness is therefore treated as a deployment gate, not merely a presentation detail.

Before LLMs, machine-learning-based vulnerability detection explored learning semantic representations of code for classification. Early systems used deep learning over code fragments and patterns [41], while representation-learning work explored

2. Analysis

embeddings for code structure and semantics [42]. More recent approaches leveraged graph representations to capture richer program semantics [43, 44]. These methods improved over purely lexical baselines, but often required task-specific training data and did not naturally provide developer-facing explanations or repair suggestions.

Finally, security-related failure modes of LLMs extend beyond simple false positives/negatives. The broader LLM risk literature emphasizes both ethical/operational risks [45] and adversarial behaviors such as jailbreaks and prompt-based attacks [46]. For IDE-integrated security tools, these risks motivate strict output contracts, careful prompt design, and conservative integration of model suggestions into developer workflows.

Another practical challenge is *calibration*. Many LLM-based assistants can explain a vulnerability convincingly even when the underlying label is wrong or weakly grounded. Without explicit confidence controls and abstention behavior, this can increase developer over-trust. For security tooling, persuasive explanations are not sufficient; the system must also provide stable structure, traceable evidence, and clear boundaries between high-confidence findings and uncertain hypotheses.

Recent empirical studies sharpen these concerns. Li et al. show that context-poor evaluation can underestimate LLM capability and distort rationale assessment [47]. IRIS shows that LLMs are stronger when coupled with static analysis than when used alone [48]. CWEVAL shows that static-rule scoring can miss or misjudge functionally correct yet insecure outputs, motivating outcome-driven security oracles [49]. SecRepair similarly frames secure repair as a full-pipeline problem spanning data, model adaptation, and evaluation [50].

In response, contemporary approaches increasingly combine learned models with auxiliary signals such as retrieval, tools, or deterministic checks. Retrieval-augmented generation provides a mechanism to ground model reasoning in external security knowledge without retraining [17, 18, 19]. Tool-oriented prompting (e.g., using dedicated retrieval or analysis tools) further motivates modular designs where different components provide complementary evidence [51]. In Code Guardian, these ideas are reflected in the optional RAG module and the strict JSON-output contract used for IDE diagnostics and evaluation.

Repair suggestion quality is also connected to the broader literature on automated program repair. Classic systems such as GenProg and subsequent patch-learning approaches show both the promise of automation and the difficulty of evaluating patch correctness beyond passing tests [52, 53, 54, 24]. For IDE-integrated security assistance, these findings motivate presenting repairs as *optional* quick fixes, requiring explicit developer review and preserving responsibility for functional correctness.

Table 2.8 evaluates representative LLM-based approaches against the requirements defined in Section 2.1.

Table 2.8.: Evaluation of LLM-based vulnerability detection approaches against requirements R1–R5.

Approach	R1	R2	R3	R4	R5
GitHub Copilot [13]					
IRIS [48]					
SecRepair [50]					
CWEVAL [49]					—

LLM-based approaches show stronger accuracy (R1) than SAST tools due to contextual reasoning, but consistency (R2) is weaker because of nondeterministic generation. GitHub Copilot offers the best usability (R4) through native IDE integration, but fails on privacy (R5) since it requires cloud inference. IRIS and SecRepair provide medium repair quality (R3) by combining static analysis with LLM-generated patches, but neither is integrated into IDE workflows (low R4). CWEVAL is an evaluation framework, not a repair tool, so R3 does not apply. The main gap across all approaches is the lack of local, privacy-preserving deployment.

2.2.3. Retrieval-Augmented Generation for Secure Coding

Retrieval-Augmented Generation (RAG) is a general paradigm for grounding language model outputs in external knowledge without retraining. In RAG, a retriever selects relevant documents for a given query and the generator conditions on those documents when producing an answer [17]. Retrieval can be implemented with lexical scoring functions such as BM25 [55] or with dense retrieval based on semantic embeddings. Dense retrieval approaches such as DPR and retrieval-augmented pretraining (REALM) motivate this design by showing that semantic retrieval can provide effective context for generation [18, 19]. Survey work further highlights RAG as a practical way to reduce hallucination and improve factuality [20, 16].

In secure coding settings, the retrieved context typically corresponds to vulnerability taxonomies (e.g., CWE), secure coding guidelines (e.g., OWASP cheat sheets), and historical vulnerability examples. This fits vulnerability detection and repair well because many issues are best explained by mapping code patterns to known weakness classes and established mitigations [3, 56, 1]. By grounding the model in such sources, a system can improve detection consistency (R2) and explanation quality (R4), while reducing unsupported guesses.

Recent secure-code generation research suggests that *what* is retrieved matters as much as retrieval itself. RESCUE argues that raw security documents are often too

2. Analysis

noisy; it instead distills vulnerability-fix data into hierarchical guidance and concise code examples, then retrieves across security facets such as API pattern, vulnerability cause, and code structure [57]. The same lesson is relevant for vulnerability detection: curated security-specific retrieval units are likely to be more useful than generic prose.

Nevertheless, RAG introduces its own failure modes. If retrieval returns weakly related snippets, the generator can become distracted and produce confident but misaligned explanations. If retrieval returns overly generic security text, outputs may drift toward checklist-style warnings that increase false positives. In security tooling, retrieval quality is therefore as important as model quality: grounding helps only when retrieved context is both relevant and specific to the analyzed code pattern.

Implementation-wise, RAG depends on embedding models and efficient nearest-neighbor search. Sentence-level embedding methods such as Sentence-BERT are commonly used to map text into vector space [58]. Approximate nearest-neighbor indices such as HNSW provide high recall with practical latency [59], and libraries such as FAISS popularized large-scale similarity search in practice [60]. In Code Guardian, these ideas are realized through local embeddings and a persistent HNSW vector store to keep retrieval on-device and compatible with IDE latency constraints.

From an engineering perspective, RAG design involves a three-way trade-off among latency, grounding depth, and noise:

- increasing top- k retrieved chunks can improve recall of relevant guidance but expands prompt size and latency;
- larger chunks preserve context but may dilute precision in similarity search;
- aggressive knowledge refresh increases topicality but can introduce quality variance and reduce reproducibility if source curation is weak.

These trade-offs motivate model-specific calibration rather than one global RAG configuration. The same retrieval setup can improve one model while degrading another, depending on how each model integrates external context under strict output constraints. This observation is central to the ablation design in this thesis.

Table 2.9 evaluates representative RAG-based approaches against the requirements defined in Section 2.1.

Table 2.9.: Evaluation of RAG-based secure coding approaches against requirements R1–R5.

Approach	R1	R2	R3	R4	R5
Generic RAG [17]					—
RESCUE [57]					—

RAG improves accuracy (R1) by grounding LLM reasoning in security knowledge, though the degree of improvement is model-dependent. RESCUE achieves higher repair quality (R3) than generic RAG because it retrieves structured vulnerability-fix pairs rather than raw security text. Consistency (R2) benefits from retrieval grounding but remains medium since the underlying LLM is still nondeterministic. Neither approach reports usability metrics for IDE integration (R4), and privacy (R5) depends on deployment — generic RAG can run locally but is often evaluated with cloud models. The key insight is that RAG is a useful augmentation, not a standalone solution.

2.2.4. Privacy-Preserving and IDE-Integrated Approaches

Privacy concerns pose a significant barrier to adopting LLM-based security tools in real-world settings. Cloud-hosted assistants require transmitting proprietary source code to external servers, which is unacceptable in many regulated or security-sensitive environments [22]. Beyond policy constraints, research has demonstrated concrete privacy risks in large language models, including memorization and extraction of training data [21] and inference attacks that raise questions about model confidentiality and data exposure [61]. For security tooling, these risks motivate designs that keep source code and analysis artifacts local by default.

The IDE context introduces additional security considerations. Because the assistant processes attacker-controlled inputs (e.g., comments, strings, dependency code), prompt-injection and tool-manipulation attacks become relevant; OWASP explicitly catalogs such risks for LLM applications [23]. These concerns motivate designs that treat code as data, constrain outputs to machine-checkable schemas, and isolate retrieval sources to curated security knowledge.

IDE-integrated security tools can improve developer engagement and remediation rates by providing feedback during active development rather than post hoc analysis [10, 11]. However, many IDE assistants prioritize productivity features such as code completion and refactoring, with limited focus on security guarantees, reproducibility, or privacy boundaries. In practice, local deployment and deterministic interaction contracts become critical: users must understand what data is processed, where it is processed, and how results may vary across models and runs.

Local deployment, however, is not a complete security solution. Moving inference on-device shifts the trust boundary from cloud providers to local runtime integrity, workstation hardening, and extension-level data handling. Attackers who gain local access can still exfiltrate prompts, caches, or generated repairs unless operational controls (OS hardening, access control, and secure storage defaults) are in place.

A second practical boundary concerns *mixed connectivity*. Many systems operate with local inference but optional online knowledge refresh. This hybrid pattern can preserve source-code privacy while still introducing supply-chain and provenance

2. Analysis

risks if external knowledge sources are not validated. Privacy-preserving design should therefore separate code-bearing data paths from public-metadata update paths and make this separation visible to users.

Table 2.10 evaluates representative privacy-aware and IDE-integrated approaches against the requirements defined in Section 2.1.

Table 2.10.: Evaluation of privacy-preserving and IDE-integrated approaches against requirements R1–R5.

Approach	R1	R2	R3	R4	R5
GitHub Copilot [13]					
Snyk Code (local) [?]					
Semgrep (local) [27]					

GitHub Copilot offers the best IDE experience (R4) and medium repair quality (R3), but fails on privacy (R5) because all inference happens in the cloud. Snyk Code’s local mode provides high consistency (R2) and good usability (R4), but its proprietary engine limits transparency and it offers no repair suggestions (low R3). Its privacy score is medium-high because some features still require cloud connectivity. Semgrep runs fully locally (high R5) with deterministic results (high R2), but lacks contextual reasoning and repair generation. The gap across all approaches is the combination of local privacy, contextual LLM reasoning, and repair suggestions in a single IDE-integrated tool.

2.2.5. Positioning of This Thesis

In contrast to much prior work, this thesis focuses on privacy-preserving vulnerability detection and repair using locally deployed LLMs integrated into Visual Studio Code. The proposed system combines retrieval-augmented reasoning with IDE-level context extraction to support both real-time and on-demand security analysis for JavaScript and TypeScript codebases. Unlike fine-tuned or cloud-dependent approaches, the system runs on-device by default and can operate fully offline when knowledge refresh is disabled. It also decouples security knowledge from model parameters and is evaluated through documented local ablation experiments (LLM-only vs. LLM+RAG) with quantitative metrics.

Comparison with Cloud-Based Code Assistants. GitHub Copilot and Amazon CodeWhisperer represent the dominant paradigm for AI-assisted coding, including security-related suggestions [13?]. These systems leverage large-scale cloud infrastructure to provide real-time code completions and, increasingly, vulnerability scanning capabilities. GitHub Advanced Security integrates Copilot-powered code scanning with secret detection and dependency review [?]. However, both approaches require transmitting source code to external servers for inference, which is unacceptable in regulated industries, government projects, or environments with strict intellectual property controls. Code Guardian addresses this limitation by keeping all inference local, enabling security assistance for codebases that cannot leave organizational boundaries.

Comparison with Hybrid SAST Tools. Modern SAST vendors increasingly offer hybrid modes. Snyk Code provides both cloud-based and local analysis options, with the local mode running a proprietary semantic analysis engine on-device [?]. Semgrep supports fully local rule-based scanning with optional cloud features for team management and custom rule sharing [27]. Unlike these tools, Code Guardian combines local LLM inference with retrieval-augmented prompting, enabling contextual reasoning and natural-language explanations that pure rule-based systems cannot provide. The trade-off is that LLM-based analysis introduces probabilistic behavior and higher latency compared to deterministic SAST, which motivates the hybrid deployment strategies discussed in Chapter 5.

Comparison with Research Prototypes. Academic systems such as IRIS [48] and SecRepair [50] demonstrate strong results by combining static analysis with LLM reasoning. However, these systems are typically evaluated in batch mode on benchmark datasets rather than integrated into interactive IDE workflows. They also often assume access to cloud-hosted models or require significant computational resources. Code Guardian prioritizes deployability on developer workstations with consumer-grade hardware, treating IDE integration latency and structured-output robustness as first-class requirements rather than secondary implementation details.

Differentiation Summary. Table 2.11 summarizes the key differences between Code Guardian and representative alternatives across the dimensions most relevant to this thesis.

2. Analysis

Table 2.11.: Positioning comparison with representative security assistance approaches.

Approach	Privacy	Contextual reasoning	Repair suggestions	IDE integration	Output contract
GitHub Copilot	Cloud-dependent	Strong (LLM)	Yes	Native	Unstructured
Snyk Code (local)	Local analysis	Rule-based	Limited	Plugin	Structured
Semgrep	Fully local	Rule-based	No	CLI/Plugin	Structured
IRIS / SecRepair	Varies	Strong (hybrid)	Yes	Batch-only	Research-grade
Code Guardian	Fully local	LLM + RAG	Yes	Native VS Code	Strict JSON

The core positioning claim is not that local LLMs outperform all alternatives across all metrics, but that they enable a *different deployment envelope*: privacy-preserving IDE assistance with explicit control over model choice, retrieval strategy, and output contracts. This makes the approach operationally distinct from cloud assistants and complements pure SAST pipelines rather than replacing them.

Concrete Contributions Relative to Prior Work. Relative to existing work, this thesis contributes in three concrete ways. First, it treats structured-output robustness as a first-class requirement for IDE automation, not a secondary implementation detail. Many LLM-based security tools produce free-form natural language that requires manual interpretation; Code Guardian enforces a strict JSON contract with defensive parsing to enable automated diagnostics rendering and quick-fix generation. Second, it evaluates grounding as a model-dependent intervention rather than assuming universal improvement from RAG. The evaluation explicitly measures which models benefit from retrieval augmentation and which degrade, providing actionable guidance for configuration selection. Third, it reports a baseline comparison with established SAST tools (Semgrep, CodeQL, ESLint) under the same local evaluation harness, enabling direct interpretation of quality-versus-noise trade-offs in a shared setup.

By addressing accuracy, consistency, repair quality, usability, and privacy within a unified framework, this work aims to bridge the gap between academic advances in LLM-based security analysis and the practical requirements of real-world software development workflows.

2.2.6. Critical Comparison Across Paradigms

The reviewed literature indicates that security assistants should be compared as *design paradigms*, not as isolated tools. Table 2.12 summarizes the trade-offs that motivate this thesis architecture.

Table 2.12.: Critical comparison of major security-assistance paradigms.

Paradigm	Primary strengths	Primary limitations	Implication for this thesis
Rule-based SAST	Deterministic behavior, reproducible CI/CD integration, explicit audit trails.	Limited semantic adaptation and weak repair guidance.	Keep deterministic baseline signals and add contextual reasoning.
LLM-only IDE assistant	Flexible reasoning, explanation, and repair suggestion in context.	Probabilistic behavior, hallucination risk, and variable false-positive control.	Enforce strict output contracts and developer-controlled patching.
RAG-assisted LLM	Better grounding and explanation alignment in favorable setups.	Model-dependent gains and additional latency/-complexity.	Treat RAG as tunable per model/workflow, not universal.
Local-first deployment	Strong source-code privacy boundary and reproducibility.	Dependence on local hardware/host security assumptions.	Prioritize no-exfiltration while documenting residual risks.

Two conclusions follow. First, no single paradigm satisfies R1–R5 alone; practical systems combine complementary mechanisms. Second, evaluation must jointly report quality and operational metrics because deployment value depends on recall, false-positive control, repair quality, latency, and privacy guarantees together.

2.3. Summary

This chapter established the requirements baseline for the thesis and compared the main design paradigms available in the literature. The analysis shows that a practical solution must combine deterministic baselines, contextual reasoning, explicit privacy boundaries, and workflow-aware responsiveness. These conclusions motivate the concept presented in the next chapter.

3. Concept

3.1. Overview

This chapter presents the conceptual design of a privacy-preserving, retrieval-augmented vulnerability detection and repair system integrated into Visual Studio Code. The core objective is to assist developers in identifying and remediating security vulnerabilities in JavaScript and TypeScript code using locally deployed Large Language Models (LLMs), without transmitting source code to external services.

The design is motivated by three critical shortcomings observed in existing work. First, traditional Static Application Security Testing (SAST) tools rely on predefined rules and can struggle with contextual reasoning, producing false positives when security-relevant patterns appear in benign contexts [8, 7, 9]. Second, cloud-based LLM assistants require transmitting proprietary source code to external servers, which is unacceptable in regulated or security-sensitive environments [22, 23, 21]. Third, current approaches provide limited explainability and repair guidance, making it difficult for developers to understand and act upon detected vulnerabilities [10, 11].

The proposed system addresses these limitations through a modular architecture that enforces separation of concerns while preserving end-to-end coherence. The design directly supports the seven requirements established in Section 2.1: detection accuracy is pursued through calibrated model/mode comparison (R1), detection consistency is supported through structured outputs and controlled workflows (R2), contextual reasoning is enabled through code analysis and data flow understanding (R3), intermediate artifacts and explanations provide transparency (R4), concrete repair suggestions are generated based on security knowledge (R5), all processing occurs locally without external data transmission (R6), and latency is optimized for IDE-integrated workflows (R7).

The chapter is structured as follows. Section 3.2 derives the conceptual design from the analysis results and explains how each requirement motivates specific architectural decisions. Section 3.3 describes the core components and their responsibilities. Section 3.4 presents the main workflows. Section 3.5 provides the high-level architecture and process views. Detailed implementation and experimental validation are deferred to Chapters 4 and 5, respectively.

3.2. Concept Derivation from Analysis Results

The conceptual design of the proposed vulnerability detection system is derived systematically from the seven requirements identified in Section 2.1 and the gaps observed in existing approaches reviewed in Section 2.2. This section traces how each architectural decision directly addresses specific limitations in current vulnerability detection systems, establishing the rationale for a local, RAG-augmented, IDE-integrated design.

3.2.1. From Cloud-Based to Privacy-Preserving Local Deployment

The analysis in Section 2.2 revealed that most LLM-based vulnerability detection systems rely on cloud-hosted models or external APIs, requiring transmission of source code to remote servers. This poses unacceptable privacy risks in industrial, governmental, and regulated settings where source code contains proprietary logic, intellectual property, or sensitive business information [22, 21, 61, 23].

These observations directly motivate the decision to deploy all components locally within the developer’s environment. By running LLMs, retrieval systems, and analysis components entirely on local hardware, the design aims to keep source code, intermediate representations, and analysis results on-device and to avoid external inference services. This local-first architecture supports R6 (privacy-preserving operation) and enables offline operation when knowledge refresh is disabled, making the system suitable for security-sensitive development environments.

In the Code Guardian prototype, the privacy boundary is defined around *source code*: analyzed code and IDE-derived context are sent only to a local LLM backend. The system may optionally refresh its *security knowledge base* from public vulnerability metadata sources (e.g., CVE/NVD descriptions and references). Such refresh operations do not transmit user source code and can be disabled to operate fully offline with cached or baseline knowledge.

The trade-off for local deployment is increased latency compared to cloud-based systems with dedicated accelerators. However, by carefully optimizing model selection, retrieval strategies, and context management, the system can achieve acceptable response times on standard developer hardware, addressing R7 (usability and responsiveness).

3.2.2. Retrieval-Augmented Generation for Security Knowledge Grounding

Requirements R1 and R2 demand accurate and consistent vulnerability detection across repeated analyses. Pure generative LLM approaches can suffer from hallucination and inconsistent classifications [16, 14]. Similarly, R3 requires context-aware reasoning that goes beyond surface-level pattern matching to understand data flow, control flow, and API semantics.

The system addresses these requirements through Retrieval-Augmented Generation (RAG), which grounds vulnerability detection in a locally maintained knowledge base of security information [17, 18]. This knowledge base includes:

- **CWE-aligned vulnerability patterns** and mitigation summaries [3]
- **OWASP guidance** for recurring web vulnerability categories [1, 56]
- **CVE/NVD summaries** (public descriptions and references) to keep the knowledge base current [62, 63]
- **Curated JavaScript/TypeScript security notes** (e.g., prototype pollution, unsafe deserialization patterns)

These sources are grounded in established taxonomies and practitioner guidance such as CWE and OWASP materials [3, 56, 1].

During analysis, relevant security knowledge is retrieved based on semantic similarity to the code under examination and provided as context to the LLM. This design reduces reliance on purely generative reasoning, improves detection consistency by anchoring outputs to established security knowledge, and enables the knowledge base to evolve independently of model parameters. By decoupling security knowledge from the model, the system supports continuous updates to vulnerability information without requiring model retraining.

3.2.3. IDE Integration for In-Context Security Assistance

Traditional SAST tools operate as separate processes in CI/CD pipelines, providing feedback only after code is committed. This delayed feedback loop increases cognitive load and reduces remediation rates, as developers must context-switch between writing code and reviewing security findings [10, 11].

The proposed system integrates directly into Visual Studio Code as an extension, providing security analysis during active development. This design supports two interaction modes:

- **Inline detection:** Debounced vulnerability annotations triggered by document changes, providing IDE-native feedback during active development

3. Concept

- **On-demand analysis:** Explicit analysis commands for comprehensive security audits of selected code regions or entire files

IDE integration directly addresses R4 (explainability and transparency) by enabling rich, interactive presentation of vulnerability findings, explanations, and repair suggestions within the developer’s familiar environment. It also supports R5 (actionable repair suggestions) by allowing developers to preview, review, and apply suggested fixes with minimal friction.

3.2.4. Modular Component Architecture

The analysis in Section 2.2 showed that monolithic vulnerability detection systems lack transparency: when detection fails or produces unexpected results, it is difficult to diagnose whether the error originated in context extraction, retrieval, reasoning, or explanation generation.

The proposed system decomposes vulnerability detection into four core components, each with clearly defined responsibilities:

1. **Context Extraction:** Determines analysis scope (enclosing function, selection, file) and produces snippet text plus localization metadata
2. **Knowledge Retrieval:** Queries the local security knowledge base to retrieve relevant vulnerability information
3. **Vulnerability Detection:** Analyzes code context using the LLM, grounded in retrieved security knowledge
4. **Repair Generation:** Produces developer-controlled repair suggestions as optional patches (quick fixes)

This modular design enables component-level analysis, isolated improvement, and transparent error diagnosis. Each component can be tested, optimized, and replaced independently without destabilizing the overall architecture. Intermediate outputs (extracted context, retrieved knowledge, detection reasoning) remain visible for debugging and validation, supporting transparency and reproducibility.

3.2.5. Context-Aware Analysis with Code Understanding

Requirement R3 demands that the system correctly identify vulnerabilities based on semantic and structural context rather than syntactic patterns alone. Surface-level pattern matching produces false positives when secure code resembles vulnerable patterns, and false negatives when vulnerabilities depend on data flow or control flow relationships.

3. Concept

The system addresses this requirement primarily through *scope selection* and *prompt grounding*. In the current prototype, context extraction focuses on reliably selecting a coherent code region (e.g., the enclosing function) and mapping findings back to the editor. The LLM is then expected to reason about data flow and control flow *within the provided scope*, optionally grounded by retrieved security guidance.

Conceptually, context-aware reasoning benefits from multiple kinds of context, including:

- **Syntactic context:** function boundaries and code structure derived from AST parsing (used for scoping)
- **Local semantic context:** identifiers, API calls, and validation logic present in the analyzed region
- **Inferred data/control flow:** reasoning about sources, sinks, and guards within the snippet

This approach supports R3 for many localized vulnerability patterns, but it has inherent limitations when required evidence lies outside the analyzed scope (e.g., validation in a different file). Chapter 6 outlines extensions such as explicit taint-style traces and cross-file context extraction to address these cases.

3.2.6. Explainability Through Structured Reasoning

Requirement R4 demands transparent explanations that link detected vulnerabilities to concrete code regions and recognized security principles. Opaque "black box" detection undermines developer trust and makes it difficult to validate findings or apply fixes correctly [10, 11].

The system enforces explainability through structured reporting and IDE-native presentation. In the diagnostics pipeline, vulnerability reports include:

- **Code localization:** Specific lines or code fragments contributing to the vulnerability
- **Issue explanation:** A short message describing why the code is risky and what pattern is being flagged
- **Optional repair:** A suggested patch presented as a quick fix (developer-controlled)

In interactive webview modes, the system can provide longer, Markdown-formatted explanations, and (when enabled) can cite retrieved guidance to anchor the reasoning [3, 56]. The evaluation harness used in Chapter 5 additionally requests explicit **type** and **severity** fields to support quantitative scoring.

By grounding explanations in retrieved security knowledge (when used) and enforcing structured output formats where needed, the system produces actionable vulnerability reports that are auditable at the IDE level. This design directly supports R4 and improves developer trust by making detection outputs inspectable and reviewable.

Each architectural decision in this section is tied to the requirements established in Chapter 2. The local, RAG-augmented, IDE-integrated design follows directly from the limitations identified in prior work and the operational constraints of privacy-sensitive development environments. The next section details the core components that realize this design, including their inputs, outputs, and processing logic.

3.3. System Components

The Code Guardian prototype is organized into a small set of components that map directly to the requirements from Chapter 2. The system is implemented as a VS Code extension that (i) extracts an appropriate analysis scope from the editor, (ii) invokes a local LLM for vulnerability analysis, (iii) optionally augments prompts with locally retrieved security knowledge (RAG), and (iv) renders findings and fix suggestions using IDE-native UI elements.

3.3.1. Context Extraction Component

The context extraction component determines *which* code is analyzed for a given interaction mode and provides the analyzer with enough metadata to localize findings in the editor.

Scopes. Code Guardian supports multiple scopes with different latency and completeness characteristics:

- **Function scope (real-time)** extracts the innermost function-like block at the cursor position (function declarations, arrow functions, methods, constructors). This is the default for continuous feedback because it keeps the prompt small.
- **File scope (on-demand)** analyzes the full current document and returns a comprehensive set of findings as diagnostics.
- **Selection scope (interactive)** sends a selected region (or current line) into a webview-based analysis view that supports follow-up questions.
- **Workspace scope (batch)** scans all JS/TS files and aggregates results into a security dashboard.

AST-based function extraction. Function scope extraction is implemented by parsing the current document with the TypeScript compiler API and selecting the smallest enclosing `FunctionLikeDeclaration` around the cursor. The extractor returns both the extracted snippet and its start-line offset (0-based) in the original document. This offset enables precise mapping of model-reported line numbers back to VS Code diagnostic ranges.

Design rationale. Function scoping is a practical mechanism to keep latency predictable for real-time use (R7), while the line-offset mapping improves explainability by ensuring that findings point to the correct source locations (R4). Deeper program context (imports, cross-file flows) is not extracted explicitly in the current prototype and is treated as a key future-work direction.

3.3.2. Knowledge Retrieval Component (RAG)

The retrieval component implements Retrieval-Augmented Generation (RAG) to ground LLM reasoning in local security knowledge [17, 18]. In Code Guardian, retrieval is implemented by a dedicated `RAGManager` that maintains a local knowledge base and a persistent vector index.

Knowledge base contents. The knowledge base is populated from a mix of curated and fetched *public* security metadata:

- **CWE-aligned entries** describing common weakness patterns and mitigations [3].
- **OWASP Top 10 guidance** for recurring web vulnerability categories [1].
- **CVE/NVD summaries** retrieved from the NVD API (descriptions and references) [63, 62].
- **JavaScript ecosystem advisories** for dependency and platform-specific risks.

Knowledge artifacts are cached on disk and reused across sessions. When network access is unavailable, the system falls back to a small baseline knowledge bundle so retrieval remains functional (with reduced coverage).

Indexing and retrieval. Knowledge entries are chunked using a recursive splitter (chunk size 1000, overlap 200) and embedded locally through an Ollama-served embedding model. Embeddings are stored in a local HNSW vector index [59] via LangChain tooling [64]. At query time, the top- k most similar chunks are retrieved (runtime default $k = 3$; the evaluation harness in Chapter 5 uses $k = 5$) and injected into the prompt as an explicit “relevant security knowledge” section.

Privacy boundary. Retrieval and embeddings are executed locally. Optional knowledge refresh operations fetch only public vulnerability metadata; user source code is not transmitted to those endpoints (R6).

3.3.3. Vulnerability Detection Component

The vulnerability detection component performs local LLM inference and returns findings in a format suitable for IDE integration.

Structured-output analyzer for diagnostics. For inline diagnostics, Code Guardian enforces a strict JSON-only output contract to reduce ambiguity and parsing failures. Each finding includes:

- **message**: a short description of the issue.
- **startLine/endLine**: 1-based line indices relative to the analyzed snippet.
- **suggestedFix** (optional): a replacement string that can be offered as a quick fix.

If no issues are found, the model must return an empty array []. The analyzer performs defensive parsing by stripping code fences and extracting the first JSON array substring if the model emits additional text.

Failure handling and caching. Transient inference failures (timeouts, local server warm-up) are handled through retry with exponential backoff. To reduce repeated inference on unchanged code, results are cached with an LRU-style strategy keyed by a hash of (code, model, prompt mode), improving responsiveness during iterative edits.

Interactive analysis mode. In addition to the structured diagnostics flow, Code Guardian includes a webview-based analysis view for selected code. This mode uses Markdown-formatted responses and supports follow-up Q&A. When enabled, the RAG manager can be used to enrich the system prompt and user prompt for this interactive workflow.

3.3.4. Repair Generation Component

In the current prototype, repair generation is implemented as an *optional field* in the vulnerability report rather than as a separate autonomous patching system. When the analyzer includes a **suggestedFix**, the IDE integration layer exposes it as a quick fix action. Applying a fix is always user-initiated and can be reverted via the editor undo stack (R5). The system does not automatically validate functional correctness of repairs; this is treated as a major future improvement area.

3.3.5. IDE Integration Layer

The IDE integration layer connects the analysis pipeline to VS Code’s APIs [65] and determines when analyses run and how results are presented.

Triggers. The extension supports both automatic and manual triggers:

- **Debounced real-time analysis** on document changes (default debounce: 800 ms) for JavaScript/TypeScript documents.
- **Manual file analysis** via a command palette command, with a size guard to avoid excessively large prompts.
- **Interactive selection analysis** and **contextual Q&A** views implemented as WebViews.
- **Workspace scanning** that aggregates results into a dashboard view.

Presentation. Findings are rendered as VS Code diagnostics (squiggles, Problems panel, hover tooltips). Suggested repairs are attached to diagnostics and exposed as a quick fix action.

3.3.6. Supporting Subsystems

Several additional subsystems are important for usability and reproducibility:

- **Model management** queries available local Ollama models, filters for suitable code models, and supports runtime model switching.
- **Analysis cache** is a bounded LRU cache (100 entries, 30-minute TTL) with user-visible hit/miss statistics.
- **Workspace dashboard** computes a coarse security score using issue density and keyword-based severity heuristics and visualizes the distribution across files.
- **Vulnerability data manager** caches public metadata (e.g., OWASP/CWE/CVE-derived entries) with a time-based expiry to support offline reuse after updates.

This section outlined the core components of Code Guardian. The next section explains how these components are orchestrated into workflows for real-time feedback, on-demand inspection, and batch scans.

3.4. Detection Workflows

While the component architecture defines what responsibilities exist in the system, IDE usability depends on how these components are orchestrated in concrete workflows. Code Guardian supports several workflows that trade off latency, context breadth, and output structure. This section describes the main workflows implemented in the prototype and relates them to requirements R1–R7.

3.4.1. Real-Time Function-Level Diagnostics

The real-time workflow provides continuous feedback while a developer edits JavaScript/TypeScript code. The key goal is to deliver timely, IDE-native warnings without disrupting flow (R7).

Trigger. The extension listens to document change events for JavaScript and TypeScript documents. Analysis is *debounced* (default: 800 ms) so the model is not invoked on every keystroke.

Scope and guards. When the debounce fires, Code Guardian extracts the innermost enclosing function at the cursor position and analyzes only that snippet. A size guard skips unusually large functions (default: 2000 characters) to bound worst-case latency and avoid overloading the local model.

Structured output for diagnostics. The analyzer is prompted to return a strict JSON array of issues. Each issue contains a message, a line range, and an optional fix string. The diagnostic adapter maps the snippet-relative, 1-based line numbers to VS Code ranges using the extractor’s line offset and clamps ranges to valid document bounds. This enables stable rendering in the Problems panel, editor squiggles, and hover tooltips (R4).

Trade-offs. Function-level analysis improves responsiveness, but it can miss vulnerabilities whose evidence lies outside the current scope (e.g., validation in a different module). This limitation motivates the on-demand and workspace workflows and is addressed further in the future-work chapter.

3.4.2. On-Demand File Diagnostics

The file workflow provides broader coverage when a developer explicitly requests a deeper scan.

Trigger. A command palette action runs analysis over the full active document.

Scope guard. To avoid generating excessively large prompts, the prototype skips very large files (default: 20,000 characters) and warns the user instead.

Output. Findings are surfaced through the same structured diagnostics pipeline as the real-time workflow. This keeps the UI consistent, and it ensures that file scans can be reviewed in the Problems panel and navigated using standard IDE tooling.

3.4.3. Interactive Analysis and Follow-up Q&A

Some security questions require richer explanations than a single diagnostic message. Code Guardian therefore includes webview-based interaction modes.

Selection analysis view. The user can analyze a selected region (or the current line) and inspect the response in a dedicated analysis panel. This mode supports follow-up questions and streams Markdown-formatted responses for readability. Because it is user-initiated and not continuously triggered, it can tolerate higher latency than real-time diagnostics.

Contextual Q&A view. The contextual Q&A panel allows the user to select files and folders as context and ask security questions about that subset of the workspace. The extension reads the selected files locally and sends their contents only to the local LLM backend, preserving the no-exfiltration objective for source code.

RAG usage. When enabled, the RAG manager can enrich prompts for these interactive workflows by injecting retrieved security knowledge snippets (CWE/OWASP/CVE-derived guidance). Retrieval and embeddings are performed locally; optional knowledge refresh operations fetch only public metadata.

3.4.4. Workspace Scan and Security Dashboard

The workspace workflow supports periodic audits and prioritization across a repository.

File discovery and bounds. The scanner enumerates `*.js`, `*.jsx`, `*.ts`, and `*.tsx` files in the workspace while excluding dependency folders such as `node_modules`. Very large files are skipped (default: >500 KB) to keep runtime bounded.

Aggregation and scoring. Scan results are aggregated into a dashboard WebView. In addition to listing per-file issues, the dashboard computes a coarse security score based on issue density (issues per KLOC) and a keyword-based severity heuristic. This score is intended for prioritization rather than as a formal risk metric.

Developer interaction. The dashboard supports opening affected files directly from the report and rerunning scans. This workflow complements real-time diagnostics by helping developers understand which parts of the codebase concentrate the most findings.

3.4.5. Repair Suggestion Workflow

When the analyzer returns a `suggestedFix` for an issue, Code Guardian exposes it as a VS Code quick fix. Applying repairs is always user-initiated and integrates with the undo stack. This preserves developer control (R5) and reduces the risk of unintended behavioral changes from automatically applied patches.

3.4.6. Workflow Selection in Practice

In typical use, workflows complement each other:

1. Developers receive continuous feedback via debounced, function-level diagnostics while writing code.
2. Before committing or during review, developers run file scans for broader coverage.
3. For ambiguous findings or design-level questions, developers use the interactive analysis and contextual Q&A views to obtain richer explanations and mitigation guidance.
4. Periodically, workspace scans provide an aggregate view that supports prioritization and remediation planning.

Together, these workflows operationalize the core idea of Code Guardian: privacy-preserving local analysis combined with IDE-native feedback and developer-controlled remediation.

3.5. System Architecture and Design

This section presents the high-level architecture of Code Guardian using C4-style views (context, containers, and process). The goal is to make the privacy boundary and the main data flows explicit: code stays on-device, local inference is performed through a localhost LLM backend, and retrieval (when enabled) is backed by a local knowledge base and vector index.

3.5.1. Context View: System Boundary and External Interactions

Figure 3.1 positions Code Guardian within its operational environment. The primary actor is the developer working inside Visual Studio Code. The system executes in the VS Code extension host and communicates with a local LLM backend (Ollama) running on the same machine [66].

3. Concept

Local assets. The core local assets are:

- **Workspace source code** (JavaScript/TypeScript) being edited.
- **Local LLM runtime** (Ollama) used for analysis and (optionally) embeddings.
- **Local security knowledge base and vector index** used for retrieval when RAG is enabled [64, 59].
- **Local caches** for analysis results and vulnerability metadata.

Optional external data. Code Guardian may optionally fetch *public vulnerability metadata* to refresh the knowledge base (e.g., CVE records from the NVD API). This traffic does not include user source code and can be disabled by running in offline mode. After a refresh, cached knowledge can be reused without network access. This separation preserves the core privacy goal (no source-code exfiltration) while still allowing the knowledge base to evolve over time.




Figure 3.1.: C4 Context diagram showing system boundary and external interactions. Code Guardian (blue box) operates as a VS Code extension with local backend. Developer interacts with VS Code, which triggers analysis. Code Guardian communicates with local Ollama LLM (localhost:11434), local vector database, and optionally fetches public metadata from CVE/NVD APIs (dashed gold). Privacy boundary (green dashed line): all source code analysis stays on localhost.

3.5.2. Container View: Internal Component Structure

Figure 3.2 summarizes the main internal containers and their responsibilities.

VS Code extension host. The extension is responsible for registering editor triggers, extracting analysis scopes, and rendering results using VS Code diagnostics and WebViews [65]. It provides commands for file analysis, selection analysis, contextual Q&A, model selection, cache inspection, and workspace scanning.

Structured diagnostics pipeline. For real-time and file-level diagnostics, the extension invokes a JSON-only analyzer that returns a list of issues with line ranges and optional fixes. These results are mapped into VS Code diagnostics and quick fixes. A bounded analysis cache reduces redundant LLM calls for unchanged snippets.

Interactive analysis pipeline. For selection analysis and contextual Q&A, the extension opens a WebView panel and streams Markdown-formatted responses from the local model. This mode supports conversational follow-up and can incorporate retrieved knowledge when RAG is enabled.

RAG manager and data manager. When enabled, the RAG manager maintains a local knowledge base (serialized entries) and a persistent vector store. A vulnerability data manager refreshes public metadata (CWE-/OWASP-aligned curated entries and optional CVE/advisory sources) and caches results on disk. The vector store is rebuilt or updated based on the knowledge base content.

3.5.3. Process View: End-to-End Workflows

Figure 3.3 illustrates the dynamic execution flow for the main workflows.

Real-time diagnostics (function scope).

1. A JavaScript/TypeScript document change event occurs in the active editor.
2. After a debounce interval (800 ms), the extension extracts the innermost enclosing function at the cursor.
3. If the extracted scope is within size limits, the local analyzer is invoked and required to return a JSON array of findings.
4. Findings are parsed defensively, cached, mapped to document ranges, and rendered as diagnostics. Optional `suggestedFix` strings are surfaced as quick fixes.

On-demand file diagnostics.

1. The developer invokes the “analyze full file” command.
2. The full document text is analyzed (subject to a size guard).




Figure 3.2.: C4 Container diagram showing internal components. VS Code Extension contains Diagnostics Provider, Command Handlers, Cache Manager, and UI Renderer. Local Backend contains Analysis Engine, RAG Orchestrator, Knowledge Refresher, and Repair Generator. Data containers include Vector Database (CVE/OWASP/CVE embeddings) and Result Cache. External systems: VS Code IDE, Ollama LLM (localhost:11434), and optional CVE/NVD APIs. All source code stays within system boundary.

3. Concept

3. Findings are mapped to diagnostics and rendered in the editor.

Interactive analysis (selection) and contextual Q&A.

1. The developer selects code (or context files/folders) and asks a security question.
2. The extension collects the selected context locally and opens a WebView panel.
3. The local model streams Markdown-formatted responses; follow-up questions extend the conversation history.
4. When enabled, retrieved security knowledge can be injected into prompts to ground explanations.

Workspace scan and dashboard.

1. The developer starts a workspace scan from the command palette.
2. The scanner enumerates JS/TS files, excluding dependencies, and skips very large files.
3. Each file is analyzed locally; issues are aggregated and summarized by severity heuristics and issue density.
4. Results are shown in a dashboard WebView, which can open files directly and trigger rescans.

Privacy considerations in the process view. Across all workflows, source code is sent only to the local LLM backend on `localhost`. Optional knowledge refresh operations fetch only public metadata and are cached; disabling refresh yields a fully offline analysis mode.

These architecture views make explicit how Code Guardian operationalizes the conceptual design: modular responsibilities, local inference as the default deployment, optional retrieval grounding, and IDE-native presentation with developer-controlled remediation.

3.5.4. Sequence Diagrams: Concrete Detection Flows

To illustrate how the architectural components interact in different detection scenarios, this section presents three representative sequence diagrams that capture key performance and caching characteristics.




Figure 3.3.: Process view showing two primary workflows with swim lanes. Workflow 1: Real-time function analysis with debouncing (800ms) and caching, where cache hits bypass LLM inference and cache misses invoke local analysis. Workflow 2: On-demand analysis with optional RAG, including embedding generation, configurable vector search, prompt augmentation, and local LLM inference. The runtime default uses $k = 3$ retrieved chunks; Chapter 5 benchmarks a $k = 5$ setting. Color coding: user events (yellow), extension (orange), backend (purple), LLM (green). Privacy boundary (green dashed): all processes execute on localhost.

3. Concept

Inline Mode with Cache Hit (Figure 3.4). When a previously analyzed function reappears after a document change, the extension can return cached results without new model inference. This scenario demonstrates the effectiveness of content-based caching for unchanged code:

1. Developer pauses after editing.
2. Extension extracts function context and computes content hash.
3. Cache layer returns cached findings (no LLM invocation).
4. Diagnostics are rendered immediately in the IDE.

This flow is critical for IDE responsiveness, as it avoids LLM inference overhead for unmodified code.

Audit Mode with RAG (Figure 3.5). When performing a full workspace scan with retrieval augmentation enabled, the backend orchestrates vector search and LLM generation:

1. Developer triggers audit scan.
2. Extension extracts code context.
3. Backend generates embedding and queries the vector database (runtime default: top- $k = 3$ chunks; the evaluated benchmark setting uses $k = 5$).
4. Retrieved CWE/OWASP chunks are injected into the LLM prompt.
5. Ollama performs inference (model-dependent latency in the evaluated setup).
6. Backend parses JSON response and returns findings.
7. Extension updates cache and renders diagnostics.

Total latency is dominated by LLM inference time. In the evaluated setup, retrieval overhead remained modest relative to model generation and did not change the overall responsiveness ranking across workflows.

Real-time Detection with Debouncing (Figure 3.6). During active typing, debouncing prevents analysis on every keystroke while maintaining responsiveness:

1. Developer types code; each `onChange` event resets an 800 ms timer.
2. When typing pauses for 800 ms, the timer expires.
3. Extension extracts function scope and checks cache.
4. **If cache hit:** returns cached result immediately.
5. **If cache miss:** invokes LLM backend and stores result in cache.

3. Concept

6. Diagnostics are rendered in the editor.

Debouncing reduces unnecessary LLM invocations during continuous typing, balancing responsiveness with resource efficiency.

Table 3.1.: Comparison of detection flow characteristics.

Flow	Trigger	Latency	LLM Invocations
Inline (cached)	Typing pause / repeated snippet	Near-instant	No
Inline (uncached)	Typing pause / new snippet	Model-dependent	Yes
Audit + RAG	Manual scan	Model-dependent	Yes (with retrieval)
Real-time (debounced)	Typing pause (800 ms)	Variable	Conditional

3.6. Summary

This chapter translated the requirements from Chapter 2 into a concrete concept for Code Guardian. It defined the main architectural decisions, the component structure, and the workflows needed to provide local, privacy-preserving vulnerability assistance in the IDE. The next chapter explains how this concept was implemented.

3. Concept




Figure 3.4.: Sequence diagram: Inline mode with cache hit. No LLM invocation is required for previously analyzed code.

3. Concept




Figure 3.5.: Sequence diagram: Audit mode with RAG. Vector database retrieval augments the LLM prompt with relevant security knowledge.

3. Concept




Figure 3.6.: Sequence diagram: Real-time detection flow with debouncing. An 800 ms timer prevents excessive LLM invocations during active typing.

4. Implementation

4.1. Overview

This chapter summarizes how Code Guardian was implemented as a local-first security assistant for Visual Studio Code. The focus is on deployable engineering decisions: local inference boundaries, deterministic output handling, latency guardrails, and developer-controlled remediation.

The implementation follows the concept from Chapter 3 while emphasizing practical concerns that affect reproducibility and day-to-day usability. The chapter first introduces the technical stack and runtime boundary, then explains the detection pipeline, the main components, responsiveness mechanisms, user-facing integration, and repair safety.

4.2. Technology Stack and Runtime Boundary

Code Guardian is implemented as a VS Code extension with a local Node.js backend and local Ollama inference. Retrieval augmentation, when enabled, uses a local embedding model and local vector store.

- **IDE integration:** VS Code extension APIs for diagnostics, code actions, commands, and WebViews.
- **Analysis backend:** Node.js service that builds prompts, calls models, validates output, and returns normalized findings.
- **Inference runtime:** Ollama on localhost; no cloud model endpoint is required.
- **RAG layer:** local embedding + local vector index over curated CWE/OWASP/CVE guidance.

The evaluated deployment keeps source code, prompts, and findings on-device during analysis. Optional knowledge refresh accesses only public vulnerability metadata and can be disabled for offline use.

4.3. End-to-End Detection Pipeline

The implementation follows a fixed pipeline to improve reproducibility and reduce integration risk:

1. Extract analysis scope (selection, function, file, or workspace unit).
2. Build model prompt (LLM-only or LLM+RAG).
3. Enforce JSON-structured response contract.
4. Parse and normalize findings.
5. Map findings to IDE diagnostics and optional quick fixes.

Scope extraction

Function-level extraction is the default for interactive usage because it limits latency and token usage. Broader scopes (file/workspace) are available for explicit audits.

Prompt construction

LLM-only mode prioritizes lower latency. RAG mode injects retrieved security context to improve grounding when model behavior supports it.

Structured output handling

The analyzer enforces a strict JSON contract and applies defensive parsing to tolerate minor output noise. Parse failures degrade safely to empty findings or warning paths instead of crashing the extension workflow.

4.4. Core Components

Analyzer

The analyzer orchestrates prompt assembly, model invocation, timeout handling, and response validation. It converts model output into a stable schema used by downstream diagnostics and evaluation scripts.

Diagnostics mapper

Findings are mapped to VS Code diagnostics with severity and location metadata. The mapper tolerates imperfect line localization by clamping ranges to valid document boundaries.

RAG manager

The retrieval manager handles local index queries and retrieval filtering. It supports updating the local knowledge base from public sources while preserving the local source-code boundary.

Workspace scanner

Batch scanning processes files under configurable size/scope limits and aggregates results for dashboard-style review.

4.5. Orchestration and Responsiveness

Interactive IDE usage requires explicit guardrails:

- **Debouncing:** analysis is delayed after edits to avoid redundant invocations.
- **Scope limits:** large functions/files are skipped or deferred to audit mode.
- **Caching:** repeated analyses use TTL-based cache entries to reduce local inference overhead.
- **Mode selection:** faster modes are favored during active editing; stronger modes are used for explicit scans.

These mechanisms reduce interruption cost and make local inference practical on developer hardware, while preserving deterministic failure handling.

4.6. User-Facing Integration

Security feedback is surfaced in native IDE flows:

- inline diagnostics and hover explanations,
- optional quick-fix actions for model-proposed repairs,

4. Implementation

- command-driven scans and model/mode controls,
- dashboard-oriented workspace summaries.

The design principle is assistive, not autonomous: findings and fixes are review artifacts under developer control.

4.7. Repair Safety

Repair generation is intentionally conservative:

- fixes are suggested as diffs, not silently applied;
- users decide whether to apply or reject each change;
- no automatic commit/deploy path is implemented;
- functional/security re-validation remains a developer responsibility.

In practice, repairs are useful when changes are local and pattern-based (for example parameterization or sanitizer insertion). Complex cases still require domain context and manual adjustment.

4.8. Implementation Summary

The implementation realizes the thesis architecture as a local IDE assistant with two operational modes (LLM-only and LLM+RAG), explicit latency guardrails, and privacy-preserving boundaries. These concrete mechanisms provide the basis for interpreting the evaluation results in Chapter 5.

5. Evaluation

This chapter evaluates Code Guardian against the five requirements defined in Chapter 2. Each requirement is assessed using the metrics and level scales introduced in the requirements analysis. The evaluation uses a curated dataset of 128 test cases (113 vulnerable, 15 secure) covering major CWE categories, executed on local hardware with multiple model and retrieval configurations.

The chapter proceeds as follows. Sections 5.1–5.3 introduce the dataset, metrics, and experimental setup. Sections 5.4–5.8 present results organized by requirement, each ending with a level mapping. Section 5.9 synthesizes the findings into a requirement compliance overview.

5.1. Datasets

This section describes the evaluation dataset used to assess Code Guardian. The dataset contains 128 test cases (113 vulnerable and 15 secure) covering common JavaScript and TypeScript vulnerability patterns. Each test case includes a code snippet, expected vulnerability labels with CWE identifiers, and optional remediation guidance. The following subsections explain the design rationale, dataset composition, and schema.

5.1.1. Dataset Design Rationale

This thesis employs a **curated evaluation approach** rather than relying solely on large-scale automated benchmarks. The rationale for this design choice reflects several methodological and practical considerations that align with the research objectives and privacy-preserving constraints of Code Guardian.

Why a curated dataset. Large-scale benchmark suites such as the NIST Juliet Test Suite and OWASP Benchmark provide broad coverage of vulnerability patterns and have been widely used in SAST tool evaluations [67, 68]. However, these benchmarks present challenges for this thesis context:

5. Evaluation

- **Limited secure-sample control:** Many benchmarks focus on vulnerable code and provide few or poorly documented secure examples, limiting false-positive rate (FPR) estimation—a critical metric for IDE usability.
- **Synthetic pattern bias:** Automatically generated test cases may not reflect realistic framework usage, developer patterns, or contextual mitigations typical in production code.
- **Human auditability trade-off:** Evaluating thousands of cases improves statistical power but reduces the ability to manually inspect model outputs, explanations, and repair suggestions—essential for assessing R4 (explainability) and R5 (actionable repairs).
- **Prompt iteration overhead:** Rapid experimentation with prompt structure, retrieval parameters, and output contracts is more feasible with a smaller, well-understood dataset that can be re-evaluated in hours rather than days.

Integration of verified real-world vulnerability data. To ensure the curated dataset reflects real-world security issues, Code Guardian incorporates **verified vulnerability patterns** from authoritative sources. The project repository includes a real-world dataset (`code-guardian-evaluation/datasets/real-world/`) containing 11 verified cases derived from:

- **CVE-documented vulnerabilities:** actual exploitable vulnerabilities with assigned CVE identifiers (e.g., CVE-2022-24999 in Express.js, CVE-2021-23337 in Lodash) mapped to their corresponding CWE classes.
- **Vulnerability pattern extraction:** security-relevant code patterns extracted from widely deployed open-source projects (Lodash, Express, Mongoose, React-DOM, Node-Forge) through manual analysis and authoritative security advisories.

These verified cases provide **ecological validity anchors** for the synthetic test set and demonstrate that the system can reason about vulnerabilities observed in production code, not just laboratory-crafted examples.

Balancing scale and depth. The curated approach prioritizes **depth of analysis over breadth of coverage**. By maintaining a human-auditable dataset (128 cases in the primary evaluation set), this thesis can:

- Perform qualitative inspection of true positives, false positives, and false negatives to understand *why* the system succeeds or fails.
- Assess explanation quality and repair suggestion coherence on a per-case basis, supporting requirements R4 and R5.

5. Evaluation

- Enable documented local evaluation with documented model configurations and prompt templates, essential for privacy-preserving system validation (R6).
- Support rapid iteration on detection strategies, retrieval parameters, and output validation without multi-day evaluation cycles.

Complementarity with standard benchmarks. The curated dataset is not intended to replace standard benchmarks but to **complement** them with controlled, transparent, and human-reviewable evidence. Section 5.1 (paragraph “Toward larger benchmarks”) explicitly identifies OWASP Benchmark and Juliet as targets for future work to validate generalization. The current evaluation establishes baseline capability and isolates core architectural trade-offs (LLM-only vs. LLM+RAG, model size vs. latency, recall vs. false-positive control) under controlled conditions before scaling to noisier, less interpretable datasets.

Limitations acknowledged. The curated dataset is intentionally small (128 cases: 113 vulnerable, 15 secure). This limits statistical power, particularly for false-positive rate estimation on secure samples. The secure-sample count (15) was chosen to balance FPR observability with evaluation runtime, but it results in wide confidence intervals (reported in Section 5.9). Results on this dataset should be interpreted as **indicative of capability under controlled conditions** rather than definitive performance guarantees for production repositories. Threats to external validity are discussed explicitly in Section 5.9.

The evaluation dataset is a project-authored curated set of JavaScript and TypeScript security cases maintained alongside the Code Guardian prototype in `code-guardian-extension/evaluation/datasets/`. Cases are aligned to CWE/OWASP concepts. Each test case consists of (i) a short code snippet, (ii) a list of expected vulnerabilities with CWE identifiers and severities, and (iii) an expected remediation description. Three dataset categories are provided:

- **Core dataset:** `vulnerability-test-cases.json` contains representative examples for common vulnerability classes (e.g., SQL injection, XSS, command injection, path traversal) as well as a small number of secure examples to measure false positives.
- **Advanced dataset:** `advanced-test-cases.json` contains additional vulnerability types and more nuanced patterns (e.g., insecure CORS configuration, timing attacks, mass assignment).
- **Real-world verified dataset:** `real-world/real-world_dataset.json` (maintained in `code-guardian-extension/evaluation/datasets/`) contains 11 verified vulnerability cases derived from actual CVEs (CVE-2022-24999, CVE-2021-23337) and security patterns extracted from production open-source projects (Lodash,

5. Evaluation

Express, Mongoose, Node-Forge). This dataset validates that the system can reason about real-world vulnerabilities beyond synthetic test cases.

In the evaluated prototype version used for this thesis run, the scored thesis result set combines **128** test cases (**113** vulnerable and **15** secure). The vulnerable portion comes from `all-test-cases.generated.json` (all-sources generation), while secure cases are merged from `negatives-only.generated.json`. Expected findings are annotated with CWE identifiers to support aggregation by vulnerability class.

Which dataset is scored in this chapter. The repository-contained evaluation harness used in this thesis (`code-guardian-extension/evaluation/evaluate-models.js`) was run in ablation mode with `-ablation -runs=3` for the generated vulnerable set, and complemented with a negatives-only run to restore secure-sample coverage for FPR/TN interpretation. Unless stated otherwise, quantitative results in Chapter 5 refer to this merged 128-case thesis result set.

Vulnerability classes are aligned with the Common Weakness Enumeration taxonomy [3], and severities are recorded as coarse labels to support prioritization and reporting. Where applicable, severity can be related back to standardized scoring systems such as CVSS and public vulnerability databases such as CVE/NVD [69, 62, 63].

This dataset targets requirement R3 (context-aware vulnerability reasoning) by including vulnerability instances that cannot be resolved purely by superficial keyword matching (e.g., sink usage that requires reasoning about tainted input). It also supports R1 and R2 by enabling controlled comparisons across repeated runs and across different local models.

Dataset Schema

Each record follows a uniform schema:

- **id**: unique identifier
- **name**: descriptive test name
- **code**: code snippet under test
- **expectedVulnerabilities**: list of expected findings (type, CWE, severity, description)
- **expectedFix**: short remediation guidance (optional)

The dataset is intentionally small and human-auditable to facilitate iteration on prompts, retrieval, and output validation. Limitations of synthetic snippets and representativeness are discussed in Section 5.9.

Toward larger benchmarks. While this thesis focuses on a curated, auditable suite to support rapid iteration, standard benchmark suites such as the OWASP Benchmark and NIST Juliet can be used to broaden coverage and stress-test generalization in future work [68, 67]. In addition, secure coding checklists and verification frameworks such as OWASP ASVS can guide the selection of security requirements and test categories when scaling the evaluation [70].

5.2. Evaluation Metrics

We evaluate Code Guardian along complementary axes aligned with Chapter 2: detection quality (R1 and R3), detection consistency and structured-output robustness (R2), explainability (R4), and responsiveness (R7). Unless explicitly stated otherwise, quantitative values are reported as descriptive point estimates for this run configuration, with uncertainty intervals added for key decision metrics in Section 5.9.

Detection Quality

Given an expected set of vulnerability types per test case and a detected set of vulnerability types returned by the model, we compute:

- **Precision:** $TP / (TP + FP)$
- **Recall:** $TP / (TP + FN)$
- **F1 score:** harmonic mean of precision and recall
- **False positive rate (FPR):** $FP / (FP + TN)$ on secure examples, computed at *sample level* (a secure sample counts as FP if any issue is emitted)
- **Accuracy:** $(TP + TN) / N$

Matching is performed at the vulnerability-type level. To account for naming variation (e.g., “Cross-Site Scripting” vs. “XSS”), the evaluation script applies case-insensitive substring matching between expected and detected type strings.

Interpretation of precision and recall in this setup. In this thesis, precision primarily reflects *alert quality* under the chosen ontology and matching rule, while recall reflects *coverage* of expected vulnerability classes. Because scoring is type-level rather than exploitability-level, these metrics should be interpreted as detection-signal quality, not as a direct measure of real-world breach prevention.

Operational metric alignment for R1–R3. The current harness primarily reports pooled issue-level confusion counts, so R1 and R3 are operationalized with pooled issue-level precision/recall/F1 plus qualitative evidence (localization behavior, representative TP/FN/FP cases). In addition, the preserved detailed logs retain per-sample binary detection outcomes, which enables exploratory paired tests on matched sample decisions for R2. These paired tests complement the descriptive issue-level metrics, but they do not replace them because issue-level F1 and label quality remain the main scored outcomes in this thesis. Class-balanced macro agreement remains a preferred extension for future runs with richer per-class paired outputs.

Secure examples. The scored dataset used in this chapter includes **15** intentionally secure snippets. These examples are used to estimate false-positive behavior and to sanity-check whether a model tends to over-warn under strict JSON output constraints. Reported FPR values in this chapter are derived from this secure overlay at sample level.

Why sample-level FPR matters operationally. In IDE workflows, a secure snippet that triggers *any* warning still creates developer triage overhead. Sample-level FPR therefore aligns with practical interruption cost better than issue-level counting for secure cases. This is why FPR is treated separately from issue-level precision in the reported analysis.

Structured Output Robustness

Because Code Guardian integrates findings into IDE diagnostics, structured output is essential. We therefore report:

- **JSON parse success rate:** percentage of responses that parse into a JSON array of issues.

How parse failures are treated. In the evaluation harness, responses that do not parse as a JSON array are counted as parse failures and are scored as producing an empty set of issues. For vulnerable test cases, this manifests as false negatives (missed findings); for secure test cases, it can appear as a true negative but still indicates that the system is not usable for IDE automation. Reporting parse success rate separately is therefore important to avoid over-interpreting accuracy numbers when a model frequently produces malformed output.

Structured-output robustness as a gating metric. For editor automation, parse reliability is not optional. A model with strong semantic reasoning but unstable output structure may still be unsuitable for default IDE integration. In this sense, parse success acts as a deployment gate: below a practical reliability threshold, quality metrics alone are insufficient for adoption decisions.

Responsiveness

We measure:

- **Response time:** wall-clock time per analysis call (milliseconds), summarized by mean and median.

Latency is interpreted in the context of IDE workflows: function-level analysis has tighter budgets than file-level or workspace scans. In this thesis revision, R7 is evaluated with median latency as the primary usability indicator and mean latency as a tail-sensitivity proxy, matching the exported harness statistics.

Latency distribution matters more than mean latency alone. Interactive usability is often degraded by slow-tail behavior rather than average response time. Therefore, median and mean are reported together, and right-skewed latency is treated as an operational risk for always-on workflows. This is particularly important for local inference, where background load and model warm-up can create intermittent delays.

Limits of the scoring setup. The current quantitative scoring checks vulnerability categories, not exact code locations. This aligns with the harness output, which directly provides type strings and severities. Line-range accuracy and patch minimality are therefore assessed qualitatively, not by automated scoring.

5.3. Experimental Setup

All experiments are executed locally using the Code Guardian evaluation harness in `code-guardian-extension/evaluation/evaluate-models.js`. The harness iterates over the curated dataset described in Section 5.1 and invokes Ollama with a strict JSON-only system prompt. Model decoding is configured for low randomness (`temperature=0.1`) to reduce output variance and improve parsing stability. Temperature 0.1 was chosen over temperature 0.0 (greedy decoding) because preliminary runs showed that strictly greedy decoding occasionally produced repetitive output artifacts and reduced schema adherence in smaller models; the minimal randomness at 0.1 mitigated these artifacts while maintaining near-deterministic behavior.

Response Schema for Scoring

For evaluation purposes, the harness requests a richer structured output than the minimal in-editor diagnostics flow. In particular, each finding includes a vulnerability **type** string and a coarse **severity** level in addition to location and an optional fix. This enables type-level scoring (precision/recall) and per-category analysis. In the extension UI, vulnerability categories may appear within the message text and are used for downstream aggregation (e.g., in the workspace dashboard); a future refinement is to surface **type** and **severity** as first-class fields in diagnostics.

Compared Configurations

Two configurations are evaluated quantitatively:

- **LLM-only:** JSON-only analyzer without retrieval context.
- **LLM+RAG:** retrieval-augmented prompting with static security snippets (**k=5**).

Where relevant, results can also be stratified by model size or model family to study the trade-off between accuracy and latency.

Models and Hardware

The reported run evaluated five local Ollama models: `gemma3:1b`, `gemma3:4b`, `qwen3:4b`, `qwen3:8b`, and `CodeLlama:latest`. The execution environment was macOS (Darwin 25.3.0, arm64) on Apple M4 Max (16 CPU cores, 64 GB RAM), Node.js v20.19.5, and Ollama 0.17.1.

Runtime Parameters

The evaluation harness enforces a per-request timeout (`timeoutMs=30000`) and limits generation length (`num_predict=1000`). A request delay of 500 ms is inserted between calls to reduce burstiness on developer hardware. Runs were executed sequentially with no warm-up and no retries.

Baseline Tool Configuration

To contextualize LLM and LLM+RAG behavior, three SAST baselines are executed through the same harness: Semgrep, CodeQL, and ESLint with `eslint-plugin-security`. Each baseline tool runs on a temporary workspace created by the harness that contains one `.js` or `.ts` file per snippet. This keeps baseline execution repeatable, but it intentionally omits broader project context such as dependencies, build configuration, and framework conventions.

Semgrep is run with the Semgrep Registry packs `p/security-audit`, `p/javascript`, `p/typescript`, and `p/owasp-top-ten` in JSON mode. CodeQL constructs a JavaScript database over the same workspace and analyzes it with the `javascript-security-and-quality` query suite (`codeql/javascript-queries`). ESLint uses the recommended rule set from `eslint-plugin-security` via a generated configuration file.

Baseline tool outputs are normalized into the same per-finding schema used for scoring (message, line span, coarse severity). Because tools report heterogeneous taxonomies, the harness infers the vulnerability **type** for baseline findings from rule identifiers, messages, and (when available) CWE metadata. This mapping enables comparable type-level precision/recall reporting, but it also introduces a construct-validity limitation: missing or mismatched metadata can reduce measured baseline recall even when a tool flags a relevant issue.

Comparability and Fairness Controls

To support fair comparison across models and modes, the harness keeps the following controls fixed unless explicitly varied in the experiment:

- identical dataset artifacts per run stage (vulnerable main set and secure overlay set),
- identical decoding/runtime limits (temperature, token budget, timeout, request delay),
- identical scoring logic for matching, parsing, and metric aggregation,
- identical execution order policy (sequential calls, no warm-up).

These controls reduce avoidable variance, but they do not remove all confounders. Local inference remains sensitive to transient system load and model-internal scheduling. For this reason, reported values are interpreted as descriptive measurements under a documented environment, not as hardware-independent constants.

Reproducibility Snapshot

Table 5.1.: Run configuration used for reported results.

Item	Value
Dataset files	<code>all-test-cases.generated.json</code> (113 vulnerable) + <code>negatives-only.generated.json</code> (15 secure)
Runs per sample	3 (main ablation run) + 1 (negatives-only overlay)
Prompt modes	LLM-only, LLM+RAG
RAG settings	static security snippets, k=5
Generation settings	<code>temperature=0.1</code> , <code>num_predict=1000</code>
Request controls	<code>timeoutMs=30000</code> , <code>requestDelayMs=500</code>
Execution mode	sequential, no warm-up, no retries
Models requested	<code>gemma3:1b</code> , <code>gemma3:4b</code> , <code>qwen3:4b</code> , <code>qwen3:8b</code> , <code>CodeLlama:latest</code>
Model resolution	All models resolved to the same tags as requested in this run
Software	Ollama 0.17.1, Node.js v20.19.5
Hardware/OS	Apple M4 Max (16 CPU cores, 64 GB RAM), macOS Darwin 25.3.0 (arm64)

Artifact Provenance

To document run provenance, Table 5.2 records the metadata fingerprint for the reported run.

Table 5.2.: Artifact provenance manifest for this thesis run.

Field	Value
Report repository commit	not captured by the harness in this run; repository HEAD at report build: <code>4fbeca1786ca</code>
Run window (UTC)	2026-02-27 08:36:19 to 2026-02-27 10:37:54 (main) + 2026-02-27 10:46:09 to 2026-02-27 10:51:51 (negatives overlay)
Total runtime	7 295 016 ms (main) + 341 765 ms (negatives overlay)
Execution policy	sequential order, no retries, no warm-up
Dataset path	<code>code-guardian-extension/evaluation/datasets/all-test-cases.generated.json</code> + <code>code-guardian-extension/evaluation/datasets/negatives-only.generated.json</code>
Invocation command	<code>node evaluation/evaluate-models.js</code> <code>-ablation -include-baselines</code> <code>-dataset=datasets/all-test-cases.generated.json</code> <code>-runs=3 -rag-k=5 -temperature=0.1</code> <code>-num-predict=1000 -timeout-ms=30000 -delay-ms=500</code>
Model fingerprint (<code>gemma3:1b</code>)	digest prefix <code>8648f39daa8f</code>
Model fingerprint (<code>gemma3:4b</code>)	digest prefix <code>a2af6cc3eb7f</code>
Model fingerprint (<code>qwen3:4b</code>)	digest prefix <code>359d7dd4bcda</code>
Model fingerprint (<code>qwen3:8b</code>)	digest prefix <code>500a1f067a9f</code>
Model fingerprint (<code>CodeLlama:latest</code>)	digest prefix <code>8fdf8f752f6e</code>

For archival reproducibility, the recommended artifact bundle includes: (i) raw JSON output from the harness, (ii) the exact run configuration object, (iii) model digests, (iv) generated summary tables, and (v) the exact repository commit(s) for both the extension/evaluation code and the report source. These artifacts should be stored as supplementary material together with the thesis PDF.

5.3.1. Run Configuration and Data Merging

This thesis evaluation uses a **two-run merged configuration** to balance statistical robustness on vulnerable samples with practical runtime constraints. This subsection documents the rationale, methodology, and statistical implications of this design.

Why two separate runs were necessary. The evaluation initially prioritized vulnerable-case coverage with repeated measurements (`runsPerSample=3`) to assess detection stability and reduce influence of transient model behavior. However, the original run configuration did not include sufficient secure-sample coverage for reliable

5. Evaluation

false-positive rate (FPR) estimation—a critical usability metric for IDE-integrated tools.

Re-running the full ablation with both vulnerable and secure samples at `runsPerSample=3` would have required an additional 7+ hours of compute time. Instead, a pragmatic approach was adopted: execute a **negatives-only overlay run** (`runsPerSample=1`) to add 15 secure samples, then merge results for FPR computation while preserving the repeated vulnerable measurements for recall/precision.

How results were merged. The final thesis evaluation set combines:

- **Vulnerable samples:** 113 samples $\times$ 3 runs = 339 evaluations (from `all-test-cases.generated.js`)
- **Secure samples:** 15 samples $\times$ 1 run = 15 evaluations (from `negatives-only.generated.js`)

Per-model metrics are computed as follows:

- **Precision & Recall:** Calculated over 339 vulnerable evaluations using type-level matching (expected vs predicted vulnerability labels).
- **False-Positive Rate (FPR):** Calculated over 15 secure evaluations using sample-level counting (a secure sample is FP if *any* issue is emitted).
- **Latency:** Pooled across all 354 evaluations (339 vulnerable + 15 secure).
- **Parse Success Rate:** Pooled across all 354 evaluations.

Statistical implications. The merged design creates an **asymmetry in measurement robustness**: vulnerable-case metrics benefit from triple-sampling stability, while secure-case FPR is based on single-pass observations. This has several consequences:

1. **Recall and precision estimates are more stable** due to repeated measurements reducing transient inference variance.
2. **FPR estimates have wider confidence intervals** because the secure-sample count ($n = 15$) is small and each sample is evaluated once. Wilson intervals (Table ??) reflect this uncertainty.
3. **Inferential scope remains narrow:** preserved detailed logs permit exploratory paired tests on binary sample-level outcomes, but pooled issue-level precision/recall/F1 differences between LLM-only and LLM+RAG remain descriptive rather than fully inferential.

Why pooled counts are still valid for descriptive reporting. Despite the asymmetry, the merged approach provides operationally useful evidence:

- FPR observability is substantially improved (15 secure samples vs. 0–2 in early iterations).
- The primary evaluation goal is to *compare model/mode profiles under controlled conditions*, not to establish statistically generalized population claims.
- Metrics are interpreted as **indicative measurements for this specific run configuration**, with explicit documentation of limitations (Section 5.9).

Future work: Unified repeated-run design. For production-scale evaluation, a unified design with matched `runsPerSample` for both vulnerable and secure sets would enable stronger statistical inference without post-hoc majority aggregation on the repeated vulnerable samples. The current harness should also capture the exact repository commit automatically and emit a dedicated paired-analysis artifact so that inferential tests can be reproduced directly from the report inputs.

Run-to-Run Variability (Descriptive)

The main ablation run evaluates each vulnerable sample three times in each configuration; secure-sample evidence is merged from a negatives-only run with one pass per sample. Reported values are pooled descriptive measurements across these two artifacts. Because repeated runs reuse the same snippets and the final tables merge outputs from two runs, issue-level mode-to-mode differences are still interpreted descriptively for this specific run. Where paired inferential analysis is reported later in this chapter, it is limited to binary sample-level outcomes and treated as exploratory.

Implications of merged-run reporting. The merged setup improves secure-sample observability without repeating the full two-hour ablation run, but it also introduces an interpretation boundary: recall and precision are dominated by repeated vulnerable evaluations, while FPR is derived from a single-pass secure overlay. This asymmetry is explicitly documented so that readers do not over-interpret cross-metric comparability as if all metrics came from the same repeated-run design.

For this thesis revision, FPR is reported as a secure-sample, case-level false-positive rate and recomputed from per-case detailed logs in the merged artifacts (a secure sample counts as FP if any issue is emitted), rather than using the legacy aggregate FPR field from earlier harness output.

Response parsing. The harness strips Markdown code fences if present and then attempts to parse the remaining content as JSON. Responses that fail to parse are counted toward the parse failure rate and are scored as producing no issues, which impacts recall on vulnerable samples.

Running the Evaluation

The evaluation can be reproduced by running:

Listing 5.1: Running the Code Guardian evaluation harness

```
cd code-guardian-extension
node evaluation/evaluate-models.js --ablation --include-baselines \
  --dataset=datasets/all-test-cases.generated.json --runs=3 --rag-k=5 --
  --num-predict=1000 --timeout-ms=30000 --delay-ms=500
node evaluation/evaluate-models.js --ablation --include-baselines \
  --dataset=datasets/negatives-only.generated.json --runs=1 --rag-k=5 --
  --num-predict=1000 --timeout-ms=30000 --delay-ms=500
```

The script produces per-model metrics and can be extended to emit JSON/Markdown reports under `code-guardian-extension/evaluation/logs/` for inclusion in the thesis appendix. For strict comparability with the reported tables, the evaluated model list should match the run configuration (`gemma3:1b`, `gemma3:4b`, `qwen3:4b`, `qwen3:8b`, and `CodeLlama:latest`).

The reported results in this thesis combine a `runsPerSample=3` ablation run (vulnerable set) with a `runsPerSample=1` negatives-only overlay to recover secure-sample coverage for FPR computation.

5.4. R1: Accuracy

This section evaluates detection accuracy across all model and retrieval configurations. The metrics are precision, recall, F1, and secure-sample false-positive rate (FPR), as defined in Section 2.1.1.

5.4.1. Detection Quality Across Configurations

Table 5.3 shows detection metrics for all evaluated configurations. Results are pooled over 339 vulnerable-sample evaluations (113 samples $\times$ 3 runs) and 15 secure-sample evaluations.

5. Evaluation

Table 5.3.: Detection accuracy across all configurations.

Model	Mode	Precision	Recall	F1	FPR
qwen3:8b	LLM+RAG	62.93	64.60	63.76	26.67
qwen3:8b	LLM-only	54.06	62.83	58.12	26.67
qwen3:4b	LLM+RAG	53.53	64.90	58.67	100.00
qwen3:4b	LLM-only	51.85	59.29	54.90	100.00
gemma3:4b	LLM+RAG	47.62	44.25	45.88	100.00
gemma3:4b	LLM-only	50.00	47.79	48.87	100.00
gemma3:1b	LLM+RAG	43.75	24.78	31.65	100.00
gemma3:1b	LLM-only	45.31	25.66	32.77	100.00
codellama	LLM+RAG	46.15	47.79	46.96	100.00
codellama	LLM-only	50.91	49.56	50.22	100.00
semgrep	baseline	57.89	9.73	16.67	6.67
codeql	baseline	15.71	9.73	12.02	53.33
eslint	baseline	—	0.00	0.00	0.00

Figure 5.1 visualizes the F1 scores across configurations.




Figure 5.1.: F1 scores across all configurations. LLM-based approaches outperform SAST baselines on recall-driven F1, with **qwen3:8b+RAG** achieving the highest score.

5.4.2. RAG Ablation Impact on Accuracy

RAG effects are model-dependent. Figure 5.2 compares LLM-only and LLM+RAG F1 for each model.




Figure 5.2.: RAG ablation: F1 comparison by model. RAG improves **qwen3** models but degrades **gemma3** and **codellama**.

RAG improves **qwen3:8b** by +5.64 F1 points and **qwen3:4b** by +3.77 points. However, **gemma3:4b** drops by -2.99 points and **codellama** by -3.26 points with RAG enabled. This confirms that retrieval augmentation is not universally beneficial and should be treated as a model-specific configuration.

5.4.3. Per-Category Detection Breakdown

Figure 5.3 shows recall by vulnerability category for the best configuration (**qwen3:8b+RAG**).

5. Evaluation




Figure 5.3.: Recall by vulnerability category for `qwen3:8b+RAG`. Injection-style vulnerabilities (SQL, XSS, command) are detected most reliably. Niche categories (NoSQL, deserialization) remain challenging.

5.4.4. SAST Baseline Comparison

SAST tools show a different trade-off profile. Semgrep achieves low FPR (6.67%) but very low recall (9.73%). CodeQL has higher FPR (53.33%) with similarly low recall. ESLint security plugins detect none of the test cases. The LLM-based approach trades higher FPR for substantially better recall, making it more suitable for comprehensive security audits while SAST remains useful as a low-noise complement.

5.4.5. Level Mapping

Based on the R1 evaluation scale (Table 2.2), the best configuration (`qwen3:8b+RAG`) maps as follows:

- $F1 = 63.76\% \rightarrow$ falls in $[0.60, 0.75)$
- $\text{Precision} = 62.93\% \rightarrow$ above 0.55
- $\text{Recall} = 64.60\% \rightarrow$ above 0.55
- $\text{FPR} = 26.67\% \rightarrow$ falls in $(0.20, 0.40]$



R1 Level: Medium accuracy.

Results are worth reviewing with some manual checking needed. The system is suitable for on-demand or audit-mode use but not yet reliable enough for always-on inline detection.

5.5. R2: Consistency

This section evaluates detection consistency: whether the system produces stable, well-formed output across repeated analyses of the same code. The metrics are JSON parse success rate, inter-run detection agreement, and label stability, as defined in Section 2.1.2.

5.5.1. Structured Output Stability

JSON parse success rate measures how often the system returns valid, schema-compliant output that the IDE can process. A parse failure means the analysis result is unusable regardless of its semantic quality.




Figure 5.4.: JSON parse success rate by model and mode. Larger models produce more reliably structured output. RAG adds slight overhead that marginally reduces parse success in smaller models.

All qwen3 models achieve $\geq 98.8\%$ parse success, with qwen3:8b reaching 99.7% in LLM-only mode. Smaller models (gemma3:1b) drop below 96%, and RAG slightly reduces parse rates across all models due to increased prompt complexity.

5.5.2. Inter-Run Detection Agreement

Because each vulnerable sample was evaluated 3 times, we can measure how often the same sample produces the same binary detection outcome across runs. Agreement rate is the percentage of samples where all 3 runs agree on the detection result.

Table 5.4.: Inter-run detection agreement (3 runs per sample, 113 vulnerable samples).

Model	Mode	Agreement Rate (%)
qwen3:8b	LLM+RAG	87.6
qwen3:8b	LLM-only	84.1
qwen3:4b	LLM+RAG	82.3
qwen3:4b	LLM-only	79.6
gemma3:4b	LLM+RAG	76.1
gemma3:4b	LLM-only	78.8
gemma3:1b	LLM+RAG	71.7
gemma3:1b	LLM-only	73.5
codellama	LLM+RAG	74.3
codellama	LLM-only	77.0

qwen3:8b+RAG shows the highest agreement (87.6%), meaning that for roughly 88 out of 113 samples, all three runs produce the same detection decision. Smaller and code-specialized models show more variation, with **gemma3:1b** at 71.7–73.5%. RAG slightly improves agreement for **qwen3** models but slightly reduces it for others, consistent with the accuracy findings.

5.5.3. Label and Severity Stability

Beyond binary detection, we examine whether the reported vulnerability type and severity remain stable across runs. For samples detected in all 3 runs, we check whether the same CWE label and severity level appear consistently.

Table 5.5 shows label and severity agreement rates for each model among samples where all 3 runs detected a vulnerability.

Table 5.5.: Label and severity stability among consistently detected samples (3/3 runs).

Model	Mode	CWE Label Agreement (%)	Severity Agreement (%)
qwen3:8b	LLM+RAG	91	85
qwen3:8b	LLM-only	88	82
qwen3:4b	LLM+RAG	83	76
qwen3:4b	LLM-only	80	73
gemma3:4b	LLM+RAG	72	64
gemma3:4b	LLM-only	75	67
gemma3:1b	LLM+RAG	65	58
gemma3:1b	LLM-only	68	61
codellama	LLM+RAG	70	62
codellama	LLM-only	74	66

Larger, instruction-tuned models produce more stable classifications. **qwen3:8b+RAG** achieves 91% CWE label agreement and 85% severity agreement, while **gemma3:1b** drops to 65% and 58% respectively. Severity is generally less stable than CWE labels because severity is a subjective judgment that the model must infer from context, while CWE labels can often be derived from the vulnerability pattern itself.

5.5.4. Consistency by Vulnerability Category

Consistency also varies by vulnerability type. Well-known patterns like SQL injection and XSS show high inter-run agreement (above 90% for **qwen3:8b**), because their detection relies on clear lexical signals (e.g., query concatenation, innerHTML assignment). Less common categories like prototype pollution and race conditions show lower agreement (below 70%), where the model’s reasoning is less anchored to specific code patterns.

5.5.5. SAST Baseline Consistency

SAST tools are fully deterministic: Semgrep and CodeQL produce identical output on every run. This gives them perfect consistency (100% agreement, 100% label stability) but comes at the cost of rigid pattern matching with no ability to reason about context or novel vulnerability patterns. The trade-off between LLM flexibility and SAST determinism is a core architectural consideration.

5.5.6. Level Mapping

Based on the R2 evaluation scale (Table 2.3), the best configuration (`qwen3:8b+RAG`) maps as follows:

- JSON parse success rate = 99.4% $\rightarrow \geq 99\%$
- Inter-run detection agreement = 87.6% $\rightarrow$ falls in $[0.75, 0.90)$
- Label agreement = 91% $\rightarrow$ falls in $[0.80, 1.00)$ range

The JSON parse rate meets the High threshold, but detection agreement falls in the Medium range. The binding constraint is detection agreement.



R2 Level: Medium consistency.

Output is mostly stable with occasional deviations. Suitable for on-demand or audit-mode workflows where sporadic variation is tolerable.

5.6. R3: Repair Quality

This section evaluates the quality of repair suggestions generated by Code Guardian. The assessment is based on manual review of 25 samples from the best configuration (`qwen3:8b+RAG`), as defined in Section 2.1.3.

5.6.1. Repair Generation Rate and Correctness

Of 25 reviewed samples, 19 (76%) included a repair suggestion. Among those 19 repairs:

- 17 (89.5%) were semantically correct — the fix addressed the reported vulnerability type.
- 18 (94.7%) aligned with the expected fix strategy (e.g., parameterization for SQL injection, escaping for XSS).
- 8 (42.1%) contained executable code; the remaining 11 provided prose guidance describing the fix approach.

Figure 5.5 summarizes these results.




Figure 5.5.: Repair quality breakdown for `qwen3:8b+RAG` (25 manually reviewed samples). Most repairs are semantically correct and strategy-aligned, but less than half contain directly executable code.

5.6.2. Repair Quality by Vulnerability Type

Repair effectiveness varies by vulnerability category. Table 5.6 shows fix rates for the most common categories.

Table 5.6.: Repair generation rate by vulnerability type (`qwen3:8b+RAG`).

Vulnerability Type	Samples	Fix Rate (%)
SQL Injection	5	100
Command Injection	3	100
Path Traversal	3	100
XSS	4	75
SSRF	2	50
Prototype Pollution	2	0
Race Condition	2	0

Injection-style vulnerabilities (SQL, command, path traversal) consistently receive correct repair suggestions, typically parameterized queries, input validation, or path sanitization. XSS repairs are mostly correct but one sample received a generic recommendation. Prototype pollution and race conditions receive no actionable fix, likely because these patterns are less represented in the model’s training data and the RAG knowledge base.

5.6.3. Representative Examples

True positive with correct repair (SQL injection). The system correctly identified an unsanitized `req.query` value concatenated into a SQL string. The suggested fix replaced string concatenation with a parameterized query using `db.query("SELECT * FROM users WHERE id = ?", [req.query.id])`, which directly addresses the root cause.

False positive with misleading repair. A secure `execFile` call with a hardcoded command was flagged as a command injection risk. The repair suggested replacing it with `spawn` and input validation, which is unnecessary since the original code does not use user-controlled input.

5.6.4. Level Mapping

Based on the R3 evaluation scale (Table 2.4):

- 76% of samples received a fix.
- Of those, 89.5% were semantically correct.
- Combined: roughly 68% of all samples received a correct, relevant repair.

This falls in the [50%, 75%) range.



R3 Level: Medium repair quality.

Most fixes target the right issue but may use generic patterns or need minor edits before applying.

5.7. R4: Usability

This section evaluates usability through end-to-end latency measurements. The thresholds are defined in Section 2.1.4. All measurements are wall-clock response times on the evaluation hardware (Apple M4 Max, 64 GB RAM).

5.7.1. Latency Across Configurations

Table 5.7 shows latency statistics for all model configurations.

Table 5.7.: End-to-end latency per analysis request (milliseconds).

Model	Mode	Median	Mean	p95	p99
gemma3:1b	LLM-only	333	412	780	1 120
gemma3:1b	LLM+RAG	395	489	890	1 280
gemma3:4b	LLM-only	687	802	1 450	2 100
gemma3:4b	LLM+RAG	752	891	1 620	2 350
qwen3:4b	LLM-only	1 012	1 156	2 100	3 200
qwen3:4b	LLM+RAG	1 087	1 245	2 300	3 500
qwen3:8b	LLM-only	1 548	1 780	3 200	4 800
qwen3:8b	LLM+RAG	1 524	1 756	3 150	4 700
codellama	LLM-only	1 320	1 510	2 800	4 100
codellama	LLM+RAG	1 405	1 620	3 000	4 400
semgrep	baseline	52	58	95	120
codeql	baseline	146	178	350	520

Figure 5.6 visualizes the median and p95 latency for each configuration.




Figure 5.6.: Median and p95 latency across configurations. SAST baselines are orders of magnitude faster. Among LLM configurations, smaller models trade accuracy for speed.

5.7.2. Latency Component Breakdown

End-to-end latency has four components: prompt construction, RAG retrieval (if enabled), LLM inference, and response parsing with diagnostic rendering. LLM inference dominates 80–90% of total latency across all configurations. RAG retrieval adds 60–120 ms for embedding the query and searching the HNSWlib vector store, which is negligible relative to inference time.

Prompt construction (building the system prompt, injecting code context, and formatting the JSON schema) takes 5–15 ms. Response parsing (stripping Markdown fences, JSON deserialization, and mapping to VS Code diagnostics) adds another 10–30 ms. These fixed costs are small enough that they do not meaningfully affect the user experience.

The implication is clear: latency improvements must come from model selection (smaller models), hardware upgrades (faster GPU inference), or architectural changes (streaming partial results). Optimizing prompt construction or parsing yields negligible gains.

5.7.3. Latency Feasibility for IDE Workflows

Table 5.8.: Latency feasibility for IDE workflow modes.

Workflow Mode	Target	Viable Configurations
Real-time inline	≤ 500 ms median	<code>gemma3:1b</code> only (but low accuracy)
Interactive inline	≤ 1.5 s median	<code>gemma3:1b</code> , <code>gemma3:4b</code> , <code>qwen3:4b</code>
On-demand / audit	≤ 5 s median	All LLM configurations

The best-accuracy configuration (`qwen3:8b+RAG`, median 1.5 s) is borderline for interactive inline use and comfortable for on-demand analysis. SAST baselines remain the only option for sub-second real-time feedback.

5.7.4. Level Mapping

Based on the R4 evaluation scale (Table 2.5), the best configuration (`qwen3:8b+RAG`) maps as follows:

- Median inline latency = 1 524 ms $\rightarrow$ falls in (5s, 15s]? No — 1.5 s is ≤ 5 s.
- For function-level inline analysis, this is within the High threshold (≤ 5 s).

- For full-file scans (multiple functions), aggregate latency scales linearly and typically reaches 10–30s, falling in the Medium range.



R4 Level: High usability (inline) / Medium usability (full-file).

Individual function analysis feels responsive. Full-file scans introduce noticeable delay but remain practical for on-demand use.

5.8. R5: Privacy

This section verifies the privacy requirement using the checklist defined in Section 2.1.5. Unlike R1–R4, privacy is a design constraint verified through architectural and configuration evidence rather than a quantified metric.

5.8.1. Verification Results

Table 5.9 shows the verification outcome for each privacy criterion.

Table 5.9.: Privacy verification results for R5.

	Privacy Criterion	Status
1	LLM inference runs locally via Ollama. No source code is sent to cloud APIs.	✓
2	RAG vector store and embeddings are stored locally. No code-derived data leaves the machine.	✓
3	Analysis prompts and results stay on localhost. No telemetry or external transmission.	✓
4	Optional vulnerability data refresh uses only public metadata (NVD, OWASP, CWE) and can be disabled for fully offline operation.	✓
5	No source code or code fragments are included in any outbound network request.	✓

5.8.2. Evidence

Local inference. All LLM calls use the Ollama HTTP API on `localhost:11434`. The extension configuration enforces this default, and the evaluation was run entirely without external network access for model inference.

Local storage. The RAG vector store (HNSWlib) and all embeddings are persisted in the VS Code workspace or global storage directory. No code-derived vectors are transmitted externally.

No telemetry. The extension does not include any analytics, telemetry, or crash-reporting libraries. No outbound connections are made during analysis workflows.

Metadata refresh boundary. The optional vulnerability data refresh (`vulnerabilityDataManager`) fetches only public CVE/CWE/OWASP metadata from official APIs. Source code is never included in these requests. The refresh can be fully disabled for air-gapped environments.

Network verification. During the evaluation run, network capture confirmed that analysis workflows produced zero outbound connections containing source code or code-derived content. The only outbound traffic was Ollama on localhost and optional metadata refresh to public vulnerability databases.

5.8.3. Comparison with Cloud-Based Tools

Table 5.10 compares Code Guardian’s privacy model against cloud-based security tools.

Table 5.10.: Privacy comparison: Code Guardian vs. cloud-based security tools.

Property	Code Guardian	GitHub Copilot	Snyk Code
Inference location	Local only	Cloud	Cloud
Code transmitted to server	No	Yes	Yes
Requires internet for analysis	No	Yes	Yes
Works in air-gapped environments	Yes	No	No
Telemetry collection	None	Yes	Yes
Model weights stored locally	Yes	No	No

Cloud-based tools send code to external servers for analysis, which may conflict with corporate security policies, regulatory requirements (e.g., GDPR for EU-based code), or developer preference. Code Guardian avoids this by design. The trade-off is that local models are smaller and less capable than cloud-hosted models, which is reflected in the R1 accuracy results.

5.8.4. Architectural Enforcement

Privacy is not just a configuration choice but is enforced by the architecture. The extension's `analyzer.ts` constructs HTTP requests exclusively to the configured Ollama host (default `localhost:11434`). There is no code path that sends source code to any external endpoint. The RAG manager (`ragManager.ts`) generates embeddings through the same local Ollama instance. Even if Ollama were misconfigured to point to a remote server, the extension only communicates with a single configurable endpoint, making the privacy boundary auditable.

5.8.5. Level Mapping

All five privacy criteria are met.

✓ **R5 Level: Pass.** All privacy criteria verified.

Code Guardian keeps all analysis local. Source code never leaves the developer's machine during normal operation.

5.9. Summary

This section brings together the per-requirement results into a single compliance overview.

5.9.1. Requirement Compliance

Table 5.11 maps the best configuration (`qwen3:8b+RAG`) to the evaluation levels defined in Chapter 2.

Table 5.11.: Requirement compliance summary for Code Guardian (`qwen3:8b+RAG`).

Req	Level	Rating	Key Evidence
R1		Medium	F1 = 63.76%, FPR = 26.67%. Outperforms SAST on recall; FPR remains the main bottleneck.
R2		Medium	JSON parse 99.4%, detection agreement 87.6%. Mostly stable with occasional variation.
R3		Medium	68% of samples receive a correct repair. Injection fixes are strong; niche categories lack coverage.
R4		High (inline)	Median 1.5 s per function. Responsive for inline use; full-file scans are medium.
R5	✓	Pass	All 5 privacy criteria verified. Code never leaves the machine.

5.9.2. Key Findings

1. **Best configuration:** `qwen3:8b+RAG` achieves the highest F1 (63.76%) with moderate FPR (26.67%) and responsive latency (1.5 s median).
2. **RAG is model-dependent:** Retrieval augmentation improves `qwen3` models (+3.8 to +5.6 F1 points) but degrades `gemma3` and `codellama` (−2.9 to −3.3 points).
3. **False-positive control is the main bottleneck:** Most LLM configurations show FPR of 100% on secure samples. Only `qwen3:8b` achieves a practical FPR (26.67%).
4. **SAST complements LLM analysis:** Semgrep provides very low FPR (6.67%) with fast execution (52 ms) but poor recall (9.73%). A hybrid workflow combining SAST pre-filtering with LLM analysis is the most practical deployment strategy.
5. **Privacy is fully preserved:** All analysis runs locally with no source code transmission.

5.9.3. Limitations

- **Small dataset:** 128 test cases (113 vulnerable, 15 secure) limit statistical power. Secure-sample FPR has wide Wilson confidence intervals due to $n = 15$.

- **Snippet-centric evaluation:** Test cases are isolated code snippets, not full repository files. Results may not generalize to real-world codebases with complex dependencies.
- **No user study:** Usability is measured by latency only. Developer satisfaction, trust, and adoption were not evaluated.
- **Single hardware profile:** All results are from Apple M4 Max with 64 GB RAM. Performance on lower-end hardware may differ.
- **Repair evaluation is manual:** Only 25 samples were reviewed for repair quality. Automated functional verification of repairs was not performed.

5.9.4. Threats to Validity

Internal validity. Temperature is set to 0.1, not 0.0, which introduces minor nondeterminism. The 3-run design for vulnerable samples partially mitigates this but does not eliminate it.

External validity. The curated dataset covers common CWE categories but may not represent the full distribution of vulnerabilities in production JavaScript/TypeScript code. Results are descriptive for this specific configuration and dataset, not population generalizations.

Construct validity. Vulnerability-type matching uses case-insensitive substring matching, which may produce false matches for related but distinct vulnerability types. The secure-sample set ($n = 15$) is small, making FPR estimates noisy.

6. Conclusion

This chapter summarizes the thesis outcomes, answers the research questions, and states deployment implications. The goal was to build and evaluate a privacy-preserving vulnerability detection and repair assistant for VS Code using local LLM inference with optional retrieval grounding.

6.1. Summary of Contributions

Code Guardian: local IDE security assistance. The thesis delivers **Code Guardian**, a VS Code extension for on-device vulnerability analysis in JavaScript/TypeScript projects. Findings appear as IDE diagnostics; repair suggestions are opt-in and developer-controlled.

Privacy-preserving architecture with optional RAG. Code analysis is executed locally (Ollama). Retrieval uses a local vector index over curated CWE/OWASP/CVE guidance, preserving the no-exfiltration boundary for source code.

Practical IDE integration mechanisms. Debounced triggers, function-level scoping, and caching reduce unnecessary inference calls and improve responsiveness.

Documented evaluation harness. The repository includes benchmark datasets and local scripts for comparing models/modes on quality, parse robustness, and latency.

6.2. Key Findings

Local deployment is feasible. The thesis shows that useful vulnerability detection and repair assistance can be delivered in VS Code without source-code exfiltration, provided that model inference and retrieval stay on-device.

Quality depends more on configuration than on the idea alone. The measured results vary substantially across model size, prompting mode, and retrieval configuration. In particular, RAG is beneficial only for some models and should not be treated as a universal default.

False-positive control remains the main practical barrier. The strongest local configurations improve recall substantially over deterministic baselines, but most LLM modes still generate too much alert noise for always-on use. This makes workflow-aware deployment more important than single-metric optimization.

6.3. Answers to Research Questions

RQ1 (Feasibility). Supported with caveats. Useful findings and repair suggestions can be generated with local inference inside VS Code while preserving the no-code-exfiltration objective. Practical value depends on configuration choice.

RQ2 (Grounding). Partially supported. RAG improved both `qwen3` variants in this run at the issue-level metric layer, but degraded `gemma3:4b` and `CodeLlama:latest`. Exploratory exact McNemar tests on matched sample-level outcomes did not show a statistically significant `qwen3` mode effect in this dataset, which suggests that the observed gains are concentrated in per-sample output quality rather than in a clear shift in binary sample detection. Qualitative case analysis also suggests better explanation grounding in the stronger `qwen3` configurations. RAG should therefore be treated as a model-specific configuration choice, not a universal default.

RQ3 (Practicality). Supported for constrained interactive workflows. Code Guardian implements real-time IDE triggering through debounced inline analysis, but strict real-time responsiveness was not consistently achieved for the evaluated local configurations. Function-level scoping, debouncing, and caching make local analysis usable in selected workflows, while higher-quality modes remain better suited to explicit scan/audit interactions than always-on inline use.

6.4. Implications for Practice

Table 6.1 summarizes practical deployment profiles derived from the measured single-tool results and, where noted, from reasoned engineering recommendations.

6. Conclusion

Table 6.1.: Recommended deployment profiles from thesis results.

Use case	Config	Advantage	Main risk	Alert noise management
Fast inline	<code>gemma3:1b</code> (LLM-only)	Very low median latency (~333 ms)	Low recall and FPR 100%	Suitable only for optional lightweight hints
Audit-focused	<code>qwen3:4b</code> (LLM+RAG)	Higher recall (64.90%); moderate latency (~1.1 s)	FPR 100%	Use in explicit scan mode with manual triage
Best overall local run	<code>qwen3:8b</code> (LLM+RAG)	Best F1 (63.76%); lower LLM FPR (26.67%)	Higher latency (~1.5 s)	Recommended default for quality-oriented local analysis
Proposed hybrid low-noise	Semgrep + <code>qwen3:8b</code> (not directly benchmarked)	Deterministic low-noise anchors plus contextual reasoning	Combined performance not measured in this thesis; recall remains bounded by SAST coverage unless LLM-only findings are also surfaced	Use SAST as filter and LLM as targeted triage/repair layer

6.5. Limitations

Scope and context depth. The system handles common vulnerability patterns but remains limited for deep cross-file reasoning without full static data-flow analysis.

Evaluation representativeness. The curated dataset is intentionally small and human-auditable; results are indicative, not definitive for production repositories.

Repair correctness. Repairs are model-generated and may change behavior. Developer review is required; automated functional verification is outside the current scope.

6.6. Responsible Use

Code Guardian is a decision-support tool, not an autonomous security verifier. False negatives, false positives, and occasional label mismatches remain possible.

Findings and repairs should therefore stay reviewable artifacts under developer control, complemented by conventional testing and security review.

6.7. Future Work

The evaluation results suggest clear priorities for improving Code Guardian’s practical reliability and external validity.

1) False-positive control as the first priority. Most configurations still over-warn on secure code. Future iterations should add confidence-aware output fields, explicit abstention prompting, and configurable suppression thresholds. A two-stage pipeline (SAST filter, then LLM triage) is the most direct path to lower alert noise without abandoning contextual reasoning.

2) Stronger context modeling across files. Current function-level analysis misses some multi-file vulnerabilities. Lightweight static analysis (such as taint-style source-to-sink traces) can provide richer context to the prompt and improve both recall and precision on real projects. A practical first step is extracting import statements and called function signatures to provide minimal cross-file context without requiring full static analysis infrastructure. This would enable detection of vulnerabilities where user input flows through multiple modules before reaching a sink.

3) Safer repair generation. Repair suggestions should be coupled with local validation gates such as syntax checks, type checks, and diff-first review. Future work should track whether suggested patches introduce regressions or new warnings.

4) Robustness against adversarial inputs. Prompt-injection and retrieval-poisoning scenarios should be tested explicitly. Retrieved knowledge should include provenance and stronger filtering, and prompts should consistently treat project code as untrusted input data.

5) Broader evaluation and user-facing evidence. The current dataset is useful for controlled iteration but too small for broad claims. Future evaluation should include larger benchmark suites such as the OWASP Benchmark Project (thousands of test cases with ground truth), the NIST Juliet Test Suite for JavaScript, and SecBench for cross-language vulnerability detection. Additionally, evaluation on real-world vulnerable repositories such as DVNA (Damn Vulnerable Node Application) and NodeGoat would test generalization beyond synthetic snippets. Workflow impact should be validated with developer studies measuring usability (SUS), cognitive load (NASA-TLX), and time-to-fix metrics [71, 72].

Phased Roadmap

Phase 1 (short term): reliability hardening. Stabilize output contracts, add abstention behavior, implement confidence thresholds, and enforce review-before-apply repair flows.

Phase 2 (medium term): contextual and hybrid improvements. Integrate cross-file context extraction and default hybrid SAST+LLM workflows to reduce noise while preserving contextual analysis.

Phase 3 (long term): external validity and adoption. Expand to larger benchmarks and repository-scale experiments, then run user studies to measure trust, time-to-fix, and acceptance of proposed repairs.

Success criterion. Progress should be judged jointly across recall, false-positive reduction, and latency stability in realistic IDE workflows, not by single-metric gains.

6.8. Conclusion

Privacy-preserving secure-coding assistance in the IDE is feasible with local LLM inference, optional retrieval grounding, and developer-controlled remediation. The run shows a consistent trade-off: stronger recall generally comes with higher latency and higher alert noise.

Compared with SAST baselines, local LLM modes achieved much higher vulnerable-case recall, while deterministic tools retained better false-positive control and lower latency. Retrieval augmentation improved some models but degraded others, so it must be calibrated per model and workflow.

Overall, Code Guardian demonstrates practical local vulnerability assistance without code exfiltration. The prototype supports real-time detection triggers in the IDE, but production use still requires explicit policy choices for model profile, acceptable FPR, and when to prefer lightweight inline feedback versus audit-oriented analysis.

A. Privacy Verification Evidence

This appendix documents the evidence used to support Requirement R6 (privacy-preserving operation): network behavior, local boundary design, and configuration checks.

A.1. Network Traffic Analysis

A.1.1. Test Configuration

Traffic was monitored during representative inline and audit workflows on the evaluation environment from Section 5.3:

- macOS (arm64), VS Code extension development build
- Local backend (`localhost:3000`)
- Ollama runtime (`localhost:11434`)
- Curated vulnerable and secure samples

A.1.2. Monitoring Method

Listing A.1: External-traffic capture command

```
sudo tcpdump -i any -n 'not (host 127.0.0.1 or host ::1)' \
-w /tmp/code-guardian-traffic.pcap
```

A.1.3. Results

Code analysis workflows. During detection and repair suggestion runs, no outbound requests were observed. Communication stayed on localhost between the extension host, local backend, and Ollama.

Knowledge refresh workflow. External requests were observed only when explicit knowledge refresh was triggered (public CVE/CWE/OWASP sources). No source code or project artifacts were transmitted in these requests.

A.1.4. Configuration Validation

Table A.1.: Privacy-preserving configuration parameters.

Parameter	Purpose	Value (evaluated config)
<code>ollama.baseUrl</code>	LLM inference endpoint	<code>http://localhost:11434</code>
<code>backend.serverUrl</code>	Analysis backend endpoint	<code>http://localhost:3000</code>
<code>vectorStore.provider</code>	Retrieval backend	<code>local</code> (HNSW index)
<code>knowledgeBase.autoRefresh</code>	Auto-update behavior	<code>false</code> (manual)
<code>telemetry.enabled</code>	Telemetry collection	<code>false</code>

A. Privacy Verification Evidence

A.2. Privacy Boundary Architecture




Figure A.1.: Local privacy boundary for code analysis workflows.

A.2.1. Trust Boundary Definitions

Table A.2.: Trust boundaries and data residency guarantees.

Boundary	Data in scope	Residency guarantee
IDE workspace	Source files, paths, project context	Stays on local disk
Extension process	Extracted snippets and context	In-memory; localhost transfer only
Local backend	Prompts, responses, parsed findings	Local process memory and localhost HTTP
Ollama runtime	Prompt context and generation output	Local inference only
Vector store	Security knowledge embeddings	Local database
External boundary	Public CVE/CWE/OWASP metadata	Outbound refresh only; no user code

A.2.2. Out-of-Scope Threats

The privacy boundary does not mitigate local host compromise, physical access attacks, or malicious third-party software on the same machine. These risks require endpoint and operational controls beyond thesis scope.

A.3. Offline Operation Mode

Fully offline operation is supported by disabling knowledge refresh, using pre-seeded local embeddings, and ensuring required local models are already available.

A.4. Privacy Compliance Summary

Table A.3.: Privacy requirement compliance evidence summary.

Requirement	Evidence in this appendix	Status
No source-code exfiltration	External-traffic capture (Section A.1) + localhost configuration (Table A.1)	Pass
Local analysis boundary	Architecture and trust boundaries (Figure A.1, Table A.2)	Pass
Offline-capable execution	Local-only workflow with optional refresh disabled	Pass
Telemetry disabled	<code>telemetry.enabled=false</code> in evaluated config	Pass

Overall, the collected evidence supports the R5 claim for the evaluated setup: code analysis remains local and no source artifacts are transmitted externally during standard analysis workflows.

Bibliography

- [1] OWASP Foundation, “Owasp top 10 – 2021,” <https://owasp.org/www-project-top-ten/>, 2021, accessed: 2026-01-24.
- [2] MITRE, “CWE top 25 most dangerous software weaknesses,” <https://cwe.mitre.org/top25/>, accessed: 2026-01-24.
- [3] ———, “Common weakness enumeration (CWE),” <https://cwe.mitre.org/>, accessed: 2026-01-24.
- [4] M. Howard and S. Lipner, *The Security Development Lifecycle*. Microsoft Press, 2006.
- [5] G. McGraw, *Software Security: Building Security In*. Addison-Wesley, 2006.
- [6] National Institute of Standards and Technology, “Secure software development framework (SSDF) version 1.1,” <https://csrc.nist.gov/publications/detail/sp/800-218/final>, NIST, Tech. Rep. SP 800-218, 2022, accessed: 2026-01-24.
- [7] A. Bessey, K. Block, B. Chelf, A. Chou, B. Fulton, S. Hallem, C. Henri-Gros, A. Kamsky, S. McPeak, and D. Engler, “A few billion lines of code later: Using static analysis to find bugs in the real world,” *Communications of the ACM*, vol. 53, no. 2, pp. 66–75, 2010.
- [8] B. Chess and G. McGraw, “Static analysis for security,” *IEEE Security & Privacy*, vol. 2, no. 6, pp. 76–79, 2004.
- [9] B. Livshits and M. S. Lam, “Finding security vulnerabilities in java applications with static analysis,” in *Proceedings of the 14th USENIX Security Symposium*, 2005.
- [10] B. Johnson, Y. Song, E. Murphy-Hill, and R. Bowdidge, “Why don’t software developers use static analysis tools to find bugs?” in *Proceedings of the 35th International Conference on Software Engineering (ICSE)*, San Francisco, CA, USA, 2013, pp. 672–681.
- [11] M. Christakis and C. Bird, “What developers want and need from program analysis: An empirical study,” in *Proceedings of the 31st IEEE/ACM International Conference on Automated Software Engineering (ASE)*, Singapore, 2016, pp. 332–343.

BIBLIOGRAPHY

- [12] T. B. Brown, B. Mann, N. Ryder, M. Subbiah, J. Kaplan, P. Dhariwal, A. Nee-lakantan, P. Shyam, G. Sastry, A. Askell *et al.*, “Language models are few-shot learners,” in *Advances in Neural Information Processing Systems (NeurIPS)*, 2020.
- [13] M. Chen, J. Tworek, H. Jun, Q. Yuan, H. P. d. O. Pinto, J. Kaplan, H. Edwards, Y. Burda, N. Joseph, G. Brockman, A. Ray, R. Puri, G. Krueger, M. Petrov, H. Khlaaf, G. Sastry, P. Mishkin, B. Chan, S. Gray, N. Ryder, M. Pavlov, A. Power, L. Kaiser, M. Bavarian, J. Hilton, R. Nakano, C. Hesse, J. Chen, M. Plappert, M. Beard, C. Voss, A. Radford, and I. Sutskever, “Evaluating large language models trained on code,” *arXiv preprint arXiv:2107.03374*, 2021.
- [14] OpenAI, “GPT-4 technical report,” *arXiv preprint arXiv:2303.08774*, 2023.
- [15] H. Pearce, B. Ahmad, B. Tan, B. Dolan-Gavitt, and R. Karri, “Asleep at the keyboard? assessing the security of GitHub Copilot’s code contributions,” in *Proceedings of the IEEE Symposium on Security and Privacy (S&P)*, 2022.
- [16] Z. Ji, N. Lee, R. Frieske, T. Yu, D. Su, Y. Xu, E. Ishii, Y. Bang, A. Madotto, and P. Fung, “Survey of hallucination in natural language generation,” *ACM Computing Surveys*, vol. 55, no. 12, 2023.
- [17] P. Lewis, E. Perez, A. Piktus, F. Petroni, V. Karpukhin, N. Goyal, H. Küttler, M. Lewis, W.-t. Yih, T. Rocktäschel, S. Riedel, and D. Kiela, “Retrieval-augmented generation for knowledge-intensive NLP tasks,” in *Advances in Neural Information Processing Systems (NeurIPS)*, 2020.
- [18] V. Karpukhin, B. Oguz, S. Min, L. Wu, S. Edunov, D. Chen, and W.-t. Yih, “Dense passage retrieval for open-domain question answering,” in *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, 2020.
- [19] K. Guu, K. Lee, Z. Tung, P. Pasupat, and M.-W. Chang, “REALM: Retrieval-augmented language model pre-training,” in *Proceedings of the 37th International Conference on Machine Learning (ICML)*, 2020.
- [20] G. Mialon, R. Dessì, M. Lomeli, C. Nalmpantis, R. Pasunuru, R. Raileanu, B. Rozière, T. Schick, T. Scialom, X. Suau *et al.*, “Augmented language models: A survey,” *arXiv preprint arXiv:2302.07842*, 2023.
- [21] N. Carlini, F. Tramer, E. Wallace, M. Jagielski, A. Herbert-Voss, K. Lee, A. Roberts, T. Brown, D. Song, Ú. Erlingsson, A. Oprea, and C. Raffel, “Extracting training data from large language models,” in *Proceedings of the 30th USENIX Security Symposium*, 2021.
- [22] European Union, “Regulation (eu) 2016/679 (general data protection regulation),” <https://eur-lex.europa.eu/eli/reg/2016/679/oj>, 2016, accessed: 2026-01-24.

BIBLIOGRAPHY

- [23] OWASP Foundation, “Owasp top 10 for large language model applications,” <https://owasp.org/www-project-top-10-for-large-language-model-applications/>, 2023, accessed: 2026-01-24.
- [24] M. Monperrus, “A critical review of automatic patch generation learned from human-written patches: Essay on the problem statement and the evaluation of automatic software repair,” in *Proceedings of the 36th International Conference on Software Engineering (ICSE)*, 2014, pp. 234–242.
- [25] S. K. Card, T. P. Moran, and A. Newell, *The Psychology of Human-Computer Interaction*. Boca Raton, FL, USA: CRC Press, 1983, reprint edition 1991.
- [26] J. Nielsen, *Usability Engineering*. San Francisco, CA, USA: Morgan Kaufmann, 1994.
- [27] Semgrep, Inc., “Semgrep documentation,” <https://semgrep.dev/docs/>, accessed: 2026-01-24.
- [28] GitHub, “Codeql documentation,” <https://codeql.github.com/docs/>, accessed: 2026-01-24.
- [29] P. Cousot and R. Cousot, “Abstract interpretation: A unified lattice model for static analysis of programs by construction or approximation of fixpoints,” *Proceedings of the 4th ACM Symposium on Principles of Programming Languages (POPL)*, pp. 238–252, 1977.
- [30] D. Engler, D. Y. Chen, S. Hallem, A. Chou, and B. Chelf, “Bugs as deviant behavior: A general approach to inferring errors in systems code,” in *Proceedings of the 18th ACM Symposium on Operating Systems Principles (SOSP)*, 2001, pp. 57–72.
- [31] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, L. Kaiser, and I. Polosukhin, “Attention is all you need,” in *Advances in Neural Information Processing Systems (NeurIPS)*, 2017.
- [32] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, “BERT: Pre-training of deep bidirectional transformers for language understanding,” in *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics (NAACL-HLT)*, 2019.
- [33] C. Raffel, N. Shazeer, A. Roberts, K. Lee, S. Narang, M. Matena, Y. Zhou, W. Li, and P. J. Liu, “Exploring the limits of transfer learning with a unified text-to-text transformer,” *Journal of Machine Learning Research*, vol. 21, 2020.
- [34] Z. Feng, D. Guo, D. Tang, N. Duan, X. Feng, M. Gong, L. Shou, B. Qin, T. Liu, D. Jiang, and M. Zhou, “Codebert: A pre-trained model for programming and natural languages,” in *Findings of the Association for Computational Linguistics: EMNLP*, 2020.

BIBLIOGRAPHY

- [35] Y. Wang, W. Wang, S. Joty, and S. C. H. Hoi, “Codet5: Identifier-aware unified pre-trained encoder-decoder models for code understanding and generation,” in *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, 2021.
- [36] E. Nijkamp, B. Pang, H. Hayashi, L. Tu, H. Wang, Y. Zhou, and S. Savarese, “Codegen: An open large language model for code with multi-turn program synthesis,” *arXiv preprint arXiv:2203.13474*, 2022.
- [37] E. M. Bender, T. Gebru, A. McMillan-Major, and M. Shmitchell, “On the dangers of stochastic parrots: Can language models be too big?” in *Proceedings of the 2021 ACM Conference on Fairness, Accountability, and Transparency (FAccT)*, 2021.
- [38] J. Zhang, H. Zhu, H. Bu, H. Wen, Y. Liu, H. Fei, R. Xi, L. Li, Y. Yang, and D. Meng, “When LLMs meet cybersecurity: A systematic literature review,” *Cybersecurity*, vol. 8, p. 55, 2025.
- [39] Y. Gholami, “Large language models (LLMs) for cybersecurity: A systematic review,” *World Journal of Advanced Engineering Technology and Sciences*, vol. 13, no. 1, pp. 57–69, 2024.
- [40] E. Basic and A. Giarretta, “From vulnerabilities to remediation: A systematic literature review of LLMs in code security,” *arXiv preprint arXiv:2412.15004*, 2025, preprint.
- [41] Z. Li, D. Zou, S. Xu, H. Jin, Y. Zhu, Z. Chen, and S. Wang, “Vuldeepecker: A deep learning-based system for vulnerability detection,” in *Proceedings of the Network and Distributed System Security Symposium (NDSS)*, 2018.
- [42] U. Alon, M. Zilberstein, O. Levy, and E. Yahav, “Code2vec: Learning distributed representations of code,” in *Proceedings of the ACM on Programming Languages (POPL)*, 2019.
- [43] Y. Zhou, S. Liu, J. K. Siow, X. Du, and Y. Liu, “Devign: Effective vulnerability identification by learning comprehensive program semantics via graph neural networks,” in *Advances in Neural Information Processing Systems (NeurIPS)*, 2019.
- [44] M. Allamanis, M. Brockschmidt, and M. Khademi, “Learning to represent programs with graphs,” in *Proceedings of the International Conference on Learning Representations (ICLR)*, 2018.
- [45] L. Weidinger, J. Mellor, M. Rauh, C. Griffin, J. Uesato, P.-S. Huang, M. Cheng, B. Balle, A. Kasirzadeh *et al.*, “Ethical and social risks of harm from language models,” *arXiv preprint arXiv:2112.04359*, 2021.

BIBLIOGRAPHY

- [46] A. Zou, Z. Wang, J. Z. Kolter, and M. Fredrikson, “Universal and transferable adversarial attacks on aligned language models,” *arXiv preprint arXiv:2307.15043*, 2023.
- [47] Y. Li, M. Xu, X. Li, Y. Zhang, H. Wu, X. Cheng, F. Xu, and S. Zhong, “Everything you wanted to know about LLM-based vulnerability detection but were afraid to ask,” *arXiv preprint arXiv:2504.13474*, 2025, preprint.
- [48] Z. Li, S. Dutta, and M. Naik, “IRIS: LLM-assisted static analysis for detecting security vulnerabilities,” in *International Conference on Learning Representations (ICLR)*, 2025, also available as *arXiv:2405.17238*.
- [49] J. Peng, L. Cui, K. Huang, J. Yang, and B. Ray, “CWEVAL: Outcome-driven evaluation on functionality and security of LLM code generation,” *arXiv preprint arXiv:2501.08200*, 2025, preprint.
- [50] N. T. Islam, J. Khoury, A. Seong, E. Bou-Hard, and P. Najafirad, “Enhancing source code security with LLMs: Demystifying the challenges and generating reliable repairs,” Preprint, 2024, introduces SecRepair.
- [51] T. Schick, J. Dwivedi-Yu, R. Dessì, R. Raileanu, M. Lombardi, L. Zettlemoyer, N. Cancedda, and T. Scialom, “Toolformer: Language models can teach themselves to use tools,” in *Proceedings of the International Conference on Learning Representations (ICLR)*, 2023.
- [52] W. Weimer, T. Nguyen, C. Le Goues, and S. Forrest, “Automatically finding patches using genetic programming,” in *Proceedings of the 31st International Conference on Software Engineering (ICSE)*, 2009.
- [53] C. Le Goues, T. Nguyen, S. Forrest, and W. Weimer, “Genprog: A generic method for automatic software repair,” *IEEE Transactions on Software Engineering*, vol. 38, pp. 54–72, 2012.
- [54] D. Kim, J. Nam, J. Song, and S. Kim, “Automatic patch generation learned from human-written patches,” in *Proceedings of the 2013 International Conference on Software Engineering (ICSE)*, 2013, pp. 802–811.
- [55] S. Robertson and H. Zaragoza, “The probabilistic relevance framework: BM25 and beyond,” in *Foundations and Trends in Information Retrieval*. Now Publishers, 2009, vol. 3, pp. 333–389.
- [56] OWASP Foundation, “Owasp cheat sheet series,” <https://cheatsheetseries.owasp.org/>, accessed: 2026-01-24.
- [57] J. Shi and T. Zhang, “RESCUE: Retrieval augmented secure code generation,” *arXiv preprint arXiv:2510.18204*, 2025, preprint.
- [58] N. Reimers and I. Gurevych, “Sentence-bert: Sentence embeddings using siamese bert-networks,” in *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing (EMNLP-IJCNLP)*, 2019.

BIBLIOGRAPHY

- [59] Y. A. Malkov and D. A. Yashunin, “Efficient and robust approximate nearest neighbor search using hierarchical navigable small world graphs,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 42, no. 4, pp. 824–836, 2020.
- [60] J. Johnson, M. Douze, and H. Jégou, “Billion-scale similarity search with GPUs,” *arXiv preprint arXiv:1702.08734*, 2017.
- [61] R. Shokri, M. Stronati, C. Song, and V. Shmatikov, “Membership inference attacks against machine learning models,” in *Proceedings of the 2017 IEEE Symposium on Security and Privacy (S&P)*, 2017.
- [62] MITRE, “Common vulnerabilities and exposures (CVE),” <https://www.cve.org/>, accessed: 2026-01-24.
- [63] National Institute of Standards and Technology, “National vulnerability database (NVD),” <https://nvd.nist.gov/>, accessed: 2026-01-24.
- [64] LangChain, “Langchain documentation,” <https://python.langchain.com/>, accessed: 2026-01-24.
- [65] Microsoft, “Visual studio code extension API,” <https://code.visualstudio.com/api>, accessed: 2026-01-24.
- [66] Ollama, “Ollama documentation,” <https://ollama.com/>, accessed: 2026-01-24.
- [67] National Institute of Standards and Technology, “Juliet test suite for C/C++ and Java,” <https://samate.nist.gov/SARD/test-suites/>, accessed: 2026-01-24.
- [68] OWASP Foundation, “Owasp benchmark project,” <https://owasp.org/www-project-benchmark/>, accessed: 2026-01-24.
- [69] FIRST, “Common vulnerability scoring system v3.1: Specification document,” <https://www.first.org/cvss/specification-document>, accessed: 2026-01-24.
- [70] OWASP Foundation, “Owasp application security verification standard (ASVS),” <https://owasp.org/www-project-application-security-verification-standard/>, accessed: 2026-01-24.
- [71] J. Brooke, “SUS: A quick and dirty usability scale,” *Usability Evaluation in Industry*, pp. 189–194, 1996.
- [72] S. G. Hart and L. E. Staveland, “Development of NASA-TLX (task load index): Results of empirical and theoretical research,” in *Advances in Psychology*, vol. 52. North-Holland, 1988, pp. 139–183.

Declaration of Originality

Selbständigkeitserklärung

Ich erkläre, dass ich die vorliegende Arbeit selbständig und nur unter Verwendung der angegebenen Literatur und Hilfsmittel angefertigt habe. Alle Stellen der Arbeit, die wörtlich oder sinngemäß aus anderen Quellen übernommen wurden, sind als solche kenntlich gemacht.

Declaration of Originality

I hereby declare that I have written this thesis independently and have not used any sources or aids other than those indicated. All passages taken from other works, either verbatim or in spirit, have been marked as such.

Chemnitz, 15.03.2026

Md Hafizur Rahman