Generated by Scopus AI, Sat Oct 10 2026

Electricity monitoring systems research

Electricity Monitoring Systems at Room and Appliance Level: Technologies, Architectures, Analytics, and Research Gaps

Quick Reference

Key Findings Table

Theme	Key Insights	Supporting Citations
Sensor Technologies	Low-cost IR, clip-on current, and IoT sensors enable accurate, scalable monitoring; environmental variability and cost remain challenges.	1 2 3 4 5 6
Data Analytics & Machine Learning	Deep learning (CNN-LSTM, GRU) and traditional ML (Random Forest, XGBoost) excel in disaggregation and anomaly detection; generalizability is limited.	3 7 8 9 10
System Architectures	Distributed edge-fog-cloud systems, IoT integration, and protocols (MQTT, IEC 61850) support scalable, interoperable monitoring.	3 11 12 13 14
Generalizability & Interoperability	NILM models struggle with cross-domain accuracy; domain adaptation and federated learning are promising but dataset standardization is lacking.	15 16 17 18
User Interface & Behavioral Impact	Real-time, intuitive feedback and goal-setting interfaces drive energy-saving behavior; more integration of behavioral insights needed.	19 20 21

Direct Answer

Existing research papers on electricity monitoring systems have primarily explored innovations in sensor technologies, advanced data analytics methods (including both traditional machine learning and deep learning architectures), and versatile system architectures that integrate distributed edge, fog, and cloud computing. Despite promising results in controlled environments, key research gaps include ensuring NILM generalizability across heterogeneous appliance sets and dynamic household profiles, developing standardized datasets and protocols for seamless interoperability, and designing cost-effective, non-intrusive systems that consider socio-economic factors to boost user adoption.

Study Scope

- **Time Period:** Focus on advancements from 2018–2024, with emphasis on post-2020 innovations.

- **Disciplines:** Electrical engineering, computer science (AI/ML), IoT, behavioral science.
- **Methods:** Empirical studies, simulation, real-world deployments, meta-analyses.

Assumptions & Limitations

- Most findings are based on controlled environments or limited real-world deployments.
- Generalizability across diverse households and appliance types is often unproven.
- Socio-economic and behavioral factors are underrepresented in technical studies.
- Standardized datasets and protocols are lacking, impeding reproducibility and interoperability.

Suggested Further Research

- Develop scalable, standardized NILM frameworks validated across multiple regions and appliance sets.
- Integrate federated learning and domain adaptation for privacy-preserving, generalizable models.
- Couple socio-behavioral data with energy profiles for personalized interventions, especially in low-income settings.
- Advance user interface design with behavioral science insights to maximize sustained engagement and energy savings.

1. Introduction

Background and Motivation

The drive for energy efficiency, cost savings, and sustainability has intensified the need for detailed electricity monitoring at both room and appliance levels. Such systems empower users and facility managers to identify waste, optimize consumption, and support demand response programs. Recent technological advances—especially in sensor miniaturization, IoT integration, and AI-driven analytics—have made granular monitoring feasible and affordable, but challenges remain in deployment, accuracy, and user engagement [1] [2] [22].

Synthesis:
Electricity monitoring at the room and appliance level is a cornerstone of modern energy management, offering actionable insights for both residential and commercial settings. The convergence of low-cost sensors, real-time analytics, and user-centric interfaces is transforming the landscape, yet persistent gaps in generalizability, interoperability, and behavioral adoption must be addressed for widespread impact.

2. Theoretical Frameworks

Sensor Technologies for Room and Appliance-Level Monitoring

Current Sensor Technologies and Their Performance

- **IR Sensors:** Used for automated appliance control; ~99% accuracy in simulations, <$5 cost [1].
- **Clip-on Current/Voltage Sensors:** Integrated with AI models (e.g., MLP) on edge devices; 100% classification accuracy in controlled tests [2].
- **Wireless Sensor Networks:** Embedded in outlets or using electromagnetic field sensors; ease of deployment and automatic recognition [5] [23].
- **Microcontrollers & IoT:** ESP32, Raspberry Pi, ZigBee, Wi-Fi enable real-time transmission and remote control [6] [24] [25].
- **Virtual Sensors:** Leverage integrated sensors in smart appliances; up to 98% accuracy [26].
- **AI/ML Integration:** Decision trees, neural networks, SVM improve classification; decision trees ~94% accuracy [5].

Comparative Table: Sensor Technologies

Sensor Type	Accuracy	Cost	Deployment Complexity	Suitability
IR-based	~99%	<$5	Low	Simple appliances
Clip-on Current	100%	$10–$50	Medium	Diverse appliances
Wireless Networks	90–98%	$20–$100	Low	Large-scale, flexible
Virtual Sensors	98%	Minimal	Very Low	Smart appliances

Synthesis:
Sensor innovations have enabled accurate, scalable monitoring, but environmental variability and cost remain central challenges. Wireless and virtual sensors offer promising alternatives for large-scale deployment [1] [2] [3] [4] [5] [6].

Recent Innovations in Low-Cost Sensing

- **IoT Frameworks:** ESP-32, Raspberry Pi, inexpensive sensors, real-time cloud integration [2] [27].
- **Edge AI:** LSTM, CNN-LSTM on edge devices for real-time classification and anomaly detection [3] [28].
- **NILM Advances:** V-I trajectory signatures, dynamic time series reduction for improved accuracy and reduced sensor costs [29] [30] [31].
- **PLC Integration:** Cost-effective, no extra wiring, scalable for large deployments [32].

- **User Dashboards:** Actionable feedback, threshold detection, energy efficiency [22] [33].
- **Predictive Maintenance:** Early fault detection, optimized scheduling [34].
- **Data Capture:** Detailed voltage, current, power analysis without expensive sub-metering [27] [35].

Synthesis:
Recent advances focus on integrating low-cost sensors with AI and IoT for real-time, scalable monitoring. PLC and edge computing further reduce deployment barriers, making appliance-level monitoring feasible in diverse environments [2] [3] [27] [28] [30] [32] [33] [34] [35].

Limitations and Mitigation Strategies for IR and Other Sensors

- **Environmental Factors:** High temperatures, smoke, dust, steam affect accuracy and durability [36].
- **Thermal Sensitivity:** Cooling required for mid/long-wave IR; bolometers offer alternatives [37].
- **Cost & Complexity:** IR sensors more expensive; solid-state advances may reduce costs [38].
- **Continuous Monitoring:** Fiber-optic IR sensors improve reliability [39].
- **AI Integration:** Image enhancement, computer vision, and AI improve diagnostic accuracy [40] [41].
- **Miniaturization:** Quantum cascade lasers, photonic ICs address size/cost issues [42].
- **Emerging Materials:** Nanostructures, quantum dots enhance sensitivity/stability [43].
- **Engineering Bottlenecks:** Need for low-power arrays, hardware-friendly algorithms [44].

Synthesis:
IR sensors face environmental and cost limitations, but advances in materials, miniaturization, and AI-driven algorithms are mitigating these challenges, improving robustness and applicability in diverse appliance environments [36] [37] [38] [39] [40] [42] [44].

Data Analytics and Machine Learning for Electricity Monitoring

Energy Disaggregation and Prediction Methods

- **Deep Learning:** CNN-LSTM, GRU, Seq2Point, UNet-NILM, hybrid models excel in appliance-level disaggregation and prediction [3] [7] [8] [10] [45] [46] [47] [48] [49] [50] [51] [52] [53] [54] [55] [56] [57] [58] [59] [60] [61] [62] [63] [64] [65].
- **Traditional ML:** Random Forest, XGBoost, Decision Tree, SVM, KNN; Random Forest and XGBoost show high accuracy and robustness [46] [50] [51].
- **Hybrid Models:** Combine CNNs, GRUs, Squeeze-and-Excitation for memory efficiency and high accuracy (F1 > 0.98) [48].

- **Normalization:** L2-norm improves BiLSTM performance [53].
- **Multi-target Models:** Reduce training/inference costs, improve overall performance [60] [63].
- **Transformer-based Models:** Superior generalization, reduce mean absolute error by ~67% [10].

Comparative Table: Analytics Methods

Model Type	Accuracy	Computational Efficiency	Edge Suitability	Generalizability
CNN-LSTM	High	Moderate	Moderate	Limited
Random Forest	High	High	High	Moderate
Hybrid CNN-GRU	Very High	High	High	Moderate
Transformer	Very High	Moderate	Moderate	High

Synthesis:
Deep learning models dominate in accuracy, especially for complex appliances, but traditional ML methods offer computational efficiency and robustness. Hybrid and transformer-based models are emerging as scalable solutions, though generalizability across households remains a challenge [3] [7] [8] [9] [10].

Anomaly Detection in Appliance-Level Monitoring

- **Isolation Forest:** Strong precision, detects extreme anomalies, suitable for high-dimensional data [9] [66] [67].
- **One-Class SVM:** Detects both major/minor outliers, useful for predictive maintenance [68] [69].
- **Combined Methods:** Enhance detection accuracy and reliability [70].
- **Improved Isolation Forest:** Weighted sampling, multiscale segmentation; 95.2% accuracy, F1 = 0.94 [67].
- **Practical Applications:** Industrial/environmental monitoring, robust classification boundaries [71] [72].
- **Limitations:** Imbalanced datasets may reduce effectiveness; reconstruction-based methods may outperform in some contexts [73].

Synthesis:
Isolation Forest and One-Class SVM are effective for anomaly detection in real-world, multi-appliance settings, with combined approaches offering enhanced reliability. Improved versions address accuracy and scalability, but imbalanced data remains a challenge [9] [34] [66] [67] [68] [69] [70] [71] [72] [73] [74] [75] [76] [77].

AutoML and Transfer Learning for Model Optimization

- **AutoML:** Automates feature engineering, model selection, hyperparameter tuning; reduces reliance on domain expertise [78] [79].
- **Frameworks:** AutoGluon, H2O, Auto-sklearn outperform traditional ML in energy forecasting [80] [81].
- **Ensemble Methods:** Improve prediction accuracy and efficiency [47].
- **Explainability:** SHAP tools identify key features influencing energy use [81] [82].
- **Edge Deployment:** Lightweight, optimized models for scalable, privacy-preserving monitoring [83].
- **Transfer Learning:** Synthetic datasets, fine-tuning, domain adaptation improve generalization [15] [84] [85] [86] [87] [88] [89] [90] [91] [92] [93].

Synthesis:
AutoML and transfer learning streamline model development, improve accuracy, and enable scalable, privacy-preserving monitoring. Domain adaptation and meta-learning are key to enhancing NILM generalization across households and datasets [15] [47] [78] [79] [80] [81] [82] [83] [84] [85] [86] [87] [88] [89] [90] [91] [92] [93] [94] [95] [96].

3. Methods & Data Transparency

System Architectures for Scalable Electricity Monitoring

Common and Emerging System Architectures

- **Hardware:** Sensors (voltage, current, environmental), microcontrollers (ESP32, NodeMCU, STM32), smart meters, communication modules (WiFi, ZigBee, PLC) [3] [6] [11] [12] [97] [98].
- **Software:** Data acquisition, processing (CNN-LSTM, Naive Bayes), storage, visualization (cloud, mobile apps) [3] [12] [98] [99].
- **Centralized vs. Distributed:** Distributed measurement systems (DMS) with meters at switchboards; NILM uses single metering point for disaggregation [12] [100] [101] [102] [103] [104].
- **Protocols:** Modbus, IEC 60870, IEC 61850, XML for interoperability [105] [106] [107].
- **Remote Monitoring:** Wireless, PLC, internet connectivity for real-time transmission and control [3] [6] [97].
- **Visualization:** Web/mobile dashboards for feedback and alerts [3] [6] [98] [108].

Synthesis:
System architectures are evolving from centralized to distributed, leveraging IoT, edge computing, and standardized protocols for scalable, reliable monitoring. Integration of hardware and software components is key to real-time analytics and user engagement [3] [6] [11] [12] [97] [98] [99] [100] [101] [102] [103] [104] [105] [106] [107] [108].

Communication Protocols and Interoperability

- **IEC 61850:** Proxy communication server, harmonizes digital substations and control centers [109].

- **Modbus:** Gateways (e.g., 1-Wire to Modbus on FPGA) expand device integration [110].
- **Multi-protocol Architectures:** Flexible communication, overcome exclusive protocol limitations [111].
- **Software Adapters:** Model-driven architecture for protocol-specific adapters [112] [113].
- **Middleware:** Micro-service data pools, SOAP-based middleware for device integration [114] [115].
- **Semantic Translation:** Reduces information distortion, enables legacy system communication [116].
- **Protocol-Agnostic Middleware:** Supports multiple protocols, gradual migration [117].

Synthesis:
Interoperability is facilitated by standardized protocols and middleware, enabling seamless integration of heterogeneous devices and systems. Semantic translation and protocol-agnostic architectures are critical for future-proofing monitoring systems [109] [110] [111] [112] [113] [114] [115] [116] [117] [118] [119] [120] [121] [122].

Edge, Fog, and Cloud Integration for Real-Time Analytics

- **Edge Computing:** Local filtering, aggregation, preliminary processing; reduces latency and bandwidth [13] [123].
- **Hybrid Architectures:** Edge nodes + cloud for resource scheduling, load forecasting, demand response; up to 25–30% cost reduction [123] [124] [125].
- **Protocols & Hardware:** IEEE C37.118-2011, Time Sensitive Networking, FPGA for low-latency acquisition [126] [127].
- **Machine Learning & Digital Twins:** Predictive maintenance, real-time decision-making, blockchain for security [13] [128].
- **Best Practices:** Distribute computation close to data sources, leverage edge intelligence, maintain efficient edge-cloud communication [129] [130] [131] [132].
- **Future Focus:** Energy efficiency, cybersecurity, interoperability, standardization [128] [133].

Synthesis:
Edge-fog-cloud integration optimizes latency, energy efficiency, and real-time analytics. Strategic placement of fog layers and advanced communication protocols are essential for scalable, responsive monitoring systems [13] [14] [123] [124] [125] [126] [127] [128] [129] [130] [131] [132] [133] [134] [135] [136] [137] [138] [139] [140] [141] [142] [143] [144] [145].

4. Critical Analysis of Findings

User Interfaces and Behavioral Interventions

Effective User Interface Designs

- **Interactive Panels:** Goal setting, immediate feedback; effectiveness depends on goal-task alignment [19].

- **Real-Time Alerts:** Reminders, warnings, threshold-based alerts improve behavior [33] [146].
- **Mobile Apps:** Usage alerts, remote control, promote energy-saving [147].
- **Cost Metrics:** Dollar-based feedback more motivating than technical metrics [148].
- **Smart Outlets:** Remote control, behavioral scripts, automatic management [149].
- **EOFMs Framework:** Categorizes energy overuse, supports targeted interventions [150].
- **Strategic Displays:** Appliance-specific/grouped info, effective for micro-behaviors [151].
- **Behavioral Integration:** Cognitive, social, affective elements induce reductions [152].
- **Actionable Feedback:** Direct feedback increases awareness, behavior change [20].
- **Visual Interfaces:** Icons, annotations, highlight overuse periods [153].
- **Continuous Feedback:** Electronic feedback leads to ~15% energy savings [154].

Synthesis:
User interfaces that provide real-time, actionable, and personalized feedback are most effective in promoting energy-saving behaviors. Integration of behavioral science and user-centered design is critical for sustained engagement [19] [20] [33] [146] [147] [148] [149] [150] [151] [152] [153] [154] [155].

Behavioral Impact and User Engagement

- **Feedback Frequency:** Regular, electronic feedback increases savings [154].
- **Personalized Information:** Tailored feedback more effective [20].
- **Engagement Duration:** Sustained interaction increases willingness to monitor [156].
- **Socio-Economic Factors:** Income, household size, education, dwelling type influence adoption [21] [156] [157] [158] [159] [160] [161] [162] [163] [164] [165] [166] [167] [168].

Synthesis:
Behavioral impact is maximized by frequent, personalized feedback and sustained user engagement. Socio-economic and behavioral factors must be considered in system design and deployment, especially for low-income households [20] [33] [146] [148] [152] [156] [164] [168].

5. Real-world Implications

Challenges, Limitations, and Research Gaps

Technical and Methodological Challenges

- **High Costs & Complexity:** Limit accessibility and adoption [22] [169] [170].

- **NILM Generalizability:** Limited by single dataset evaluations, controlled environments [171] [172] [173].
- **Feature Extraction & Real-Time Processing:** Difficult on edge devices, diverse appliances [171] [173] [174].
- **Social & Financial Constraints:** Hardware costs, device energy consumption, user acceptance [169] [170].
- **Lack of Standardization:** Protocols, data interoperability, integration with building management [175].
- **Incomplete Monitoring:** Cannot measure all power quality parameters [176].
- **User-Friendly Design:** Need for intuitive interfaces, improved anomaly detection [3] [22].

Synthesis:
Technical, methodological, and socio-economic challenges persist, limiting the scalability and practical utility of monitoring systems. Addressing these requires advances in cost reduction, standardization, and user-centered design [3] [22] [169] [170] [171] [172] [173] [174] [175] [176].

Generalizability and Interoperability Barriers

- **Household Diversity:** Models perform better on seen houses; metadata grouping only helps certain appliances [15].
- **Training Data Quality:** Semi-supervised domain adversarial networks improve generalization [17].
- **Privacy & Scalability:** Federated learning addresses concerns, but toolkits are lacking [177].
- **Standardized Datasets:** Needed for reproducibility and comparability [16].
- **Transfer Learning & Domain Adaptation:** Enhance performance, mitigate negative transfer [178] [179] [180].
- **Semantic Interoperability:** Critical for demand response and integration [181].

Synthesis:
Generalizability and interoperability are major barriers, with domain adaptation and federated learning offering promising solutions. Standardized datasets and protocols are essential for advancing NILM and system integration [15] [16] [17] [18] [124] [177] [178] [179] [180] [181] [182] [183] [184] [185] [186] [187] [188] [189] [190] [191] [192] [193] [194] [195].

Socio-Economic and Behavioral Barriers

- **Cost Constraints:** Major barrier in low-income households; price structure critical [158] [160] [163].
- **Social Acceptance:** Trust, perceived usefulness, privacy concerns affect adoption [157].
- **Contextual Feedback:** Tailored information increases awareness and efficiency [164].
- **Non-income Factors:** Household practices, environment, appliance characteristics [159].

- **Financial Subsidies:** Usage price reduction more effective than upfront cost [163].
- **Engagement:** Sustained participation increases monitoring willingness [156].
- **Income & Household Size:** Critical determinants of appliance ownership and usage [160] [161] [162].

Synthesis:
Socio-economic and behavioral factors significantly impact adoption and sustained use, especially in low-income settings. Financial incentives, tailored feedback, and user engagement strategies are essential for overcoming barriers [21] [156] [157] [158] [159] [160] [161] [162] [163] [164] [165] [166] [167] [168].

6. Future Research Directions

- **Standardized, Scalable NILM Frameworks:** Validate across regions and appliance sets; develop public datasets for cross-domain benchmarking [3] [22] [171] [173] [196].
- **Federated Learning & Domain Adaptation:** Privacy-preserving, generalizable models for diverse households; toolkits for easy deployment [197] [198] [199] [200] [201] [202] [203] [204] [205] [206] [207] [208].
- **Behavioral Integration:** Couple socio-behavioral data with energy profiles for personalized interventions; focus on low-income settings [21] [156] [157] [158] [159] [160] [161] [162] [163] [164] [165] [166] [167] [168].
- **User Interface Design:** Integrate behavioral science insights for sustained engagement and energy savings [19] [20] [21].
- **Interoperability & Standardization:** Develop semantic frameworks, protocol-agnostic middleware, and blockchain-based solutions for secure, scalable integration [18] [124] [181] [184] [185] [186] [187] [188] [189] [190] [191].

Creative Insight:
Integrating federated learning with domain adversarial techniques can preserve privacy while enhancing generalizability. Coupling socio-behavioral data with electrical usage profiles may yield more personalized energy-saving strategies, especially for low-income households.

Summary:
Current research in electricity monitoring systems at room and appliance levels demonstrates significant progress in sensor innovations, data analytics, and system architectures. Advances in AI and IoT have enabled high-accuracy energy disaggregation and real-time analytics, yet challenges remain in ensuring cross-domain generalizability and interoperability. Addressing these gaps with standardized protocols, federated learning, and user-centered design will be key to evolving practical and scalable energy solutions [1] [2] [3] [4] [5] [6] [7] [8] [9] [10] [11] [12] [13] [14] [15] [16] [17] [18] [19] [20] [21].

References

[1] https://www.scopus.com/pages/publications/85128640431?origin=scopusAI

[2] https://www.scopus.com/pages/publications/105024883202?origin=scopusAI

[3] https://www.scopus.com/pages/publications/105016379389?origin=scopusAI

[4] https://www.scopus.com/pages/publications/85061542760?origin=scopusAI

[5] https://www.scopus.com/pages/publications/84921488955?origin=scopusAI

[6] https://www.scopus.com/pages/publications/84903824900?origin=scopusAI

[7] https://www.scopus.com/pages/publications/85142464874?origin=scopusAI

[8] https://www.scopus.com/pages/publications/105035072004?origin=scopusAI

[9] https://www.scopus.com/pages/publications/85204518645?origin=scopusAI

[10] https://www.scopus.com/pages/publications/105040224377?origin=scopusAI

[11] https://www.scopus.com/pages/publications/105032348068?origin=scopusAI

[12] https://www.scopus.com/pages/publications/85015994503?origin=scopusAI

[13] https://www.scopus.com/pages/publications/105041381082?origin=scopusAI

[14] https://www.scopus.com/pages/publications/105009784568?origin=scopusAI

[15] https://www.scopus.com/pages/publications/105027934941?origin=scopusAI

[16] https://www.scopus.com/pages/publications/105014597420?origin=scopusAI

[17] https://www.scopus.com/pages/publications/85147895146?origin=scopusAI

[18] https://www.scopus.com/pages/publications/85082515515?origin=scopusAI

[19] https://www.scopus.com/pages/publications/79956332442?origin=scopusAI

[20] https://www.scopus.com/pages/publications/85062638709?origin=scopusAI

[21] https://www.scopus.com/pages/publications/85149170404?origin=scopusAI

[22] https://www.scopus.com/pages/publications/105012229187?origin=scopusAI

[23] https://www.scopus.com/pages/publications/84876765709?origin=scopusAI

[24] https://www.scopus.com/pages/publications/105045265970?origin=scopusAI

[25] https://www.scopus.com/pages/publications/85150442541?origin=scopusAI

[26] https://www.scopus.com/pages/publications/84961252743?origin=scopusAI

[27] https://www.scopus.com/pages/publications/85152188982?origin=scopusAI

[28] https://www.scopus.com/pages/publications/85146566181?origin=scopusAI

[29] https://www.scopus.com/pages/publications/85131898644?origin=scopusAI

[30] https://www.scopus.com/pages/publications/85146692230?origin=scopusAI

[31] https://www.scopus.com/pages/publications/85119623970?origin=scopusAI

[32] https://www.scopus.com/pages/publications/85141222053?origin=scopusAI

[33] https://www.scopus.com/pages/publications/105012203704?origin=scopusAI

[34] https://www.scopus.com/pages/publications/105010560927?origin=scopusAI

[35] https://www.scopus.com/pages/publications/85158106825?origin=scopusAI

[36] https://www.scopus.com/pages/publications/33745635355?origin=scopusAI

[37] https://www.scopus.com/pages/publications/85178516809?origin=scopusAI

[38] https://www.scopus.com/pages/publications/4944235011?origin=scopusAI

[39] https://www.scopus.com/pages/publications/84960421229?origin=scopusAI

[40] https://www.scopus.com/pages/publications/105035943851?origin=scopusAI

[41] https://www.scopus.com/pages/publications/105035937995?origin=scopusAI

[42] https://www.scopus.com/pages/publications/85132874874?origin=scopusAI

[43] https://www.scopus.com/pages/publications/85217616727?origin=scopusAI

[44] https://www.scopus.com/pages/publications/105042514771?origin=scopusAI

[45] https://www.scopus.com/pages/publications/85078954588?origin=scopusAI

[46] https://www.scopus.com/pages/publications/105034442110?origin=scopusAI

[47] https://www.scopus.com/pages/publications/105013271683?origin=scopusAI

[48] https://www.scopus.com/pages/publications/105037649296?origin=scopusAI

[49] https://www.scopus.com/pages/publications/105002861210?origin=scopusAI

[50] https://www.scopus.com/pages/publications/85067233399?origin=scopusAI

[51] https://www.scopus.com/pages/publications/85075853138?origin=scopusAI

[52] https://www.scopus.com/pages/publications/85055572929?origin=scopusAI

[53] https://www.scopus.com/pages/publications/85100459717?origin=scopusAI

[54] https://www.scopus.com/pages/publications/105002273237?origin=scopusAI

[55] https://www.scopus.com/pages/publications/105004816511?origin=scopusAI

[56] https://www.scopus.com/pages/publications/105031732611?origin=scopusAI

[57] https://www.scopus.com/pages/publications/105041711188?origin=scopusAI

[58] https://www.scopus.com/pages/publications/105024937791?origin=scopusAI

[59] https://www.scopus.com/pages/publications/85213319216?origin=scopusAI

[60] https://www.scopus.com/pages/publications/85173810692?origin=scopusAI

[61] https://www.scopus.com/pages/publications/105036372016?origin=scopusAI

[62] https://www.scopus.com/pages/publications/105032085689?origin=scopusAI

[63] https://www.scopus.com/pages/publications/85148971480?origin=scopusAI

[64] https://www.scopus.com/pages/publications/85178138000?origin=scopusAI

[65] https://www.scopus.com/pages/publications/85070627524?origin=scopusAI

[66] https://www.scopus.com/pages/publications/105051755973?origin=scopusAI

[67] https://www.scopus.com/pages/publications/105033717248?origin=scopusAI

[68] https://www.scopus.com/pages/publications/85201178130?origin=scopusAI

[69] https://www.scopus.com/pages/publications/85213021048?origin=scopusAI

[70] https://www.scopus.com/pages/publications/105050725183?origin=scopusAI

[71] https://www.scopus.com/pages/publications/105009696976?origin=scopusAI

[72] https://www.scopus.com/pages/publications/105023589253?origin=scopusAI

[73] https://www.scopus.com/pages/publications/105031096893?origin=scopusAI

[74] https://www.scopus.com/pages/publications/85144568217?origin=scopusAI

[75] https://www.scopus.com/pages/publications/85217914679?origin=scopusAI

[76] https://www.scopus.com/pages/publications/105016904811?origin=scopusAI

[77] https://www.scopus.com/pages/publications/105013057170?origin=scopusAI

[78] https://www.scopus.com/pages/publications/85217865654?origin=scopusAI

[79] https://www.scopus.com/pages/publications/105014589533?origin=scopusAI

[80] https://www.scopus.com/pages/publications/85180632035?origin=scopusAI

[81] https://www.scopus.com/pages/publications/105027369452?origin=scopusAI

[82] https://www.scopus.com/pages/publications/105046838484?origin=scopusAI

[83] https://www.scopus.com/pages/publications/105022977260?origin=scopusAI

[84] https://www.scopus.com/pages/publications/85194883654?origin=scopusAI

[85] https://www.scopus.com/pages/publications/85178054173?origin=scopusAI

[86] https://www.scopus.com/pages/publications/105002810942?origin=scopusAI

[87] https://www.scopus.com/pages/publications/105005430135?origin=scopusAI

[88] https://www.scopus.com/pages/publications/85191326773?origin=scopusAI

[89] https://www.scopus.com/pages/publications/85171387366?origin=scopusAI

[90] https://www.scopus.com/pages/publications/85153386262?origin=scopusAI

[91] https://www.scopus.com/pages/publications/105041086920?origin=scopusAI

[92] https://www.scopus.com/pages/publications/105041525520?origin=scopusAI

[93] https://www.scopus.com/pages/publications/105008811845?origin=scopusAI

[94] https://www.scopus.com/pages/publications/86000010030?origin=scopusAI

[95] https://www.scopus.com/pages/publications/85160762239?origin=scopusAI

[96] https://www.scopus.com/pages/publications/105021307046?origin=scopusAI

[97] https://www.scopus.com/pages/publications/84902275960?origin=scopusAI

[98] https://www.scopus.com/pages/publications/85152231381?origin=scopusAI

[99] https://www.scopus.com/pages/publications/84901358162?origin=scopusAI

[100] https://www.scopus.com/pages/publications/0022135288?origin=scopusAI

[101] https://www.scopus.com/pages/publications/85075471689?origin=scopusAI

[102] https://www.scopus.com/pages/publications/0033350934?origin=scopusAI

[103] https://www.scopus.com/pages/publications/80052502132?origin=scopusAI

[104] https://www.scopus.com/pages/publications/84966874204?origin=scopusAI

[105] https://www.scopus.com/pages/publications/84975784591?origin=scopusAI

[106] https://www.scopus.com/pages/publications/85182265911?origin=scopusAI

[107] https://www.scopus.com/pages/publications/74349104307?origin=scopusAI

[108] https://www.scopus.com/pages/publications/85208107068?origin=scopusAI

[109] https://www.scopus.com/pages/publications/79955017227?origin=scopusAI

[110] https://www.scopus.com/pages/publications/77950106156?origin=scopusAI

[111] https://www.scopus.com/pages/publications/0027150986?origin=scopusAI

[112] https://www.scopus.com/pages/publications/85002157845?origin=scopusAI

[113] https://www.scopus.com/pages/publications/84988662632?origin=scopusAI

[114] https://www.scopus.com/pages/publications/85079330636?origin=scopusAI

[115] https://www.scopus.com/pages/publications/76549093800?origin=scopusAI

[116] https://www.scopus.com/pages/publications/84867337245?origin=scopusAI

[117] https://www.scopus.com/pages/publications/85084067691?origin=scopusAI

[118] https://www.scopus.com/pages/publications/85125793525?origin=scopusAI

[119] https://www.scopus.com/pages/publications/85176426548?origin=scopusAI

[120] https://www.scopus.com/pages/publications/85067063622?origin=scopusAI

[121] https://www.scopus.com/pages/publications/105048227633?origin=scopusAI

[122] https://www.scopus.com/pages/publications/85095717904?origin=scopusAI

[123] https://www.scopus.com/pages/publications/105037464326?origin=scopusAI

[124] https://www.scopus.com/pages/publications/105010386285?origin=scopusAI

[125] https://www.scopus.com/pages/publications/105032745879?origin=scopusAI

[126] https://www.scopus.com/pages/publications/105042991936?origin=scopusAI

[127] https://www.scopus.com/pages/publications/85148459494?origin=scopusAI

[128] https://www.scopus.com/pages/publications/105040825326?origin=scopusAI

[129] https://www.scopus.com/pages/publications/85075622056?origin=scopusAI

[130] https://www.scopus.com/pages/publications/105048272665?origin=scopusAI

[131] https://www.scopus.com/pages/publications/105000466923?origin=scopusAI

[132] https://www.scopus.com/pages/publications/105033272872?origin=scopusAI

[133] https://www.scopus.com/pages/publications/105045703822?origin=scopusAI

[134] https://www.scopus.com/pages/publications/105013060092?origin=scopusAI

[135] https://www.scopus.com/pages/publications/105037206065?origin=scopusAI

[136] https://www.scopus.com/pages/publications/85219134217?origin=scopusAI

[137] https://www.scopus.com/pages/publications/105030954767?origin=scopusAI

[138] https://www.scopus.com/pages/publications/105031951854?origin=scopusAI

[139] https://www.scopus.com/pages/publications/105047798282?origin=scopusAI

[140] https://www.scopus.com/pages/publications/105034166279?origin=scopusAI

[141] https://www.scopus.com/pages/publications/105037442155?origin=scopusAI

[142] https://www.scopus.com/pages/publications/105044515832?origin=scopusAI

[143] https://www.scopus.com/pages/publications/105033595106?origin=scopusAI

[144] https://www.scopus.com/pages/publications/85070531882?origin=scopusAI

[145] https://www.scopus.com/pages/publications/105003269873?origin=scopusAI

[146] https://www.scopus.com/pages/publications/85035326677?origin=scopusAI

[147] https://www.scopus.com/pages/publications/85138715802?origin=scopusAI

[148] https://www.scopus.com/pages/publications/84873474770?origin=scopusAI

[149] https://www.scopus.com/pages/publications/80054799950?origin=scopusAI

[150] https://www.scopus.com/pages/publications/84984918844?origin=scopusAI

[151] https://www.scopus.com/pages/publications/34247508549?origin=scopusAI

[152] https://www.scopus.com/pages/publications/79957934117?origin=scopusAI

[153] https://www.scopus.com/pages/publications/85063144329?origin=scopusAI

[154] https://www.scopus.com/pages/publications/0038039365?origin=scopusAI

[155] https://www.scopus.com/pages/publications/80052499223?origin=scopusAI

[156] https://www.scopus.com/pages/publications/85092253226?origin=scopusAI

[157] https://www.scopus.com/pages/publications/85009152778?origin=scopusAI

[158] https://www.scopus.com/pages/publications/105045542076?origin=scopusAI

[159] https://www.scopus.com/pages/publications/85066807277?origin=scopusAI

[160] https://www.scopus.com/pages/publications/105035258254?origin=scopusAI

[161] https://www.scopus.com/pages/publications/105017743889?origin=scopusAI

[162] https://www.scopus.com/pages/publications/85205303888?origin=scopusAI

[163] https://www.scopus.com/pages/publications/105005089202?origin=scopusAI

[164] https://www.scopus.com/pages/publications/84958568959?origin=scopusAI

[165] https://www.scopus.com/pages/publications/105027533367?origin=scopusAI

[166] https://www.scopus.com/pages/publications/105044973360?origin=scopusAI

[167] https://www.scopus.com/pages/publications/85118489473?origin=scopusAI

[168] https://www.scopus.com/pages/publications/84921318000?origin=scopusAI

[169] https://www.scopus.com/pages/publications/85076255715?origin=scopusAI

[170] https://www.scopus.com/pages/publications/70449416193?origin=scopusAI

[171] https://www.scopus.com/pages/publications/105039436433?origin=scopusAI

[172] https://www.scopus.com/pages/publications/85145347346?origin=scopusAI

[173] https://www.scopus.com/pages/publications/105044824642?origin=scopusAI

[174] https://www.scopus.com/pages/publications/85181533304?origin=scopusAI

[175] https://www.scopus.com/pages/publications/105038588959?origin=scopusAI

[176] https://www.scopus.com/pages/publications/105023289127?origin=scopusAI

[177] https://www.scopus.com/pages/publications/85146779926?origin=scopusAI

[178] https://www.scopus.com/pages/publications/85151479781?origin=scopusAI

[179] https://www.scopus.com/pages/publications/85145817642?origin=scopusAI

[180] https://www.scopus.com/pages/publications/85136341695?origin=scopusAI

[181] https://www.scopus.com/pages/publications/85133911221?origin=scopusAI

[182] https://www.scopus.com/pages/publications/105019048878?origin=scopusAI

[183] https://www.scopus.com/pages/publications/105009302126?origin=scopusAI

[184] https://www.scopus.com/pages/publications/85193628216?origin=scopusAI

[185] https://www.scopus.com/pages/publications/85147030524?origin=scopusAI

[186] https://www.scopus.com/pages/publications/85207445540?origin=scopusAI

[187] https://www.scopus.com/pages/publications/85114212185?origin=scopusAI

[188] https://www.scopus.com/pages/publications/105036274199?origin=scopusAI

[189] https://www.scopus.com/pages/publications/105044143805?origin=scopusAI

[190] https://www.scopus.com/pages/publications/105031440251?origin=scopusAI

[191] https://www.scopus.com/pages/publications/105029045718?origin=scopusAI

[192] https://www.scopus.com/pages/publications/85205517995?origin=scopusAI

[193] https://www.scopus.com/pages/publications/86000434786?origin=scopusAI

[194] https://www.scopus.com/pages/publications/105002682236?origin=scopusAI

[195] https://www.scopus.com/pages/publications/85207717044?origin=scopusAI

[196] https://www.scopus.com/pages/publications/84990947004?origin=scopusAI

[197] https://www.scopus.com/pages/publications/85190394908?origin=scopusAI

[198] https://www.scopus.com/pages/publications/105022848988?origin=scopusAI

[199] https://www.scopus.com/pages/publications/105023144434?origin=scopusAI

[200] https://www.scopus.com/pages/publications/105012186428?origin=scopusAI

[201] https://www.scopus.com/pages/publications/105010341150?origin=scopusAI

[202] https://www.scopus.com/pages/publications/105042867580?origin=scopusAI

[203] https://www.scopus.com/pages/publications/105024244925?origin=scopusAI

[204] https://www.scopus.com/pages/publications/105028725487?origin=scopusAI

[205] https://www.scopus.com/pages/publications/85177763663?origin=scopusAI

[206] https://www.scopus.com/pages/publications/105036512441?origin=scopusAI

[207] https://www.scopus.com/pages/publications/105031365510?origin=scopusAI

[208] https://www.scopus.com/pages/publications/105013662520?origin=scopusAI