

GIT.

Token - ghp_6ekzJMLR1NXaAtPve7TwogKesIWJK80Vdg8R

```
"export PATH=/usr/local/bin:$PATH" >> ~/.bash_profile
```

Navigate to folder

First time initialise the project

git init

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % ls -alt

total 8

```
drwxr-xr-x@ 7 mohammedhaseebalikhan staff 224 Oct 28 23:23 .
drwxr-xr-x  9 mohammedhaseebalikhan staff 288 Oct 28 23:20 .git
drwxr-xr-x 67 mohammedhaseebalikhan staff 2144 Oct 25 13:44 ..
drwxr-xr-x  9 mohammedhaseebalikhan staff 288 Sep 28 10:15 .idea
drwxr-xr-x  8 mohammedhaseebalikhan staff 256 Jun 25 22:12 src
drwxr-xr-x  3 mohammedhaseebalikhan staff  96 Jun 25 22:12 out
-rwxr-xr-x  1 mohammedhaseebalikhan staff 433 May 28 20:33
JavaLearn.iml
```

In order to set up the connection with remote repo

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % git remote add origin <https://github.com/mdhaseebpes/java0209.git>

Need to check the status

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % git status

On branch master

No commits yet

Untracked files:

(use "git add <file>..." to include in what will be committed)

JavaLearn.iml

out/

src/

nothing added to commit but untracked files present (use "git

add" to track)

Adding files to stage and checking the status before committing

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % git add .

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % git status

On branch master

No commits yet

Changes to be committed:

(use "git rm --cached <file>..." to unstage)

new file: .gitignore

new file: src/ControlFlowStatements/FirstLastDigitSum.java

new file: src/ControlFlowStatements/FlourPackPattern.java

new file: src/ControlFlowStatements/ForStatement.java

new file: src/ControlFlowStatements/InputCalculator.java

new file: src/ControlFlowStatements/IsPrime.java

Adding files that are present in Stage in local repo by committing those changes and adding comments

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % git commit -m "Adding java program for oops and strings"

[master (root-commit) 63b8a74] Adding java program for oops and strings

44 files changed, 1623 insertions(+)

create mode 100644 .gitignore

create mode 100755 src/ControlFlowStatements/FirstLastDigitSum.java

create mode 100755 src/ControlFlowStatements/FlourPackPattern.java

create mode 100755 src/ControlFlowStatements/ForStatement.java

create mode 100755 src/ControlFlowStatements/InputCalculator.java

In order to check how many branches are present

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % git branch

*** master**

Pushing to master branch that is present in remote git hub. - it will ask for username and password will work with access token

Create Personal Access Token on GitHub

From your GitHub account, go to Settings => Developer

Settings => Personal Access Token => Generate New Token (Give

your password) => Fillup the form => click Generate token => Copy the generated Token, it will be something like ghp_sFhFsSHhTzMDreGRLjmks4Tzuzgthdvfsrta

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % git push origin master

Username for 'https://github.com': mdhaseebpes

Password for 'https://mdhaseebpes@github.com':

To update /add /modified push the changes in git repo

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % git add src/firststeps/ContinueBreakConcept.java

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % git status

On branch master

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

new file: src/firststeps/ContinueBreakConcept.java

Once added we need to commit those changes

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % git commit -m "added a new program"

[master 5c8e0e3] added a new program

1 file changed, 21 insertions(+)

create mode 100755 src/firststeps/ContinueBreakConcept.java

Push the changes to master remote repo after committing

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % git push origin master

Enumerating objects: 8, done.

Counting objects: 100% (8/8), done.

Delta compression using up to 12 threads

IN order to push local branch changes to local master directly:

git push <remote> <local branch name>:<remote branch to push into>

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % git push origin head:master

Total 0 (delta 0), reused 0 (delta 0), pack-reused 0

To https://github.com/mdhaseebpes/java0209.git

5550669..5f23b83 head -> master

In order to check the logs and history

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % git log

commit 5c8e0e3eae74265d994b3e6dd73914d7af0eac3c (HEAD -> master, origin/master)

Author: Mohammed Haseeb <mohammed.ali@ymedialabs.com>

Date: Thu Oct 28 23:56:12 2021 +0530

added a new program

commit 63b8a747e89bab7b78746d461b78549011b79b16

Author: Mohammed Haseeb <mohammed.ali@ymedialabs.com>

Date: Thu Oct 28 23:34:40 2021 +0530

Adding java program for oops and strings