

Git 02

qw is used to escape command and start with next command

In order to check the logs and history of commit we use git log
mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % git log

commit cd2c3c6e50bf994f8c98c2b46c95d7ebe5b2f462 (HEAD -> master, origin/master)

Author: Mohammed Haseeb <mohammed.ali@ymedialabs.com>

Date: Fri Oct 29 00:05:10 2021 +0530

modified and adding new file decimal count

commit 5c8e0e3eae74265d994b3e6dd73914d7af0eac3c

Author: Mohammed Haseeb <mohammed.ali@ymedialabs.com>

Date: Thu Oct 28 23:56:12 2021 +0530

added a new program

commit 63b8a747e89bab7b78746d461b78549011b79b16

Author: Mohammed Haseeb <mohammed.ali@ymedialabs.com>

Date: Thu Oct 28 23:34:40 2021 +0530

Adding java program for oops and strings

In order just check history for last 2 commits example : git log -2
mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % git log -2

commit cd2c3c6e50bf994f8c98c2b46c95d7ebe5b2f462 (HEAD -> master, origin/master)

Author: Mohammed Haseeb <mohammed.ali@ymedialabs.com>

Date: Fri Oct 29 00:05:10 2021 +0530

modified and adding new file decimal count

commit 5c8e0e3eae74265d994b3e6dd73914d7af0eac3c

Author: Mohammed Haseeb <mohammed.ali@ymedialabs.com>

Date: Thu Oct 28 23:56:12 2021 +0530

In order to check history by author name example : git log —
author = "Mohammed Haseeb "

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-

Ali-Khan JavaLearn % git log --author="Mohammed Haseeb"

commit cd2c3c6e50bf994f8c98c2b46c95d7ebe5b2f462 (HEAD -> master, origin/master)

Author: Mohammed Haseeb <mohammed.ali@ymedialabs.com>

Date: Fri Oct 29 00:05:10 2021 +0530

modified and adding new file decimal count

Check log history by before and after date example : git log --before="2021-10-30"

Check log history by some String example : git log --after="one week ago"

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-

Ali-Khan JavaLearn % git log --before="2021-10-29"

commit cd2c3c6e50bf994f8c98c2b46c95d7ebe5b2f462 (HEAD -> master, origin/master)

Author: Mohammed Haseeb <mohammed.ali@ymedialabs.com>

Date: Fri Oct 29 00:05:10 2021 +0530

modified and adding new file decimal count

Check history by commit keywords example: git log --grep="file"

Check history by ranger range commit example : git log 5c8e0e3eae742..cd2c3c6e50b

```
_____
_____
_____
```

To get over all stat of commits

git log --stat

To get over all details what was added modified in last commit gives you code details

git log --patch

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-

Ali-Khan JavaLearn % git log --patch

commit cd2c3c6e50bf994f8c98c2b46c95d7ebe5b2f462 (HEAD -> master, origin/master)

Author: Mohammed Haseeb <mohammed.ali@ymedialabs.com>

Date: Fri Oct 29 00:05:10 2021 +0530

modified and adding new file decimal count

```
diff --git a/src/expressionStatementMethods/decimalNumberCount.java b/src/expressionStatementMethods/decimalNumberCount.java
```

```
new file mode 100644
```

```
index 0000000..1f3824f
```

```
--- /dev/null
```

```
+++ b/src/expressionStatementMethods/decimalNumberCount.java
```

```
@@ -0,0 +1,37 @@
```

```
+package expressionStatementMethods;
```

```
+
```

```
+import java.util.regex.Matcher;
```

```
+import java.util.regex.Pattern;
```

```
+
```

```
+
```

```
+public class decimalNumberCount {
```

```
+
```

```
+    public static void main(String[] args) {
```

```
+
```

```
+    // https://stackoverflow.com/questions/6264576/number-of-decimal-digits-in-a-double
```

```
+        double d= 234.12413;
```

```
+        String text = Double.toString(Math.abs(d));
```

```
+        int integerPlaces = text.indexOf('.');
```

```
+        int decimalPlaces = text.length() - integerPlaces - 1;
```

```
+        System.out.println(decimalPlaces);
```

```
+
```

```
+
```

```
+//https://www.javacodeexamples.com/java-regex-extract-numbers-from-string/3512
```

```
+    /*    - - Minus sign
```

```
+        ? - zero or one time
```

```
+        \\d - any digit from 0 to 9
```

```
+        + - One or more times
```

```
+        ()? - Whole group zero or 1 time
```

```
+        \\.|\\d+ A dot followed by any digit 1 or more times*/
```

```
+
```

```
+    String strContent = "NT$335.43";
```

```
+    String strPattern = "\\d+(\\.|\\d+)";
```

```
+
```

```
+    Pattern pattern = Pattern.compile(strPattern);
```

In order to check order wise details and history of commit - ascending and descending

git log —online
git log —reverse

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % git log --online

cd2c3c6 (**HEAD -> master, origin/master**) modified and adding new file decimal count

5c8e0e3 added a new program

63b8a74 Adding java program for oops and strings

mohammedhaseebalikhan@271AMBBLR-Mohammed-Haseeb-Ali-Khan JavaLearn % git log --reverse

commit 63b8a747e89bab7b78746d461b78549011b79b16

Author: Mohammed Haseeb <mohammed.ali@ymedialabs.com>

Date: Thu Oct 28 23:34:40 2021 +0530

Adding java program for oops and strings

commit 5c8e0e3eae74265d994b3e6dd73914d7af0eac3c

Author: Mohammed Haseeb <mohammed.ali@ymedialabs.com>

Date: Thu Oct 28 23:56:12 2021 +0530

added a new program

commit cd2c3c6e50bf994f8c98c2b46c95d7ebe5b2f462 (**HEAD -> master, origin/master**)

Author: Mohammed Haseeb <mohammed.ali@ymedialabs.com>

Date: Fri Oct 29 00:05:10 2021 +0530