Transport security does not supply command authorization

The broker terminates TLS and re-originates every message, so an arriving command carries no evidence of who published it.
Broker credentials decide admission. Only the command key decides authority.

AUTH_COMMANDS = 1 — application-layer authentication required

A command is acted on only if its HMAC-SHA256 tag verifies under SECRET_CMD_KEY and its counter exceeds the value in NVS.

Publisher	Broker	Device check	Outcome
Operator holds credentials and key	**admits**	tag verifies, counter advances	**DISARM executes**
Adversary leaked credentials, no key	**admits**	tag fails: cmd_badmac	**rejected — alarm fires, 300/300 trials**

ALLOW_REMOTE_DISARM = 1 without AUTH_COMMANDS — the guard this work removed

The guard accepted TLS plus a broker login as sufficient. The HMAC test is short-circuited, so any admitted DISARM is acted on.

Publisher	Broker	Device check	Outcome
Operator holds credentials, no key	**admits**	no check: ALLOW_REMOTE_DISARM	**DISARM executes**
Adversary leaked credentials, no key	**admits**	no check: ALLOW_REMOTE_DISARM	**DISARM executes — alarm fires in only 50/300**

Control, identical in both builds

Adversary no credentials	**refuses**	never reached	**connection refused — alarm fires, 300/300**