

```
Cart item:
       @×
       Party Men'S Blazer
       Discount: $-26.10
       $287.09
       Subtotal: $287.09 USD
features/comunityPoll.feature
  @CommunityPoll
 Feature: Community Poll
  Scenario: Verify comunity poll feature on men's clothes page
    Given Open Men's clothes page
    Then Select option 'More colors to choose' from the poll options
       More convenient for shipping and delivery
       Lower Price
       Bigger Choice
       More colors to choose
       Secured Payment
       Money back guaranteed
       0thers
    Then Submit poll
    Then Check if community poll results submitted
       expected: 0
            got: 1
       (compared using ==)
        (RSpec::Expectations::ExpectationNotMetError)
       ./features/step definitions/stepsCommunityPoll.rb:40:in `"Check if community
       features/comunityPoll.feature:8:in `Check if community poll results submited'
```

> of features/filterByPrice.feature > of features/homepageBanner.feature > features/interactImageViewerProduct.feature ✓ ② features/removeFromCart.feature @RemoveFromCart Feature: Remove From Cart Scenario: Test remove from cart functionality in Men's wear page Given Go to mens wear page Then Go to the first product and click on Add to Cart Party Men's Blazer **∅** Item price: **@** \$260.99 @ ---Cart content:---Party Men'S Blazer Discount: \$-26.10 \$287.09 Subtotal: \$287.09 USD Then Go to the second product and click on Add to Cart Analog Watch **∅** Item price: **@** \$160.99 @ ---Cart content:---

```
Party Men'S Blazer
Discount: $-26.10

x
$287.09
Analog Watch
Discount: $-16.10

x
$177.09
Subtotal: $464.18 USD
```

☼ Then Click on the "x" button of the second product in the cart window

```
expected "×\nanalog watch\ndiscount: $-16.10\n×\n$177.09\nsubtotal: $177.09 u
Diff:∏[0m
\square [ Om \square [ Om
[0m][34m@ -1,5 +1,10 @
[0m][32m+\times
∏[0m∏[0m analog watch
[0m][32m+discount: $-16.10]
[0m][32m+\times
||[0m||[32m+$177.09]|
\sqcap[0m\sqcap[32m+subtotal: $177.09 \text{ usd}]
□[0m (RSpec::Expectations::ExpectationNotMetError)
./features/step_definitions/removeFromCart.rb:79:in `"Click on the \"x\" butto
features/removeFromCart.feature:8:in `Click on the "x" button of the second p
Ø Item text:
Analog Watch
@ ---Cart content:---
Analog Watch
Discount: $-16.10
$177.09
Subtotal: $177.09 USD
```

@SortMensWear

Feature: Sort products in men's wear page

@SortAZ

Scenario: Verify if Sort name A-Z is working in men's wear page

- Given Open Men clothes page
- Then Choose Name(A Z) option in the Sort By select

```
expected: ["Analog Watch", "Analog Watch", "Dark Blue Track Pants", "Formal B
    got: ["Party Men's Blazer", "Analog Watch", "Men's Black Jeans", "Running
(compared using ==)
 (RSpec::Expectations::ExpectationNotMetError)
./features/step definitions/stepsSortNameAZ.rb:71:in `"Choose Name\(A - Z) op
features/sortMensWear.feature:7:in `Choose Name(A - Z) option in the Sort By

    sortedNamesInOrder

  [{:name=>"Party Men's Blazer", :x=>97.0, :y=>2131.96875}, {:name=>"Analog W
0 -----
Party Men's Blazer
Analog Watch
Men's Black Jeans
Running Shoes
Reversible Belt
Analog Watch
Dark Blue Track Pants
Round Neck Black T-Shirt
O -----

⊘ sortedNamesAscending:
```

@SortZA

Scenario: Verify if Sort name Z-A is working in men's wear page

- Given Open page men's clothes
- ▼ Then Choose Name(Z A) option in the Sort By select
 - sortedNamesInOrder
 - [{:name=>"Running Shoes", :x=>97.0, :y=>2131.96875}, {:name=>"Round Neck Bl
 - *Q* ----
 - Running Shoes
 - Round Neck Black T-Shirt
 - @ Reversible Belt
 - Party Men's Blazer
 - Party Men's Blazer
 - Men's Black Jeans

 - Dark Blue Track Pants
 - Analog Watch
 - Analog Watch
 - @ ----
 - **⊘** sortedNamesDescending:

@SortPriceAscending

Scenario: Verify if Sort price ascending is working in men's wear page

- Given Open men clothes page
- **Then** Choose Price(Low-High) option in the Sort By select

expected: [30.99, 45.99, 45.99, 60.99, 80.99, 80.99, 160.99, 160.99, 190.99, got: [260.99, 260.99, 190.99, 160.99, 160.99, 80.99, 80.99, 60.99, 45.99]

```
(compared using ==)
 (RSpec::Expectations::ExpectationNotMetError)
./features/step_definitions/stepsSortPriceAscending.rb:72:in `"Choose Price\()
features/sortMensWear.feature:19:in `Choose Price(Low-High) option in the Sor
@ 260.99
@ 160.99
@ 80.99
@ 45.99
@ 45.99
@ 80.99
@ 190.99
@ 60.99
@ 160.99
@ 30.99
@ 260.99

    sortedPricesInOrder

@ [{:price=>260.99, :x=>97.0, :y=>2131.96875}, {:price=>260.99, :x=>336.98437
0 -----
@ 260.99
@ 260.99
@ 190.99
@ 160.99
@ 160.99
@ 80.99
```

```
    № 80.99
    № 60.99
    № 45.99
    № 30.99
    № ------
    ※ sortedPricesAscending:
    № [30.99, 45.99, 45.99, 60.99, 80.99, 80.99, 160.99, 160.99, 190.99, 260.99,
```

@SortPriceDescending

Scenario: Verify if Sort price descending is working in men's wear page

- Given Open men's clothes webpage
- **Then** Choose Price(High-Low) option in the Sort By select

```
expected: [260.99, 260.99, 190.99, 160.99, 160.99, 80.99, 80.99, 60.99, 45.99 got: [30.99, 45.99, 60.99, 80.99, 80.99, 160.99, 160.99, 190.99, (compared using ==) (RSpec::Expectations::ExpectationNotMetError) ./features/step_definitions/stepsSortPriceDescending.rb:70:in `"Choose Price\features/sortMensWear.feature:25:in `Choose Price(High-Low) option in the Sor 260.99

# 160.99

# 45.99

# 45.99

# 190.99
```

| Cucumber |
|--|
| ⊘ 60.99 |
| ⊘ 160.99 |
| ⊘ 30.99 |
| ⊘ 260.99 |
| <pre> sortedPricesInOrder </pre> |
| <pre> [{:price=>30.99, :x=>97.0, :y=>2131.96875}, {:price=>45.99, :x=>336.984375,</pre> |
| @ |
| ⊘ 30.99 |
| ⊘ 45.99 |
| ⊘ 45.99 |
| ⊘ 60.99 |
| ⊘ 80.99 |
| ⊘ 80.99 |
| ② 160.99 |
| ② 160.99 |
| ② 190.99 |
| ② 260.99 |
| ② 260.99 |
| @ |
| <pre> sortedPricesDescending:</pre> |
| ⊘ [260.99, 260.99, 190.99, 160.99, 160.99, 80.99, 80.99, 60.99, 45.99, 45.99, |

> of features/tabsProductPage.feature features/writeProductReview.feature @ProductReviewFunctionality **Feature:** Test write a review in products page **Scenario:** Test feature to write a review in products page form Given Access the products page Then Click on tab Reviews addReview text: ADD A REVIEW Then Write name in the field "Name" (first field) ▼ Then Negative test - write the email without @ in the email field and press enter message: ❷ Please include an '@' in the email address. 'Bad email' is missing an '@'. Then Write the correct email in the field Email (first field) message: Then Write the review in the textarea Then Click on SEND button expected "page not found\nlooks like you've followed a broken link or entered Diff:∏[0m | (0m) (34m@ -1, 4 +1, 7 @) $\sqcap [0m \sqcap [0m \text{ page not found}]$ ∏[0m∏[32m+looks like you've followed a broken link or entered a url that does [0m][32m+back to our site][0m][32m+if this is your site, and you weren't expecting a 404 for this path □[Om (RSpec::Expectations::ExpectationNotMetError) ./features/step_definitions/writeProductReview.rb:118:in `"Click on SEND butto features/writeProductReview.feature:11:in `Click on SEND button'