```
20
        1-STORY 1946 & NEWER ALL STYLES
                1-STORY 1945 & OLDER
        40
                1-STORY W/FINISHED ATTIC ALL AGES
        45
                1-1/2 STORY - UNFINISHED ALL AGES
        50
                1-1/2 STORY FINISHED ALL AGES
        60
                2-STORY 1946 & NEWER
                2-STORY 1945 & OLDER
        70
                2-1/2 STORY ALL AGES
        75
                SPLIT OR MULTI-LEVEL
        80
        85
                SPLIT FOYER
        90
                DUPLEX - ALL STYLES AND AGES
       120
                1-STORY PUD (Planned Unit Development) - 1946 & NEWER
                1-1/2 STORY PUD - ALL AGES
       150
                2-STORY PUD - 1946 & NEWER
       160
       180
                PUD - MULTILEVEL - INCL SPLIT LEV/FOYER
       190
                2 FAMILY CONVERSION - ALL STYLES AND AGES
MSZoning: Identifies the general zoning classification of the sale.
                Agriculture
       Α
       C
                Commercial
       F۷
                Floating Village Residential
       Ι
                Industrial
       RH
                Residential High Density
       RL
                Residential Low Density
       RP
                Residential Low Density Park
                Residential Medium Density
LotFrontage: Linear feet of street connected to property
LotArea: Lot size in square feet
Street: Type of road access to property
       Grvl
                Gravel
       Pave
                Paved
Alley: Type of alley access to property
       Grvl
                Gravel
       Pave
                Paved
       NA
                No alley access
LotShape: General shape of property
                Regular
       Reg
       IR1
                Slightly irregular
                Moderately Irregular
       IR2
       IR3
                Irregular
LandContour: Flatness of the property
                Near Flat/Level
                Banked - Quick and significant rise from street grade to building
       Bnk
       HLS
                Hillside - Significant slope from side to side
       Low
                Depression
Utilities: Type of utilities available
       AllPub
                All public Utilities (E,G,W,& S)
       NoSewr
                Electricity, Gas, and Water (Septic Tank)
                Electricity and Gas Only
       NoSeWa
       EL0
                Electricity only
LotConfig: Lot configuration
```

```
Inside
                Inside lot
       Corner
                Corner lot
       CulDSac Cul-de-sac
       FR2
                Frontage on 2 sides of property
       FR3
                Frontage on 3 sides of property
LandSlope: Slope of property
       Gtl
                Gentle slope
       Mod
                Moderate Slope
       Sev
                Severe Slope
Neighborhood: Physical locations within Ames city limits
       Blmngtn Bloomington Heights
       Blueste Bluestem
       BrDale Briardale
       BrkSide Brookside
       ClearCr Clear Creek
CollgCr College Creek
Crawfor Crawford
       Edwards Edwards
       Gilbert Gilbert
       IDOTRR
                Iowa DOT and Rail Road
       MeadowV Meadow Village
       Mitchel Mitchell
       Names
                North Ames
       NoRidge Northridge
NPkVill Northpark Villa
       NridgHt Northridge Heights
       NWAmes
                Northwest Ames
       OldTown Old Town
       SWISU
                South & West of Iowa State University
       Sawyer
                Sawyer
       SawyerW
                Sawyer West
       Somerst
                Somerset
       StoneBr
                Stone Brook
       Timber
                Timberland
       Veenker Veenker
Condition1: Proximity to various conditions
       Artery
                Adjacent to arterial street
                Adjacent to feeder street
       Feedr
       Norm
                Normal
       RRNn
                Within 200' of North-South Railroad
       RRAn
                Adjacent to North-South Railroad
                Near positive off-site feature--park, greenbelt, etc.
       PosN
                Adjacent to postive off-site feature
       PosA
                Within 200' of East-West Railroad
       RRNe
       RRAe
                Adjacent to East-West Railroad
Condition2: Proximity to various conditions (if more than one is present)
       Artery
                Adjacent to arterial street
       Feedr
                Adjacent to feeder street
       Norm
                Normal
                Within 200' of North-South Railroad
       RRNn
                Adjacent to North-South Railroad
       RRAn
       PosN
                Near positive off-site feature--park, greenbelt, etc.
       PosA
                Adjacent to postive off-site feature
                Within 200' of East-West Railroad
       RRNe
```

Adjacent to East-West Railroad

BldgType: Type of dwelling

RRAe

```
1Fam
                Single-family Detached
       2FmCon
                Two-family Conversion; originally built as one-family dwelling
       Duplx
                Duplex
       TwnhsE
                Townhouse End Unit
       TwnhsI
                Townhouse Inside Unit
HouseStyle: Style of dwelling
       1Story
                One story
       1.5Fin
                One and one-half story: 2nd level finished
       1.5Unf
                One and one-half story: 2nd level unfinished
       2Story
                Two story
                Two and one-half story: 2nd level finished
       2.5Fin
                Two and one-half story: 2nd level unfinished
       2.5Unf
       SFoyer
                Split Foyer
       SLvl
                Split Level
OverallQual: Rates the overall material and finish of the house
       10
                Very Excellent
                Excellent
       9
       8
                Very Good
       7
                Good
       6
                Above Average
       5
                Average
       4
                Below Average
       3
                Fair
       2
                Poor
       1
                Very Poor
OverallCond: Rates the overall condition of the house
       10
                Very Excellent
       9
                Excellent
       8
                Very Good
       7
                Good
       6
                Above Average
       5
                Average
       4
                Below Average
       3
                Fair
       2
                Poor
                Very Poor
YearBuilt: Original construction date
YearRemodAdd: Remodel date (same as construction date if no remodeling or additions)
RoofStyle: Type of roof
       Flat
                Flat
       Gable
                Gable
       Gambrel Gabrel (Barn)
       Hip
                Hip
       Mansard Mansard
       Shed
                Shed
RoofMatl: Roof material
       ClyTile Clay or Tile
       CompShg Standard (Composite) Shingle
       Membran Membrane
       Metal
                Metal
       Roll
                Roll
       Tar&Grv Gravel & Tar
       WdShake Wood Shakes
WdShngl Wood Shingles
```

Exterior1st: Exterior covering on house

AsbShng Asbestos Shingles AsphShn Asphalt Shingles BrkComm Brick Common BrkFace Brick Face CBlock Cinder Block CemntBd Cement Board HdBoard Hard Board ImStucc Imitation Stucco MetalSd Metal Siding

0ther 0ther Plywood Plywood PreCast PreCast Stone Stone Stucco Stucco VinylSd Vinyl Siding Wd Sdng Wood Siding WdShing Wood Shingles

Exterior2nd: Exterior covering on house (if more than one material)

AsbShng Asbestos Shingles AsphShn Asphalt Shingles BrkComm Brick Common BrkFace Brick Face Cinder Block CBlock CemntBd Cement Board HdBoard Hard Board ImStucc Imitation Stucco

MetalSd Metal Siding

Other 0ther Plywood Plywood PreCast PreCast Stone Stone Stucco Stucco VinylSd Vinyl Siding

Wd Sdng Wood Siding WdShing Wood Shingles

MasVnrType: Masonry veneer type

BrkCmn Brick Common BrkFace Brick Face CBlock Cinder Block

None None Stone Stone

MasVnrArea: Masonry veneer area in square feet

ExterQual: Evaluates the quality of the material on the exterior

Ex Excellent Gd Good

TA Average/Typical

Fair Fa Po Poor

ExterCond: Evaluates the present condition of the material on the exterior

Ex Excellent Gd Good

Average/Typical TA

Fa Fair Pο Poor Foundation: Type of foundation

BrkTil Brick & Tile CBlock Cinder Block PConc Poured Contrete

Slab Slab Stone Stone Wood Wood

BsmtQual: Evaluates the height of the basement

Ex Excellent (100+ inches)
Gd Good (90-99 inches)
TA Typical (80-89 inches)
Fa Fair (70-79 inches)
Po Poor (<70 inches
NA No Basement

BsmtCond: Evaluates the general condition of the basement

Ex Excellent Gd Good

TA Typical - slight dampness allowed

Fair - dampness or some cracking or settling Po Poor - Severe cracking, settling, or wetness

NA No Basement

BsmtExposure: Refers to walkout or garden level walls

Gd Good Exposure

Av Average Exposure (split levels or foyers typically score average or

above)

Mn Mimimum Exposure No No Exposure NA No Basement

BsmtFinType1: Rating of basement finished area

GLQ Good Living Quarters ALQ Average Living Quarters

BLQ Below Average Living Quarters

Rec Average Rec Room LwQ Low Quality Unf Unfinshed NA No Basement

BsmtFinSF1: Type 1 finished square feet

BsmtFinType2: Rating of basement finished area (if multiple types)

GLQ Good Living Quarters
ALQ Average Living Quarters
BLQ Below Average Living Quarters

Rec Average Rec Room LwQ Low Quality Unf Unfinshed NA No Basement

BsmtFinSF2: Type 2 finished square feet

 ${\tt BsmtUnfSF:\ Unfinished\ square\ feet\ of\ basement\ area}$

TotalBsmtSF: Total square feet of basement area

Heating: Type of heating

Floor Floor Furnace

GasA Gas forced warm air furnace GasW Gas hot water or steam heat

Grav Gravity furnace

OthW Hot water or steam heat other than gas

Wall Wall furnace

HeatingQC: Heating quality and condition

Ex Excellent Gd Good

TA Average/Typical

Fa Fair Po Poor

CentralAir: Central air conditioning

N No Y Yes

Electrical: Electrical system

SBrkr Standard Circuit Breakers & Romex

FuseA Fuse Box over 60 AMP and all Romex wiring (Average)
FuseF 60 AMP Fuse Box and mostly Romex wiring (Fair)

FuseP 60 AMP Fuse Box and mostly knob & tube wiring (poor)

Mix Mixed

1stFlrSF: First Floor square feet

2ndFlrSF: Second floor square feet

LowQualFinSF: Low quality finished square feet (all floors)

GrLivArea: Above grade (ground) living area square feet

BsmtFullBath: Basement full bathrooms

BsmtHalfBath: Basement half bathrooms

FullBath: Full bathrooms above grade

HalfBath: Half baths above grade

Bedroom: Bedrooms above grade (does NOT include basement bedrooms)

Kitchen: Kitchens above grade

KitchenQual: Kitchen quality

Ex Excellent

Gd Good

TA Typical/Average

Fa Fair Po Poor

TotRmsAbvGrd: Total rooms above grade (does not include bathrooms)

Functional: Home functionality (Assume typical unless deductions are warranted)

Typ Typical Functionality
Min1 Minor Deductions 1
Min2 Minor Deductions 2
Mod Moderate Deductions
Maj1 Major Deductions 1

Mai2 Major Deductions 2 Severely Damaged Sev Sal Salvage only

Fireplaces: Number of fireplaces

FireplaceQu: Fireplace quality

Excellent - Exceptional Masonry Fireplace Ex Good - Masonry Fireplace in main level Gd

TA Average - Prefabricated Fireplace in main living area or Masonry

Fireplace in basement

Fair - Prefabricated Fireplace in basement Poor - Ben Franklin Stove Fa

Po

No Fireplace NA

GarageType: Garage location

2Types More than one type of garage

Attchd Attached to home Basment Basement Garage

BuiltIn Built-In (Garage part of house - typically has room above garage)

CarPort Car Port

Detchd Detached from home

No Garage NA

GarageYrBlt: Year garage was built

GarageFinish: Interior finish of the garage

Fin Finished Rough Finished RFn Unf Unfinished No Garage

GarageCars: Size of garage in car capacity

GarageArea: Size of garage in square feet

GarageQual: Garage quality

Ex Excellent Gd Good

TA Typical/Average

Fa Fair Po Poor NA No Garage

GarageCond: Garage condition

Ex Excellent Gd Good

TΑ Typical/Average

Fa Fair Poor Po NA No Garage

PavedDrive: Paved driveway

Υ Paved

Ρ Partial Pavement Dirt/Gravel

WoodDeckSF: Wood deck area in square feet

OpenPorchSF: Open porch area in square feet

EnclosedPorch: Enclosed porch area in square feet

3SsnPorch: Three season porch area in square feet

ScreenPorch: Screen porch area in square feet

PoolArea: Pool area in square feet

PoolQC: Pool quality

Ex Excellent Gd Good

TA Average/Typical

Fa Fair NA No Pool

Fence: Fence quality

GdPrv Good Privacy MnPrv Minimum Privacy GdWo Good Wood

MnWw Minimum Wood/Wire

NA No Fence

MiscFeature: Miscellaneous feature not covered in other categories

Elev Elevator

Gar2 2nd Garage (if not described in garage section)

Othr Other

Shed Shed (over 100 SF)

TenC Tennis Court

NA None

MiscVal: \$Value of miscellaneous feature

MoSold: Month Sold (MM)

YrSold: Year Sold (YYYY)

SaleType: Type of sale

WD Warranty Deed - Conventional

CWD Warranty Deed - Cash VWD Warranty Deed - VA Loan

New Home just constructed and sold

COD Court Officer Deed/Estate

Con Contract 15% Down payment regular terms
ConLw Contract Low Down payment and low interest

ConLI Contract Low Interest
ConLD Contract Low Down

ConLD Contract Low Down Oth Other

otii otiiei

SaleCondition: Condition of sale

Normal Normal Sale

Abnorml Abnormal Sale - trade, foreclosure, short sale

AdjLand Adjoining Land Purchase

Alloca Allocation - two linked properties with separate deeds, typically condo

with a garage unit

Family Sale between family members

Partial Home was not completed when last assessed (associated with New Homes)