

Nuxt

Nuxt on javascripti raamistik, mis on mõeldud frontend rakenduste loomiseks. See on ehitatud Vue.js peale.

Nuxt dokumentatsioon on saadaval aadressil: <https://nuxt.com/>

Projekti loomine

Javascripti pakettide haldamiseks kasutame pnpm-i. Võrreldes npm-ga hoiab pnpm kettal ruumi kokku, sest see taaskasutab samu pakettide faile, kui neid kasutatakse erinevates projektides sama arvuti peal.

Ettevalmistava tegevusena on kloonitud arvutisse gitlabi projekti repositoorium, mille lõime esialgu User Story-de jaoks, kuid nüüd hakkame seal hoidma ka rakenduste koodi. Esialgu on repostoorium tühi. Pärast kloonimist peaks tekkima arvutisse näidisprojekti puhul kataloog **itb2203-2025-workout-app** sinna kataloogi kuhu kloonisite.

Esialgne projekti loomine toimub käsurealt

1. Ava käsuri sobivas kaustas kuhu soovid projekti luua. Antud juhendis näidisrakenduse puhul C:\projektid\hajusrakendused\repos\itb2203-2025-workout-app, aga enda projekti puhul valige kataloog, mis tekkis teie projekti kloonimisel.
2. Nuxti projekti loomiseks käivitada käsurealt järgmine käsk:
npx nuxi@latest init FrontEnd

```
Microsoft Windows [Version 10.0.19045.6332]
(c) Microsoft Corporation. Kõik õigused on reserveeritud.


C:\projektid\hajusrakendused\repos\itb2203-2025-workout-app>npx nuxi@latest init FrontEnd

  .d$b.
  i$$$A$$L .d$b
  .$$$F` `$$L. $$$A$$
  j$$$` `4$$:` `$$
  j$$$` .4$:` `$$
  j$$$` .$$:` `4$L
  :$$:_____d$$:_____:$$:
  `4$$$$$$$P` .i$$$$$$$P`

i Welcome to Nuxt!
i Creating a new project in FrontEnd.
undefined
✓ Which package manager would you like to use?
undefined pnpm
o Installing dependencies...
(node:37812) [DEP0169] DeprecationWarning: `url.parse()` behavior is not standardized and prone to errors that have security implications. Use the WHATWG URL API instead. CVEs are not issued for `url.parse()` vulnerabilities.
(Use `node --trace-deprecation ...` to show where the warning was created)
WARN 1 deprecated subdependencies found: @types/parse-path@7.1.0
Packages: +555
Progress: resolved 661, reused 561, downloaded 0, added 555, done

> nuxt-app@ postinstall C:\projektid\hajusrakendused\repos\itb2203-2025-workout-app\FrontEnd
> nuxt prepare
```

- Projekti loomise käiguv saab kohe lisada ametlikke lisamooduleid. Näidises on valitud kõik (valida saab tühiku klahviga), aga minimaalselt on vaja valida **@nuxt/ui**



```
Done in 20.3s
✓ Installation completed.
undefined
✓ Initialize git repository?
undefined No
undefined
✓ Would you like to install any of the official modules?
undefined Yes

[nuxi 16:39:07] WARN Could not read template dependencies: Error [ERR_UNSUPPORTED_ESM_URL_SCHEME]: Only URLs with a scheme in: file, data, and node are supported by the default ESM loader. On Windows, absolute paths must be valid file:// URLs. Received protocol 'c:'

undefined
✓ Pick the modules to install:
undefined @nuxt/content - The file-based CMS with support for Markdown, YAML, JSON, @nuxt/eslint - Project-aware, easy-to-use, extensible and future-proof ESLint integration, @nuxt/fonts - Add custom web fonts with performance in mind, @nuxt/icon - Icon module for Nuxt with 200,000+ ready to use icons from Iconify, @nuxt/image - Add images with progressive processing, lazy-loading, resizing and providers support, @nuxt/scripts - Add 3rd-party scripts without sacrificing performance, @nuxt/test-utils - Test utilities for Nuxt, @nuxt/ui - The Intuitive UI Library powered by Reka UI and Tailwind CSS
[nuxi 16:44:20] i The following modules are already included as dependencies of another module and will not be installed: @nuxt/fonts, @nuxt/icon
[nuxi 16:44:22] i Resolved @nuxt/content, @nuxt/eslint, @nuxt/image, @nuxt/scripts, @nuxt/test-utils, @nuxt/ui, adding modules...
[nuxi 16:44:22] i Installing @nuxt/content@3.7.1, @nuxt/eslint@1.9.0, @nuxt/image@1.11.0, @nuxt/scripts@0.11.13, @nuxt/test-utils@3.19.2, @nuxt/ui@3.3.4 as dependencies
(node:39872) [DEP0169] DeprecationWarning: `url.parse()` behavior is not standardized and prone to errors that have security implications. Use the WHATWG URL API instead. CVEs are not issued for `url.parse()` vulnerabilities.
```

- Neid mooduleid saab hiljem ka lisada. Selleks tuleb minna käsuraal loodud projekti kausta:
cd FrontEnd
- Lisame Nuxt UI (seda pole vaja uuesti lisada, kui valisid projekti loomisel selle) mooduli valmis graafiliste komponentide jaoks (see lisab ka tailwind.css-i kujunduse jaoks):
npx nuxi@latest module add ui
- Lisame Pinia mooduli Nuxt-i olekute haldamiseks. Seda projekti loomisel valikus olnud ja peame igal juhul ise käsuraalt lisama:
npx nuxi@latest module add pinia

```
C:\Windows\System32\cmd.exe

C:\projektid\hajusrakendused\repos\itb2203-2025-workout-app>cd FrontEnd

C:\projektid\hajusrakendused\repos\itb2203-2025-workout-app\FrontEnd>npx nuxi@latest module add pinia
i Resolved @pinia/nuxt, adding module... nuxi 16:58:52
i Installing @pinia/nuxt@0.11.2 as a dependency nuxi 16:58:52
(node:47360) [DEP0169] DeprecationWarning: `url.parse()` behavior is not standardized and prone to errors that have security implications. Use the WHATWG URL API instead. CVEs are not issued for `url.parse()` vulnerabilities.
(Use `node --trace-deprecation ...` to show where the warning was created)
WARN 1 deprecated subdependencies found: @types/parse-path@7.1.0
Packages: +3
+++
Progress: resolved 1172, reused 1031, downloaded 3, added 3, done

dependencies:
+ @nuxt/content 3.7.1
+ @nuxt/eslint 1.9.0
+ @nuxt/image 1.11.0
+ @nuxt/scripts 0.11.13
+ @nuxt/test-utils 3.19.2
+ @nuxt/ui 3.3.4
+ @pinia/nuxt 0.11.2
+ @unhead/vue 2.0.17
+ better-sqlite3 12.2.0
+ eslint 9.36.0
+ nuxt 4.1.2
+ typescript 5.9.2
+ vue 3.5.21
+ vue-router 4.5.1
```

7. Edasi on lihtsam töötada VSCode-s oleva terminaliga. Selleks avame kõigepealt VSCode-i: **code .**

```
Select C:\Windows\System32\cmd.exe

C:\projektid\hajusrakendused\repos\itb2203-2025-workout-app\FrontEnd>code .

C:\projektid\hajusrakendused\repos\itb2203-2025-workout-app\FrontEnd>
```

8. VSCode-s avame terminali akna ja käivitame rakenduse järgmise käsuga:

pnpm dev

```
OUTPUT  TERMINAL  PORTS  GITLENS  NUGET  DEBUG CONSOLE  PROBLEMS  esbuild  v

PS C:\projektid\hajusrakendused\repos\itb2203-2025-workout-app\FrontEnd> pnpm dev

> nuxt-app@ dev C:\projektid\hajusrakendused\repos\itb2203-2025-workout-app\FrontEnd
> nuxt dev

Nuxt 4.1.2 with Nitro 2.12.6

→ Local:   http://localhost:3000/
→ Network:  use --host to expose
```

9. Kopeerime käsu väljundist aadressi ja avame selle brauseris

10. Arendusserveri seisma jätmiseks terminali aknas Ctrl + C