



Lesson 2 - Basic CSS

This lesson will help you style your first HTML page from using basic CSS.

CSS

CSS stands for Cascading Style Sheets. Styles can be created for HTML tags quickly to make your web pages look great.

Example 1 - inline CSS style for a specific paragraph tag

`<p style="font-family: cursive;">`This is a paragraph tag that has been modified using an inline CSS style, to set the font to cursive.`</p>`

Example 2 - internal CSS for all h1 heading tags

```
<style>
  h1 {
    color: blue;
  }
</style>
```

Example 3 - internal CSS for a specific tag with matching id, use # + id to specify styles

```
<style>
  #square {
    List-style-type: square;
    color: red;
  }
</style>
```

```
<ol id="square"><li>Thor</li><li>Hulk</li></ol>
```

Final product

Your final product will be a stylish rankings page for a theme of your choice. You must include use inline and internal CSS styles (on tags and ids).

Best Marvel Super-heroes

My favourite is Thor, the god of thunder. This character has his origin in ancient Norse mythology.



Top 5 list

- a. Thor
- b. Spidey
- c. Hulk
- d. Wolverine
- e. Conan

font-family: fantasy

list-style-type: lower-alpha

padding-left: 15px

Tutorial

Use the Finder application to copy your myhtml.html (from the last lesson) and rename it mycss.html.

Steps:

1. Use the Finder Application to copy myhtml.html in your **myweb** folder to mycss.html
2. Open your HTML editor
3. File > Open to edit your new file mycss.html
4. Follow tutorial: https://www.w3schools.com/html/html_css.asp to make edits

