

PRD: JOB Card Creation & Assignment

Objective: The Job Card System will be used to digitally create, manage, and track all maintenance and repair tasks for individual buses that arrive at either NaArNi Authorized Service Centers or customer depots.

Problem Statement: Below to be solved from the same.

1. Manual Job cards are not efficient and analytical.
2. Vehicle repair history remains untraceable.
3. TAT timelines not able to be tracked for serving or fixing a vehicle.
4. Inventory consumption is non trackable.
5. No analytical clarity on what has been done.
6. Type of JOBs are not monitored ex: PMS/Breakdown/Software Update/Repair
7. Job card approval and accountability with respect to Service engineer/depot manager/technician.
8. No clarity what feedback is given by the drivers or customer vs what are the issues identified by our team & their fixes.

Users: Below will be the users for the tools given their access control will be applicable

User Role	Primary Responsibilities	System Access
Depot Manager	Managing, assigning, and tracking job cards; inventory allocation	Create/Edit job cards, assign technicians, approve jobs, allocate inventory
Service Engineer	Create job cards based on vehicle inspection and customer feedback	Create/update job cards, request inventory, close & reopen the job cards
Technician	Execute repair tasks and add newly discovered issues	Update repair progress, add repair tasks, request inventory
Central Ops Team	Monitor open jobs, TAT, and inventory usage across depots	Dashboard visibility, analytics, reporting
Customer	To Track the progress of the job card, Rate the job	To Track the work progress of the job card, Reopen the JOB Card, leaves feedback on the job performed

Job Card Type:

Sr	Particular	Application
1	PMS + Repair	For the regular maintenance defined at intervals, with solving any other complaints raised by the driver/customer
2	Only Repair (Vehicle Operational)	Any specific service issue/repair with parts/accident repair
3	Software Update	Updating the latest release regarding the software or the firmware for the components
4	Breakdown (Vehicle not operational)	Any Accident/breakdown resulting in vehicle not starting

Job Card States:-

All job cards follow a defined set of states. Every state transition must be logged with a timestamp and user.

Job Card States — All Job Card Types (Except Software Update)
Open → WIP → Awaiting Customer Approval → Awaiting Parts → Parts Fitted → Closure from Technician → Verification Pending (SE Review) → Closure from SE
Side States: Force Closed Reopened (loops back to In Progress)
Note:1) Breakdown cards skip 'Awaiting Customer Approval' for critical parts under emergency 2) For all the breakdown job cards, end verification has to be done, after-sales engineer or vehicle engineer 3) Any Parts replacement or consumables used have to follow the repair Job Card format

Notifications & Alerting

Notifications are delivered via In-App, Push Notification, and SMS. Email is reserved for reports and approvals only.

Trigger Event	Notified to	Channel	SLA / Note
Job card created	Depot Manager, Technician (if assigned)		Immediate
Customer approval request sent	Customer		Immediate; auto-escalate to N. Maint. Head after 30 Mins
Customer approves/rejects	SE, Depot Manager		Immediate
Parts allocated to job card	SE, Technician		Immediate
Job approaching TAT breach (80% time elapsed)	Depot Manager, Central Ops, N. Maintenance Head		Auto-triggered
TAT breached	Central Ops, Depot Manager, SE, N. Maintenance Head		Immediate escalation
Job card closed by Technician	SE, Depot Manager, Central Ops		Immediate — triggers SE verification
Job card verified & closed by SE	Depot Manager, Central Ops, N. Maintenance Head		Immediate
Job card reopened	Depot Manager, Central Ops		Immediate
Breakdown declared	Central Ops, Depot Manager, SE, N. Maintenance Head		Immediate — highest priority
Remote resolution failed (30 min elapsed)	SE, Central Ops, N. Maintenance Head		System-triggered at 30 min mark
Feedback request post-closure	Customer, Driver		Sent XX hrs after card closed

TAT Definitions & SLAs

TAT tracking begins from the moment a job card reaches 'Open' state. Breach of SLA triggers escalation notifications. All SLAs are configurable per customer contract.

Job Card Type	Target TAT	Escalation Trigger	Escalation Path
PMS + Repair	4 hours	At XX% elapsed	Central Ops → Depot Manager
Only Repair (Regular)	4 hours	At 80% elapsed	Central Ops → Depot Manager
Only Repair (Accidental - Major)	24 hours	At 80% elapsed	SE → Aftersales Eng.
Software Update	3 hours	At 80% elapsed	SE → Depot Manager
Breakdown (Remote resolution)	30 minutes	At 30 min — system auto-flags	SE → Central Ops & Aftersales Eng.
Breakdown (On-site resolution)	XX hours from arrival	At XX hours from arrival	Central Ops → Aftersales Eng.
Customer Approval Response	30 Mins	At 30 Mins — escalated to N. Maint. Head	N. Maintenance Head

Audit Trail & Edit Permissions

Action	Who Can Do It	Logged?	Notes
Edit job card (Open state)	SE, Depot Manager	Yes	All changes timestamped with user
Edit job card (In Progress)	SE only	Yes	Technician cannot edit header fields
Edit job card (Closed)	Depot Manager only	Yes	Requires reason for edit; Central Ops notified
Reopen closed card	Customer & Central Ops	Yes	Previous closure record retained
Force close an issue	SE (Minor/Major), DM (Critical)	Yes	Reason mandatory
Delete a job card	Not permitted	N/A	Cards can only be voided with reason; never deleted

Inventory Request and Allocation Flow

The requesting and physically allocating parts must be tracked as below

Sr	Input From	Flow / Action
1	Tech / SE	Identifies parts needed → raises Inventory Request within job card (part name, quantity, urgency).
2	System	Request sent to Depot Manager with job card no., vehicle no., and other related infos
3	Depot Manager	Checks stock. If available: allocates parts on job card — status changes to 'Parts Allocated.' If not available: initiates procurement.
4	Depot Manager	On physical handover of parts to technician: Depot Manager (or storekeeper) marks 'Parts Issued' — this is a separate confirmation from 'Parts Allocated.'
5	Technician/Service Engineer	Acknowledges receipt in the app. Parts are now locked to this job card.

1. PMS + Repair

This is applicable whenever bus comes for the maintenance-related service which is as per the defined interval in the owner's manual. Below are two types of activity that can be done.

- a. PMS
- b. Repair (If Applicable)

For the PMS system shall auto select the service level check sheet A, B or C and applicable KMs basis on the odometer reading.

1.A In Phase 1: -

Sr	Input From	Flow
1	SE	Service Engineer Clicks on the Create Job Card and selects the option Job Card type: 1) PMS + Repair 2) Repair 3) Software Update 4) Breakdown
2	SE	Service engineer gets a form popped up with below details Location: Depot Location (Manual) Job Card Number : (Customer Code-Location Code - Date - Serial Number)- Auto Vehicle Number: Filtered, searchable list with vehicle number Customer Name: Autofill odometer Reading: Auto Fill from Photo Service Type: Select from PMS/Breakdown/Software Update/Repair Check sheet: Opens based on the KMs based Date: Auto fill (Non Editable) Start Time: Auto fill (Non Editable) End Time: Auto Fill from point 14 OEM: Azad/Nairn autofill Service Contract: Auto selection based on customer name. PMS Tolerance Level: If the PMS+Repair is selected, it shall auto-populate the PMS Tolerance level.
3	SE	Assigning the Job card for checking: - Technician Name or Self
4	SE	SE Ensures the checklist is correct or selects the correct inspection check sheet.
5	SE	SE talks to customer/driver about the issues whatever the driver is facing: - and records the list system wise
6	Technician	Technician begins with the inspection with respect to the PMS check sheet defined as per 20K, 40K or 80K. Refer excel grids for the same.
7	SE+ Technician	For all the points where visual and function inspection required, technician will select Okay or Not Okay.
8		Wherever there are no issues- auto skip photo/videos while there is issue- selects not okay and photo or video to be uploaded as: - pre repair photo /video.

		Based on the score the Pre-PMS of the vehicle shall be calculated, refer to section Score Calculation Method. This scoring is for reports, not for SE usage.
9		Wherever maintenance consumables to be replaced shall be auto selected as “not okay”.
10		Now 2 tables at the last shall pop up, which will talk about the repair Job & Maintenance Job
11		Regarding Repair Job List- The flow shall be selected for the every repair job for the part group level from defined list, with selecting type of the activity a) Only Repair b) Spare replacement c)Both 1) Wherever the denting work is needed and parts will not get consumed:- shall be marked as labor repair for the referred particular part group. 2) Wherever the part is supposed to be changed:- it shall lookup the inventory from the application and assign the quantity. (If the value of the material is getting replaced higher than 1k, it shall not allow to allocate until approval is not obtained from the customer. which shall also happen via the application itself.) 3) Once job is finished the technician shall upload a post-repair photo or video. 4) Incase customer doesn't approve the part for the repair: - Populate for the group repair estimate rejected by the customer.
12		Regarding the Maintenance Job List- The flow for the oil/grease and coolant ask for the top-up or replacement For the replacement of the oil/coolant- 1) ask for the photo / video of the drained oil/coolant 2) ask for the photo / video of the new oil/coolant which is going to be put with the volume to be filled there For the Cleaning/Replacement of the Filter 1) Ask for the pre cleaning/replacement photo 2) Ask for the post cleaned/replacement photo Any inventory required here:- SE shall look for the inventory and request for assigning the same shall go the depot with job card number, type, vehicle number.
13	SE+Technician	In case any issue stays unresolved, it shall be marked as force closed or open as per the severity
14	Technician	Marks the job card as closed

15	Service Engineer	Job Card gets assigned to the Service Engineer: - Service Engineer inspects the job and marks as verified by Service Engineer. SE then marks job as closed, the time when job marked as closed: - shall counted as the completion time. If SE finds any issues: He can re-open the Job for the selected or new issue(s) and assign technician for the same. & restart Flow from the 6 begins again. Once Service Engineer approves closure , the Score for the Post PMS Health is generated, with the summary & create Health card of the vehicle, Refer section Score Calculation for the Same.
16	Central Ops & Depot Manager	Gets the JOB card as pdf format with all the pre-post and all the job that is being done, as per defined flow above.
17	Depot Manager	Approves the Job card-based report, 1) Detailed Report goes to the After-sales Engineer. 2) Summary Health Card goes to the customer, with the Parts , Lubes & consumables along with labourers' jobs being mentioned at the last.

Force Close & Severity Matrix

When any issue cannot be resolved at the time of job card closure due to inventory not being available or issues get auto-resolved, it must be categorized using the following matrix:

Severity	Definition	Force Close Authority	Follow-up Required
Critical	Bus is non-operational or a safety risk	N. Maintenance Head	Within 24 hours — new job card auto-created with Attention to Aftersales Engineer
Major	Bus is operational but with significant issue	N. Depot Manager approval mandatory/Aftersales Engineer Approval Mandatory	Within 24 hours
Minor	Cosmetic Issue or Minor Functional Issue	SE can force close independently	At next scheduled PMS

1.B Score Calculation Method:

The vehicle health score shall be calculated based on technician inputs captured in the PMS job card. For each component under all categories, the technician shall select one of the following statuses:

- a) Good
- b) Repair/Replace Recommended
- c) Repair/Replace Immediately

Each status shall be mapped to the score as follows:

- Good → 10
- Repair/Replace Recommended → 5
- Repair/Replace Immediately → 0

PRE-PMS Score:

- **Category Score Calculation** For the each category, the score shall be calculated based on all component scores within that category.
- **Category Score (%) = (Sum of Component Scores / Maximum Possible Score) × 100**
Where: Maximum Possible Score = (Number of Components × 10)
- **Vehicle Health Score**
The overall vehicle health score shall be calculated as the average of all category scores.
- **Vehicle Health Score (%) = (Sum of Category Scores / Total Number of Categories)**

Post-PMS Score Update:

After completion of PMS and/or repair activities, the technician shall update the status of each component. The system shall recalculate component scores based on updated inputs. Updated Category Scores and Vehicle Health Score (Post-PMS) shall be automatically computed.

Improvement Calculation

Improvement (%) = ((Post-PMS Score – Pre-PMS Score) / Pre-PMS Score) × 100

System Behavior

- All calculations shall be performed automatically by the system.
- Scores shall be updated in real-time upon status modification.
- Pre-PMS and Post-PMS scores shall be stored separately for comparison.

Reporting & Data Extraction:

1. Sample Job Card Customer Report-

https://credsnaarni-my.sharepoint.com/personal/varun_tomar_naarni_in1/Documents/Project%20Wolverine/PRD/Sample%20PMS%20Report-1.pdf

2. Job Card for the Technician & Service Engineer-

The Job Card shall be auto-populated from the details in Table 1, as per 2nd point.

Additionally Added with:- https://credsnaarni-my.sharepoint.com/personal/varun_tomar_naarni_in1/Documents/Project%20Wolverine/PRD/Flow%20PMS.xlsx

Expected Checksheet as per defined schedule of the interval for the service.

This will have the option to record the VOC (voice of the customer) at the subsystem component level and will be populated in the Job card along with other shared details, such as labor usage, spare parts replaced, and maintenance consumables used.

1.C In Phase 2: -

Sr	Related to	Particular
1	Inspection	Way to mark severe issues with respect to subsystem or component-level inspection
2	Customer Experience	Way to send links to the customer for the live tracking of the job card
3	Better Solutioning	Possibility to include the tickets from the SE/customer/Driver in case they remain open until the PMS for the vehicle as part of the job card for the vehicle
4	Customer Experience	Option to select what all to be shared with the customer by the depot manager/central ops as part of the PMS report
5	Customer Experience	Option to generate an invoice from the job card
6	Better Diagnosis	Would like to add a diagnosis layer for any failure, repair, live data from our can tools
7	NPS	After completion of the job card: - feedback from the driver & customer ops
8	TAT Adherence	Calculation of the time taken in completion of each job or inspection, replacements
9	Better Solutioning	Any issues that were repeated in previous activities as well for the same bus
10	Vendor Job Management	3rd-party vendor allocation for the issue resolution, and they shall be able to work on the job card
11	Customer Experience	Live Job Cards auto status update ex: inspection completed, parts assigned, repair WIP, awaiting approval from the customer end etc
12	Procurement	Order parts to the central procurement team if not available immediately
13	Better Solutioning	Remote troubleshoot support from central ops
14	Better Scoring	Every Category level pre-defined ideal values & assigning score behalof of that
15	Better Scoring	Component & Issue Severity level score weightage method for the calculation of the category & vehicle score.
16	TAT & Accuracy Improvement	AI Based damage level identification of the issue for all the categories

2. Only Repair

This applies whenever any vehicle is involved in an accident or requires repairs to fix part(s) that is deformed or no longer functional with respect to normal operations.

Here are two types of the repair possible

- Accidental Repair (Major)- Any event which makes the vehicle non functional and deshapes the component system or the part.
- Regular Repair- Any event which makes the component fails which may or may not make bus non-functional.

Flow for the Repair:

Phase 1

Sr	Input From	Flow
1	SE	Service Engineer Clicks on the Create Job Card and selects the option Job Card type: 1) PMS + Repair 2) Repair 3) Software Update 4) Breakdown
2	SE	Service engineer gets a form popped up with below details Location: Depot Location (Manual) Job Card Number : (Customer Code-Location Code - Date - Serial Number)- Auto Vehicle Number: Filtered, searchable list with vehicle number Chassis Number: Upload Photo of VIN Plate Customer Name: Autofill odometer Reading: Auto Fill from Photo Service Type: Select from PMS/Breakdown/Software Update/ Repair Selects Subsystem: Mutli select option to choose from subsystem which got damaged or need a repair Date: Auto fill (Non Editable) Start Time: Auto fill (Non Editable) End Time: Auto Fill from point 14 OEM: Azad/NaArNi autofill Service Contract: Auto selection based on customer name.
3	SE	Selection of the Inspection POC:- Technician Name or Self
4	SE	NA
5	SE	SE talks to customer/driver for the issues whatever the driver is facing :- and records the list group wise (defined in Category-Groups)
6	Technician	Technician selects Group(s) from the dropdown for selecting repair
7	SE+ Technician	a) Technician selects what all the parts defined under the groups to be changed/repaired/refurbished during the activity, with the quantity. b) Technician shall also take the photo of the assessment which is being done. Have option to circle or mark, which can help to identify what is broken . c) The system shall work on the inventory look up, which will inform internal teams if the part is available in the stock or not, or needs procurement with the quantity. (Shall not to be visible to customer)

8	Post selection of the parts, two lists shall pop up 1) Parts to be replaced (For each part there shall be an option of replace or repair) with the quantity & photo. 2) Labour Applicable
9	A link will be generated for job card for the review of the customer and N.Maintenance Head.
10	Customer is supposed to accept the damage assessment . By tick mark or some approve button. In case customer rejects, customer shall be able to provide feedback for the rejection on the part level and job card level. Incase customer is non responsive, N. Maintenance Head can take a call over acceptance of the damage. The Maintenance Head can get approval request from the Depot manager in this case.
11	When the approval comes Depot manager gets notified to assign parts whatever in stock, remaining non stock parts procurement begins if the procurement possible through local purchase proceed for it with the required approval. As inventory received, refresh inventory on the job card and allocate parts

12		Technician fits the parts in the bus and takes photo for each replacement or repaired portion. Ensures everything is working fine & marks job as closed at his end.
13	SE+Technician	In case any issue which remains unresolved, shall be marked as force closed or open as per the severity
14	Technician	Marks job card as closed
15	Service Engineer	Job Card gets assigned to the Service Engineer:- Service Engineer inspects the job and marks as verified by Service Engineer. SE then marks job as closed, the time when job marked as closed :- shall counted as the completion time. If SE finds any issues: He can re-open the Job for the selected or new issue(s) and assign technician for the same. Flow from the 6 begins again
16	Central Ops & Depot Manager	Gets the report as pdf format with all the pre-post and all the job that are being done
17	Depot Manager	Approves the JOB cards report which gets send to the customer for their records.

Reporting

1. Sample Repair Report for customer:-
https://credsnaarni-my.sharepoint.com/personal/varun_tomar_naarni_in1/Documents/Project%20Wolverine/PRD/Repair%20Report.pdf
2. Sample Job Card report for Naarni team:- Similar to the Referred for the PMS report.

Phase 2:

Sr	Particular
1	Flow for the can fault code from the odometer
2	Internal LLM based , suggestions for the diagnosis of the issue
3	Suggestion for the replacement of the part based on our internal LLM & AI based image processing.
4	Adding Category based exploded diagram, allowing to interactive select options for the parts. Ex Group:- Brake System, exploded view of the brakes which has rotor, pad, caliper, piston, cylinders. POC shall be able select the repair or replaceable part & uploads photo. Or POC uploads photo, AI automatically detects the group for the particular part.
5	Repair based score tracking on the group
6	Lifetime score of any part group, Current Score and Score after fixing the group
7	DIY AI Based repair for the customer and naarni service team
8	Option to order parts from the Naarni depot.
9	Option to talk to support team during the issue over video call/ chat/ ticket management
10	Option to mark if the issue is due factory level
11	Option to mark and notify other depots to check any specific issue, with entire work done to resolve the same.
12	Option to determine If warranty is applicable or not for the part.
13	Option to raise warranty from the job card (only to be raised by service team to aftersales team)
14	Checking warranty remaining for any part or group

3. Software Update:-

Would be applicable whenever there is any periodic release, performance improvement release or fixing an emergency issue.

Phase 1		
Sr	Input From	Flow
1	SE	Service Engineer Clicks on the Create Job Card and selects the option Job Card type: 1) PMS + Repair 2) Repair 3) Software Update 4) Breakdown

2	SE	Service engineer gets a form popped up with below details Location: Depot Location (Manual) Job Card Number : (Customer Code-Location Code - Date - Serial Number)- Auto Vehicle Number: Filtered, searchable list with vehicle number CHassis Number: Upload Photo of VIN Plate Customer Name: Autofill odometer Reading: Auto Fill from Photo Service Type: Select from PMS/Breakdown/Software Update/Repair Selects Subsystem: Multiselect option from the list (refer the software list tab) Date: Auto fill (Non Editable) Start Time: Auto fill (Non Editable) End Time: Auto Fill from point 14 OEM: Azad/NaArNi autofill Service Contract: Auto selection based on customer name.
3	SE	Selection of the Inspection POC:- Technician Name or Self or both
4	SE	NA
5	SE	Technician selects which Component software to be updated
6	Technician	Selection for the reason of the update for each component 1) Performance Improvement 2) Regular Update 3) Emergency Update (Bug Fix)
7	SE+ Technician	Now, check for the current version on the odometer and take photo, to be stored as PRE
8		Taps on the upgrade the software,
9		Put the USB or the required HW for the component to upgrade the software
10		Put the calibration values, as per the SOP available(If Applicable)
11		Click photo for the values feed on the software (not to be shown to customer)
12		Once software gets updated, click photo of the new version. If software update fails, click photo on the app & submit for retry
13	SE+Technician	If the process fails, click on the retry and proceed from the step 7.
14	Technician	If gets success, mark job as closed.

15	Service Engineer	SE verifies the SW and marks job card as verified. Post update, verification shall be marked for all the relative components.
16	Central Ops & Depot Manager	Gets the report as pdf format with all the pre-post and all the job that are being done
17	Depot Manager	Approves the JOB cards report which gets send to the customer for their records. (Optional to send report to the customer)

4. Breakdown

This will be created when any bus on the trip or at depot standing idle , is not able to perform normal operations for more then 30 mins. The event will be declared as the breakdown.

Below flow to be followed to resolve this

Phase 1		Breakdown
Sr	Input From	Flow
1	SE	Service Engineer Clicks on the Create Job Card and selects the option Job Card type: 1) PMS + Repair 2) Repair 3) Software Update 4) Breakdown The job card shall be created immediately once information is received about the breakdown of the vehicle
2	SE	Service engineer gets a form popped up with below details Location: Depot Location (Manual) Job Card Number : (Customer Code-Location Code - Date - Serial Number)- Auto Vehicle Number: Filtered, searchable list with vehicle number CHassis Number: Upload Photo of VIN Plate Customer Name: Autofill odometer Reading: Auto Fill from Photo Last PMS Date: Auto Fill Last Serviced: Odometer Reading Auto Fill Last Service Tolrence Level: Auto Fill Last Serviced By: SE+Tech Name Auto Fill Service Type: Select from PMS/Breakdown/ Software Update /Repair Selects Subsystem: Multiselect option from the list (refer the software list tab) Date: Auto fill (Non Editable) Start Time: Auto fill (Non Editable) End Time: Auto Fill from point 14 OEM: Azad/NaArNi autofill Service Contract: Auto selection based on customer name.

		Service Engineer Name: Technician Name:
3	SE	SE Attempts for the remote diagnosis first
4	SE	SE connects to the driver and fills below Incident Place:- Depot/En Route for the trip Group Impacted:- Select which group(s) have been impacted Fault Code 1 (If any) Fault Code 2 (If Any)
5	SE	Attempt for next 30 mins max for the remote diagnosis if not resolved plans for the travel to the breakdown location. Remote Resolution: Fails, Travel to BD Location Starts- Mark Start Travel Capture the time (Consider as Time to start the travel) SE reaches to the BD location-Mark Arrived Capture the time (Consider as time to reach the BD location) Have a calculation for the time taken to complete the travel-Auto Fillup
6	Technician	The on spot diagnosis begins - Take confirmation on the Group Impacted- Selection from the drop down Fault Code 1 Fault Code 2 ---N Photo or video both shall be unloadable

7	SE+ Technician	SE finds Issue and marks it identified. Take PRE Photo and write small description about the issue
8		SE follows up the process defined for troubleshooting the particular group If Process is not available -> select option to Force Override If Process is not available but still it does not resolve -> Select option for the Process Override (keep the steps known at back , at which stage SE performed this action)
9		SE Finds the resolution Ask him to put issue resolved and ask below 1) is this permanent Fix- Yes or Temporary or Force Closed(If Issue goes off automatic) 2) if selected temporary Fixed- Option to add the Next level of the engineer 3) Recurrence Risk in the vehicle:- High/Low 4) Occurrence risk in the fleet:- High/Low
10		Start for the Trail trip Ask to upload odometer reading:- Check for the KMs at the start End the trail Trip Check for the KMs at the end Check for the total time taken for the trip- Mention as the trail Trip Check for the total distance travelled for the trip- Mention as dead Kms
11	Central Ops & Depot Manager	Mark Vehicle As Handed over to the customer upon successful trail trip Time till here from the information received time, to be known as the total down time SE closes the Job Card
12		Gets the report as pdf format with all the pre-post and all the job that are being done. RCA Report request goes to the Aftersales E.
13	Depot Manager	Receives RCA from the Aftersales Engineer, and shares with the customer

Phase 2:

Sr	For Breakdown
1	Ability to find solution of the fault code from the Internal LLMS

2	Ability to read fault codes and suggest solutions
3	Ability to collect data of the bus from the app and share with the engineering team
4	Assigning next level of the POC for solutioning or suggestion
5	Job Card creation via whatsapp message
6	Customer can create job card with basic details via Phone call/email/support portal
7	DIY troubleshoot for the issue by troubleshoot flow diagrams
8	Broadcast issue on the Naarni internal teams, to take care about issue at other depot & fleet as well
9	Warranty Claim Procedure