
CIS 263 Introduction to Data Structures and Algorithms


Basic Data Structures: Array, Linked List, Stack, and Queue



Outline


- Brief introduction on **how a computer works** (architecture)
- **Computer memory**, the concept of our first data structure: **Array**

Computer Architecture basics




- In this course, our main focus will be mainly focused on the **memory management** part; more importantly the **primary memory**
- And **number of disk accesses** (latency delay)
- Through
 - Using appropriate data structures, and
 - Algorithms
- We are not doing any improvements over architecture etc.

Memory, the concept of Array



- 8 bit memory (a simple case)


Memory, the concept of Array



- 8 bit memory (a simple case)


Why $1\text{ KB} = 1024\text{B}$ not 1000B ?

Memory, the concept of Array




- 8 bit memory (a simple case)
- What's the total memory size?

Memory, the concept of Array



- 8 bit memory (a simple case)
- What's the total memory size?
 - 2^8 or 1024 byte


Memory, the concept of Array



- 8 bit memory (a simple case)
- What's the total memory size?
 - 2^8 or 1024 byte


Why $1\text{ KB} = 1024\text{B}$ not 1000B ?

Memory, the concept of Array




- 8 bit memory (a simple case)
- What's the total memory size?
 - 2^8 or 1024 byte
- Addressing is inherent (consecutive, a sequence)

Memory, the concept of Array




- 8 bit memory (a simple case)
- What's the total memory size?
 - 2^8 or 1024 byte
- Addressing is inherent (consecutive, a sequence)
- Let's assume our system softwares reserved part of the memory like

Memory, the concept of Array




- Addressing is inherent (consecutive, a sequence)
- Let's assume our system softwares reserved part of the memory like

Memory, the concept of Array




- Addressing is inherent (consecutive, a sequence)
- Let's assume our system softwares reserved part of the memory like
- **Array (our first data structure)** meaning holding a fixed block whether you use it or not.

Memory, the concept of Array




- Addressing is inherent (consecutive, a sequence)
- Let's assume our system softwares reserved part of the memory like
- **Array (our first data structure)** meaning holding a fixed block whether you use it or not.

Memory, the concept of Array




- Addressing is inherent (consecutive, a sequence)
- Fragmented memory

Memory, the concept of Array




- Addressing is inherent (consecutive, a sequence)
- Fragmented memory
- Garbage collection

Memory, the concept of Array




- Addressing is inherent (consecutive, a sequence)
- Fragmented memory
- Garbage collection
- Let's try, another data structure, linked list

Memory, the concept of Array




- Addressing is inherent (consecutive, a sequence)
- Fragmented memory
- Garbage collection
- Let's try, another data structure, linked list
 - You can start from anywhere

Memory, the concept of Array




- Addressing is inherent (consecutive, a sequence)
- Fragmented memory
- Garbage collection
- Let's try, another data structure, linked list
 - You can start from anywhere

Memory, the concept of Array



- Addressing is inherent (consecutive, a sequence)
- Fragmented memory
- Garbage collection
- Let's try, another data structure, linked list
 - You can start from anywhere

Memory, the concept of Array



- Addressing is inherent (consecutive, a sequence)
- Fragmented memory
- Garbage collection
- Let's try, another data structure, linked list
 - You can start from anywhere



Array

(2D) Array

		Columns →		
		0 1 2		
Rows ↓	0	a ₀₀	a ₀₁	a ₀₂
	1	a ₁₀	a ₁₁	a ₁₂
	2	a ₂₀	a ₂₁	a ₂₂

Img src

- Array (**our first data structure**) meaning holding a fixed block whether you use it or not.
- Addressing is inherent (consecutive, a sequence)
- Operations:
 - Accessing an item
 - Query (if an item exists)
 - Insertion
 - Deletion
- Accessing an item is time independent; why?

Array





Image courtesy

- **Array (our first data structure)** meaning holding a fixed block whether you use it or not.
- Addressing is inherent (consecutive, a sequence)
- Operations:
 - Accessing an item
 - Query (if an item exists)
 - Insertion
 - Deletion
- Accessing an item is time independent; why?

Linked List



Img src

- Fragmented block as available
- Addressing is implicit within the data structure itself
- Operations:
 - Accessing an item
 - Query (if an item exists)
 - Insertion
 - Deletion
- Accessing an item is time dependent



Stack

Fill in the blank



A kid is reading on
a _____ of books.



Stack

Fill in the blank



A kid is reading on
a pile of books.



Stack

Fill in the blank.



A kid is reading on
a pile of books.



I found a of books.

Stack




A kid is reading on
a pile of books.



I found a stack of
books.

Stack



- An abstract Data Type (you can use an Array or LL to define a queue)
- Operations:
 - Accessing an item
 - Query (if an item exists)
 - Insertion (**push**)
 - Deletion (**pop**)

[Img src](#)



Queue

Fill in the blank



A _____ of people.



Queue

Fill in the blank



A **group** of people.



Queue



A **group** of people.



A **queue** of people.



Queue




A **group** of people.



A **queue** of people.

Queue



- An abstract Data Type (you can use an Array or LL to define a queue)
- Operations:
 - Accessing an item
 - Query (if an item exists)
 - Insertion
 - Deletion

[Img src](#)