

প্রজেক্টের নাম : Students Result Management System

হোস্টেল ম্যানেজমেন্ট সিস্টেম প্রজেক্ট একটি ওয়েব-ভিত্তিক অ্যাপ্লিকেশন যা ছাত্রদের বিশদ বিবরণসহ ফলাফল তৈরি এবং সংরক্ষণ করে।

Admin features :


- Admin Dashboard
- Admin can add/update/delete Class
- Admin can add/update/Active/Inactive Subject combination with class
- Admin can register new student and also edit info of the student
- Admin can declare/ edit result if a student.
- Admin can add/ delete the notice.
- Admin can change own password.

Students :


- Student can search their result using valid rollid.
- Student can also View the notices.

Front-end overview

Home page



Admin dashboard



Create Student Class

SRMS | Admin

Main Category: Student Classes

Appearance: Student Classes

Dashboard Student Classes Subjects Students Result Notices Admin Change Password

Create Student Class

Home > Classes > Create Class

Create Student Class

Class Name	<input type="text" value="Fg. First, Ninth, Sixth"/>
Class Name In Numeric	<input type="text" value="1, 9, 6"/>
Section	<input type="text" value="C, A, C, A, B, E, A, A"/>
<input style="background-color: #007bff; color: white; padding: 5px; border-radius: 5px; border: none; width: 100%;" type="button" value="Submit"/>	

Manage Classes

SRMS | Admin

Main Category: Student Classes

Appearance: Student Classes

Dashboard Student Classes Create Class Manage Classes Subjects Students Result Notices Admin Change Password

Manage Classes

Home > Classes > Manage Classes

View Classes Info

#	Class Name	Class Name Numeric	Section	Creation Date	Action
1	First	1	C	2024-04-25 16:30:57	<input type="button" value="Edit"/> <input type="button" value="Delete"/>
2	Second	2	A	2024-04-25 16:30:57	<input type="button" value="Edit"/> <input type="button" value="Delete"/>
3	Fourth	4	C	2024-04-25 16:30:57	<input type="button" value="Edit"/> <input type="button" value="Delete"/>
4	Sixth	6	A	2024-04-25 16:30:57	<input type="button" value="Edit"/> <input type="button" value="Delete"/>
5	Eighth	8	B	2024-04-25 16:30:57	<input type="button" value="Edit"/> <input type="button" value="Delete"/>
6	Seventh	7	E	2024-04-25 16:30:57	<input type="button" value="Edit"/> <input type="button" value="Delete"/>
7	Eight	8	A	2024-04-25 16:30:57	<input type="button" value="Edit"/> <input type="button" value="Delete"/>
8	Tenth	10	A	2024-04-25 16:30:57	<input type="button" value="Edit"/> <input type="button" value="Delete"/>

Show 10 entries Search

Showing 1 to 8 of 8 entries

Previous Next

Add Students

SRMS | Admin

Main Category: Student Classes

Appearance: Student Classes

Dashboard Student Classes Subjects Students Add Students Manage Students Result Notices Admin Change Password

Student Admission

Home > Student Classes > Student Admission

Fill the Student Info

Full Name	<input type="text"/>
Roll ID	<input type="text"/>
Email ID	<input type="text"/>
Gender	Male Female Other
Class	Select Class
DOB	mm/dd/yyyy
<input style="background-color: #007bff; color: white; padding: 5px; border-radius: 5px; border: none; width: 100%;" type="button" value="Add"/>	

Manage Students

SRMS | Admin

MAIN CATEGORY

- Dashboard
- Student Classes
- Subjects
- Students
- Add Students
- Manage Students
- Result
- Notices
- Admin Change Password

APPEARANCE

Manage Students

View Students Info

Show 10 entries

#	Student Name	Roll Id	Class	Reg Date	Status	Action
1	Sonita	46456	First(C)	2024-04-20 10:30:57	Active	Edit Delete
2	Anuj kumar	10881	Fourth(C)	2024-04-24 10:30:57	Blocked	Edit Delete
3	omit kumar	2628	sixth(B)	2024-04-22 10:30:57	Active	Edit Delete
4	rahul kumar	990	Seventh(B)	2024-04-24 10:30:57	Active	Edit Delete
5	sanjeev singh	122	Eight(A)	2024-04-25 10:30:57	Active	Edit Delete
6	Shiv Gupta	12345	Tenth(A)	2024-05-01 21:10:40	Active	Edit Delete

Showing 1 to 6 of 6 entries

Previous [1](#) Next

Add Result

SRMS | Admin

MAIN CATEGORY

- Dashboard
- Student Classes
- Subjects
- Students
- Result
- Add Result
- Manage Result
- Notices
- Admin Change Password

APPEARANCE

Declare Result

Home Student Result

Class Select Class

Student Name

Subjects

Declare Result

Manage Result

SRMS | Admin

MAIN CATEGORY

- Dashboard
- Student Classes
- Subjects
- Students
- Result
- Add Result
- Manage Result
- Notices
- Admin Change Password

APPEARANCE

Manage Results

Home Results Manage Results

View Students Result Info

Show 10 entries

#	Student Name	Roll Id	Class	Reg Date	Status	Action
1	Sonita	46456	First(C)	2024-04-20 10:30:57	Active	Edit
2	Anuj kumar	10881	Fourth(C)	2024-04-24 10:30:57	Blocked	Edit
3	omit kumar	2628	sixth(B)	2024-04-22 10:30:57	Active	Edit
4	rahul kumar	990	Seventh(B)	2024-04-24 10:30:57	Active	Edit
5	sanjeev singh	122	Eight(A)	2024-04-25 10:30:57	Active	Edit
6	Shiv Gupta	12345	Tenth(A)	2024-05-01 21:10:40	Active	Edit

Showing 1 to 6 of 6 entries

Previous [1](#) Next

```

    ?>
<li><a href="notice-details.php?nid=<?php echo htmlentities($result->id);?>" target="_blank"><?php echo
htmlentities($result->noticeTitle);?></li>
</ul>
</marquee>

        </div>
    </div>
</div>
</section>
<!-- Footer--&gt;
&lt;footer class="py-5 bg-dark"&gt;
    &lt;div class="container"&gt;&lt;p class="m-0 text-center text-white"&gt; Student Result Management
System&lt;/p&gt;&lt;/div&gt;
&lt;/footer&gt;
<!-- Bootstrap core JS--&gt;
&lt;script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"&gt;&lt;/script&gt;
<!-- Core theme JS--&gt;
&lt;script src="js/scripts.js"&gt;&lt;/script&gt;
&lt;/body&gt;
&lt;/html&gt;
</pre>

```

Admin-login.php

```

<?php
session_start();
error_reporting(0);
include('includes/config.php');
if($_SESSION['alogin']!=''){
$_SESSION['alogin']= '';
}
if(isset($_POST['login']))
{
$uname=$_POST['username'];
$password=md5($_POST['password']);
$sql ="SELECT UserName,Password FROM admin WHERE UserName=:uname and Password=:password";
$query= $dbh -> prepare($sql);
$query-> bindParam(':uname', $uname, PDO::PARAM_STR);
$query-> bindParam(':password', $password, PDO::PARAM_STR);
$query-> execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
if($query->rowCount() > 0)
{
$_SESSION['alogin']=$_POST['username'];
echo "<script type='text/javascript'> document.location = 'dashboard.php'; </script>";
} else{
echo "<script>alert('Invalid Details');</script>";
}
?>

```

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
      <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Admin Login</title>
    <link rel="stylesheet" href="css/bootstrap.min.css" media="screen" >
    <link rel="stylesheet" href="css/font-awesome.min.css" media="screen" >
    <link rel="stylesheet" href="css/animate-css/animate.min.css" media="screen" >
    <link rel="stylesheet" href="css/prism/prism.css" media="screen" > <!-- USED FOR DEMO HELP - YOU
CAN REMOVE IT -->
    <link rel="stylesheet" href="css/main.css" media="screen" >
    <script src="js/modernizr/modernizr.min.js"></script>
  </head>
  <body class="">
    <div class="main-wrapper">

      <div class="">
        <div class="row">
          <h1 align="center">Student Result Management System</h1>

          <div class="col-lg-3"></div>
          <div class="col-lg-6">
            <section class="section">
              <div class="row mt-40">
                <div class="col-md-10 col-md-offset-1 pt-50">

                  <div class="row mt-30 ">
                    <div class="col-md-11">
                      <div class="panel">
                        <div class="panel-heading">
                          <div class="panel-title text-center">
                            <h4>Admin Login</h4>
                          </div>
                        </div>
                        <div class="panel-body p-20">

                          <form class="form-horizontal" method="post">
                            <div class="form-group">
                              <label for="inputEmail3" class="col-sm-2 control-
label">Username</label>
                              <div class="col-sm-10">
                                <input type="text" name="username" class="form-control"
id="inputEmail3" placeholder="UserName">
                              </div>
                            </div>
                            <div class="form-group">
                              <label for="inputPassword3" class="col-sm-2 control-
label">Password</label>
                              <div class="col-sm-10">
                                <input type="password" name="password"
class="form-control" id="inputPassword3" placeholder="Password">
                              </div>
                            </div>
                          </form>
                        </div>
                      </div>
                    </div>
                  </div>
                </div>
              </div>
            </section>
          </div>
        </div>
      </div>
    </body>

```

```

<div class="form-group mt-20">
    <div class="col-sm-offset-2 col-sm-10">
        <button type="submit" name="login" class="btn btn-success btn-labeled pull-right">Sign in<span class="btn-label btn-label-right"><i class="fa fa-check"></i></span></button>
    </div>
</div>
</form>

</div>
</div>
<!-- /.panel -->
<p class="text-muted text-center"><small>Student Result Management System</small></p>
</div>
<!-- /.col-md-11 -->
</div>
<!-- /.row -->
</div>
<!-- /.col-md-12 -->
</div>
<!-- /.row -->
</section>

</div>
<!-- /.col-md-6 -->
</div>
<!-- /.row -->
</div>
<!-- /. -->

</div>
<!-- /.main-wrapper -->

<!-- ===== COMMON JS FILES ===== -->
<script src="js/jquery/jquery-2.2.4.min.js"></script>
<script src="js/jquery-ui/jquery-ui.min.js"></script>
<script src="js/bootstrap/bootstrap.min.js"></script>
<script src="js/pace/pace.min.js"></script>
<script src="js/lobipanel/lobipanel.min.js"></script>
<script src="js/iscroll/iscroll.js"></script>

<!-- ===== PAGE JS FILES ===== -->

<!-- ===== THEME JS ===== -->
<script src="js/main.js"></script>
<script>
    $(function(){
        });
</script>

<!-- ===== ADD custom.js FILE BELOW WITH YOUR CHANGES ===== --> </body>
</html>

```

Add-students.php

```

</php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])=="")
{
    header("Location: index.php");
}
else{
if(isset($_POST['submit']))
{
$studentname=$_POST['fullanme'];
$roolid=$_POST['rollid'];
$studentemail=$_POST['emailid'];
$gender=$_POST['gender'];
$classid=$_POST['class'];
$dob=$_POST['dob'];
$status=1;
$sql="INSERT INTO tblstudents(StudentName,RollId,StudentEmail,Gender,ClassId,DOB,Status)
VALUES(:studentname,:roolid,:studentemail,:gender,:classid,:dob,:status)";
$query = $dbh->prepare($sql);
$query->bindParam(':studentname',$studentname,PDO::PARAM_STR);
$query->bindParam(':roolid',$roolid,PDO::PARAM_STR);
$query->bindParam(':studentemail',$studentemail,PDO::PARAM_STR);
$query->bindParam(':gender',$gender,PDO::PARAM_STR);
$query->bindParam(':classid',$classid,PDO::PARAM_STR);
$query->bindParam(':dob',$dob,PDO::PARAM_STR);
$query->bindParam(':status',$status,PDO::PARAM_STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
{
$msg="Student info added successfully";
}
else
{
$error="Something went wrong. Please try again";
}
}
?>

```

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>SMS Admin| Student Admission</title>
    <link rel="stylesheet" href="css/bootstrap.min.css" media="screen" >
    <link rel="stylesheet" href="css/font-awesome.min.css" media="screen" >
    <link rel="stylesheet" href="css/animate-css/animate.min.css" media="screen" >
    <link rel="stylesheet" href="css/lobipanel/lobipanel.min.css" media="screen" >
    <link rel="stylesheet" href="css/prism/prism.css" media="screen" >
    <link rel="stylesheet" href="css/select2/select2.min.css" >
    <link rel="stylesheet" href="css/main.css" media="screen" >
    <script src="js/modernizr/modernizr.min.js"></script>
</head>
<body class="top-navbar-fixed">
    <div class="main-wrapper">
```

```
<!-- TOP NAVBAR -->
<?php include('includes/navbar.php');?>
<!-- WRAPPER FOR BOTH SIDEbars & MAIN CONTENT -->
<div class="content-wrapper">
    <div class="content-container">
        <!-- LEFT SIDEBAR -->
        <?php include('includes/leftbar.php');?>
        <!-- /left-sidebar -->

        <div class="main-page">
            <div class="container-fluid">
                <div class="row page-title-div">
                    <div class="col-md-6">
                        <h2 class="title">Student Admissions</h2>
                    </div>
                    <!-- /col-md-6 text-right -->
                </div>
                <!-- /.row -->
                <div class="row breadcrumb-div">
                    <div class="col-md-6">
                        <ul class="breadcrumb">
                            <li><a href="dashboard.php"><i class="fa fa-home"></i> Home</a></li>
                            <li class="active">Student Admissions</li>
                        </ul>
                    </div>
                </div>
                <div class="row">
                    <div class="col-md-12">
                        <div class="panel">
                            <div class="panel-heading">
                                <div class="panel-title">
                                    <h5>Fill the Student info</h5>
                                </div>
                            </div>
                            <div class="panel-body">
<?php if($msg){?>
<div class="alert alert-success left-icon-alert" role="alert">
<strong>Well done!</strong><?php echo htmlentities($msg); ?>
</div><?php }>
<?php else if($error){?>
<div class="alert alert-danger left-icon-alert" role="alert">
<strong>Oh snap!</strong> <?php echo htmlentities($error); ?>
</div>
<?php } ?>
<form class="form-horizontal" method="post">
```

```

<div class="form-group">
<label for="default" class="col-sm-2 control-label">Full Name</label>
<div class="col-sm-10">
<input type="text" name="fullanme" class="form-control" id="fullanme" required="required"
autocomplete="off">
</div>
</div>

<div class="form-group">
<label for="default" class="col-sm-2 control-label">Rool
Id</label> <div class="col-sm-10">
<input type="text" name="rollid" class="form-control" id="rollid" maxlength="5" required="required"
autocomplete="off">
</div>
</div>

<div class="form-group">
<label for="default" class="col-sm-2 control-label">Email id)</label>
<div class="col-sm-10">
<input type="email" name="emailid" class="form-control" id="email" required="required" autocomplete="off">
</div>
</div>

<div class="form-group">
<label for="default" class="col-sm-2 control-label">Gender</label>
<div class="col-sm-10">
<input type="radio" name="gender" value="Male" required="required" checked="">Male <input type="radio"
name="gender" value="Female" required="required">Female <input type="radio" name="gender" value="Other"
required="required">Other
</div>
</div>

<div class="form-group">
    <label for="default" class="col-sm-2 control-label">Class</label>
    <div class="col-sm-10">
        <select name="class" class="form-control" id="default" required="required">
            <option value="">Select Class</option>
            <?php $sql = "SELECT * from tblclasses";
$query = $dbh->prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
if($query->rowCount() > 0)
{
foreach($results as $result)
{
    ?>
            <option value="<?php echo htmlentities($result->id); ?>"><?php echo htmlentities($result->ClassName);
?>&nbsp; Section-<?php echo htmlentities($result->Section); ?></option>
<?php } ?>
        </select>
    </div>
</div>

```

```

<div class="form-group">
    <label for="date" class="col-sm-2 control-label">DOB</label>
    <div class="col-sm-10">
        <input type="date" name="dob" class="form-control" id="date">
    </div>
</div>

<div class="form-group">
    <div class="col-sm-offset-2 col-sm-10">
        <button type="submit" name="submit" class="btn btn-primary">Add</button>
    </div>
</div>
</div>
<!-- /.col-md-12 -->
</div>
</div>
<!-- /.content-container -->
</div>
<!-- /.content-wrapper -->
</div>
<!-- /.main-wrapper -->
<script src="js/jquery/jquery-2.2.4.min.js"></script>
<script src="js/bootstrap/bootstrap.min.js"></script>
<script src="js/pace/pace.min.js"></script>
<script src="js/lobipanel/lobipanel.min.js"></script>
<script src="js/iscroll/iscroll.js"></script>
<script src="js/prism/prism.js"></script>
<script src="js/select2/select2.min.js"></script>
<script src="js/main.js"></script>
<script>
$(function($) {
    $(".js-states").select2();
    $(".js-states-limit").select2({
        maximumSelectionLength: 2
    });
    $(".js-states-hide").select2({
        minimumResultsForSearch: Infinity
    });
});
</script>
</body>
</html>
<?PHP | ?>

```

Create-subject.php

```

<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])=="")
{
    header("Location: index.php");
}
else{
if(isset($_POST['submit']))
{
$subjectname=$_POST['subjectname'];
$subjectcode=$_POST['subjectcode'];
$sql="INSERT INTO tblsubjects(SubjectName,SubjectCode) VALUES(:subjectname,:subjectcode)";
$query = $dbh->prepare($sql);
$query->bindParam(':subjectname',$subjectname,PDO::PARAM_STR);
$query->bindParam(':subjectcode',$subjectcode,PDO::PARAM_STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
{
$msg="Subject Created successfully";
}
else
{
$error="Something went wrong. Please try again";
}
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>SMS Admin Subject Creation </title>
<link rel="stylesheet" href="css/bootstrap.min.css" media="screen" >
<link rel="stylesheet" href="css/font-awesome.min.css" media="screen" >
<link rel="stylesheet" href="css/animate-css/animate.min.css" media="screen" >
<link rel="stylesheet" href="css/lobipanel/lobipanel.min.css" media="screen" >
<link rel="stylesheet" href="css/prism/prism.css" media="screen" >
<link rel="stylesheet" href="css/select2/select2.min.css" >
<link rel="stylesheet" href="css/main.css" media="screen" >
<script src="js/modernizr/modernizr.min.js"></script>
</head>
<body class="top-navbar-fixed">
<div class="main-wrapper">

    <!-- ===== TOP NAVBAR =====-->
--> <?php include('includes/topbar.php');?>
    <!-- ===== WRAPPER FOR BOTH SIDEBARS & MAIN CONTENT ===== -->
    <div class="content-wrapper">
        <div class="content-container">

```

```
<!-- LEFT SIDEBAR -->
<?php include('includes/leftbar.php');?>
<!-- /.left-sidebar -->

<div class="main-page">

    <div class="container-fluid">
        <div class="row page-title-div">
            <div class="col-md-6">
                <h2 class="title">Subject Creation</h2>
            </div>

            <!-- /.col-md-6 text-right -->
        </div>
        <!-- /.row -->
        <div class="row breadcrumb-div">
            <div class="col-md-6">
                <ul class="breadcrumb">
                    <li><a href="dashboard.php"><i class="fa fa-home"></i> Home</a></li>
                    <li> Subjects</li>
                    <li class="active">Create Subject</li>
                </ul>
            </div>
            </div>
            <!-- /.row -->
        </div>
        <div class="container-fluid">

            <div class="row">
                <div class="col-md-12">
                    <div class="panel">
                        <div class="panel-heading">
                            <div class="panel-title">
                                <h5>Create Subject</h5>
                            </div>
                        </div>
                        <div class="panel-body">

<?php if($msg){?>
<div class="alert alert-success left-icon-alert" role="alert">
    <strong>Well done!</strong><?php echo htmlentities($msg); ?>
</div><?php }
else if($error){?>
    <div class="alert alert-danger left-icon-alert" role="alert">
        <strong>Oh snap!</strong> <?php echo htmlentities($error); ?>
    </div>
    <?php } ?>
                <form class="form-horizontal" method="post">
                    <div class="form-group">
                        <label for="default" class="col-sm-2 control-label">Subject Name</label>
<div class="col-sm-10">
```

```

<input type="text" name="subjectname" class="form-control" id="default" placeholder="Subject Name"
required="required">
    </div>
    </div>
<div class="form-group">
    <label for="default" class="col-sm-2 control-label">Subject Code</label>
    <div class="col-sm-10">
        <input type="text" name="subjectcode" class="form-control" id="default" placeholder="Subject Code"
required="required">
            </div>
            </div>
<div class="form-group">
    <div class="col-sm-offset-2 col-sm-10">
        <button type="submit" name="submit" class="btn btn-primary">Submit</button>
    </div>
    </div>
</div>
<!-- /.col-md-12 -->
</div>
</div>
</div>
<!-- /.content-container -->
</div>
<!-- /.content-wrapper -->
</div>
<!-- /.main-wrapper -->
<script src="js/jquery/jquery-2.2.4.min.js"></script>
<script src="js/bootstrap/bootstrap.min.js"></script>
<script src="js/pace/pace.min.js"></script>
<script src="js/lobipanel/lobipanel.min.js"></script>
<script src="js/iscroll/iscroll.js"></script>
<script src="js/prism/prism.js"></script>
<script src="js/select2/select2.min.js"></script>
<script src="js/main.js"></script>
<script>
$(function($) {
    $(".js-states").select2();
    $(".js-states-limit").select2({
        maximumSelectionLength: 2
    });
    $(".js-states-hide").select2({
        minimumResultsForSearch: Infinity
    });
});
</script>
</body>
</html>
<?PHP ?>

```

Edit-subject.php

```

<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])=="")
{
    header("Location: index.php");
}
else{
if(isset($_POST['Update']))
{
$subjectid=intval($_GET['subjectid']);
$subjectname=$_POST['subjectname'];
$subjectcode=$_POST['subjectcode'];
$sql="update tblsubjects set SubjectName=$subjectname,SubjectCode=$subjectcode where id=$subjectid";
$query = $db->prepare($sql);
$query->bindParam(':subjectname',$subjectname,PDO::PARAM_STR);
$query->bindParam(':subjectcode',$subjectcode,PDO::PARAM_STR);
$query->bindParam(':sid',$subjectid,PDO::PARAM_STR);
$query->execute();
$msg="Subject Info updated successfully";
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>SMS Admin Update Subject </title>
    <link rel="stylesheet" href="css/bootstrap.min.css" media="screen">
    <link rel="stylesheet" href="css/font-awesome.min.css" media="screen">
    <link rel="stylesheet" href="css/animate-css/animate.min.css" media="screen">
    <link rel="stylesheet" href="css/lobipanel/lobipanel.min.css" media="screen">
    <link rel="stylesheet" href="css/prism/prism.css" media="screen">
    <link rel="stylesheet" href="css/select2/select2.min.css">
    <link rel="stylesheet" href="css/main.css" media="screen">
    <script src="js/modernizr/modernizr.min.js"></script>
</head>
<body class="top-navbar-fixed">
<div class="main-wrapper">

    <!-- ===== TOP NAVBAR ===== -->
    <?php include('includes/topbar.php');?> ,
    <!-- ===== WRAPPER FOR BOTH SIDEBARS & MAIN CONTENT ===== -->
    <div class="content-wrapper">
        <div class="content-container">

            <!-- ===== LEFT SIDEBAR ===== -->
            <?php include('includes/leftbar.php');?>
            <!-- /.left-sidebar -->

        <div class="main-page">

```

```
<div class="container-fluid">
    <div class="row page-title-div">
        <div class="col-md-6">
            <h2 class="title">Update Subject</h2>
        </div>
        <!-- /.col-md-6 text-right -->
    </div>
    <!-- /.row -->
    <div class="row breadcrumb-div">
        <div class="col-md-6">
            <ul class="breadcrumb">
                <li><a href="dashboard.php"><i class="fa fa-home"></i> Home</a></li>
                <li> Subjects</li>
                <li class="active">Update Subject</li>
            </ul>
        </div>
    </div>
    <!-- /.row -->
</div>
<div class="container-fluid">
    <div class="row">
        <div class="col-md-12">
            <div class="panel">
                <div class="panel-heading">
                    <div class="panel-title">
                        <h5>Update Subject</h5>
                    </div>
                </div>
                <div class="panel-body">
                    <?php if($msg){?>
                    <div class="alert alert-success left-icon-alert" role="alert">
                        <strong>Well done!</strong><?php echo htmlentities($msg); ?>
                    </div><?php } ?>
                    <form class="form-horizontal" method="post">
                        <?php
$nid=intval($_GET['subjectid']);
$sql = "SELECT * from tblsubjects where id=:nid";
$query = $db->prepare($sql);
$query->bindParam(':nid',$nid,PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
    foreach($results as $result)
        >
                        <div class="form-group">
                            <label for="default" class="col-sm-2 control-label">Subject Name</label> <div class="col-sm-10">
                                <input type="text" name="subjectname" value="<?php echo htmlentities($result->SubjectName);?>" class="form-control" id="default" placeholder="Subject Name" required="required">
                            </div>
                        </div>
                    </form>
                </div>
            </div>
        </div>
    </div>
</div>
```

```
</div>
</div>
<div class="form-group">
    <label for="default" class="col-sm-2 control-label">Subject
    Code</label> <div class="col-sm-10">
        <input type="text" name="subjectcode" class="form-control"
            value="php echo htmlentities($result-&gt;SubjectCode); ?"
            id="default" placeholder="Subject Code" required="required">
    </div>
</div>
<?php } ?>

<br>
<div class="form-group">
    <div class="col-sm-offset-2 col-sm-10">
        <button type="submit" name="Update"
            class="btn btn-primary">Update</button>
    </div>
</div>
</form>

</div>
</div>
</div>
<!-- /.col-md-12 -->
</div>
</div>
<!-- /.content-container -->
</div>
<!-- /.content-wrapper -->
</div>
<!-- /.main-wrapper -->
<script src="js/jquery/jquery-2.2.4.min.js"></script>
<script src="js/bootstrap/bootstrap.min.js"></script>
<script src="js/pace/pace.min.js"></script>
<script src="js/lobipanel/lobipanel.min.js"></script>
<script src="js/iscroll/iscroll.js"></script>
<script src="js/prism/prism.js"></script>
<script src="js/select2/select2.min.js"></script>
<script src="js/main.js"></script>
<script>
$(function($) {
    $(".js-states").select2();
    $(".js-states-limit").select2({
        maximumSelectionLength: 2
    });
    $(".js-states-hide").select2({
        minimumResultsForSearch: Infinity
    });
});
</script>
</body>
</html>
<?PHP } ?>
```

```
submit.php
```

```
include('config.php');
session_start();
$_SESSION['msg']=array();
$_SESSION['error']=array();

header('Location: index.php');

}

else{
$_POST['INSETT'] submit()

marks=array();
$class=$_POST['class'];
$studentid=$_POST['studentid'];
$mark=$_POST['marks'];

$stmt = $dbh->prepare("SELECT tblsubjects.SubjectName,tblsubjects.id FROM tblsubjectcombination join
tblsubjects on tblsubjects.id=tblsubjectcombination.SubjectId WHERE tblsubjectcombination.ClassId=:cid
order by tblsubjects.SubjectName");
$stmt->execute(array(':cid'=> $class));
$cid1=array();
while($row=$stmt->fetch(PDO::FETCH_ASSOC))
{

array_push($cid1,$row['id']);

}

for($i=0;$i<count($mark);$i++){
$mar=$mark[$i];
$cid=$cid1[$i];
$sql="INSERT INTO tblresult(StudentId,ClassId,SubjectId,marks) VALUES(:studentid,:class,:sid,:marks)";
$query = $dbh->prepare($sql);
$query->bindParam(':studentid',$studentid,PDO::PARAM_STR);
$query->bindParam(':class',$class,PDO::PARAM_STR);
$query->bindParam(':sid',$cid,PDO::PARAM_STR);
$query->bindParam(':marks',$mar,PDO::PARAM_STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
{
$msg="Result info added successfully";
}
else
{
$error="Something went wrong. Please try again";
}
```

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>SMS Admin| Add Result </title>
    <link rel="stylesheet" href="css/bootstrap.min.css" media="screen">
    <link rel="stylesheet" href="css/font-awesome.min.css" media="screen">
    <link rel="stylesheet" href="css/animate-css/animate.min.css" media="screen">
    <link rel="stylesheet" href="css/lobipanel/lobipanel.min.css" media="screen">
    <link rel="stylesheet" href="css/prism/prism.css" media="screen">

    <link rel="stylesheet" href="css/select2/select2.min.css">
    <link rel="stylesheet" href="css/main.css" media="screen">
    <script src="js/modernizr/modernizr.min.js"></script>
    <script>
        function getStudent(val) {
            $.ajax({
                type: "POST",
                url: "get_student.php",
                data: 'classid=' + val,
                success: function(data) {
                    $("#studentid").html(data);

                }
            });
            $.ajax({
                type: "POST",
                url: "get_student.php",
                data: 'classid1=' + val,
                success: function(data) {
                    $("#subject").html(data);
                }
            });
        }
    </script>
    <script>
        function getResult(val, clid) {
            var clid = $(".clid").val();
            var val = $(".stid").val();
            var abh = clid + '$' + val;
            //alert(abh);
            $.ajax({
                type: "POST",
                url: "get_student.php",
                data: 'studclass=' + abh,
```



```

else if($error){ ?>
    <div class="alert alert-danger left-icon-alert" role="alert">
        <strong>Oh snap!</strong> <?php echo htmlentities($error); ?>
    </div>
    <?php } ?>
    <form class="form-horizontal" method="post">

        <div class="form-group">
            <label for="default" class="col-sm-2 control-label">Class</label>
            <div class="col-sm-10">
                <select name="class" class="form-control" id="classid" id="classid"
                    onChange="getStudent(this.value); required=required">
                    <option value="">Select Class</option>
                    <?php $sql = "SELECT * from tblclasses";
$(query = $dbh->prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
if($query->rowCount() > 0)
{
foreach($results as $result)
{ ?>

                    <option value="<?php echo htmlentities($result->id); ?>">
                        <?php echo htmlentities($result->ClassName); ?>&nbsp;
                        Section-<?php echo htmlentities($result->Section); ?>
                    </option>
                    <?php } } ?>
                </select>
            </div>
        </div>
        <div class="form-group">
            <label for="date" class="col-sm-2 control-label">Student Name</label>
            <div class="col-sm-10">
                <select name="studentid" class="form-control" id="studentid" id="studentid"
                    required="required" onChange="getresult(this.value);">
                </select>
            </div>
        </div>.

        <div class="form-group">

            <div class="col-sm-10">
                <div id="reslt">
                </div>
            </div>
        </div>
    </div>

```

```

<div class="form-group">
    <label for="date" class="col-sm-2 control-label">Subjects</label>
    <div class="col-sm-10">
        <div id="subject">
        </div>
    </div>
</div>

<div class="form-group">
    <div class="col-sm-offset-2 col-sm-10">
        <button type="submit" name="submit" id="submit"
            class="btn btn-primary">Declare Result</button>
    </div>
</div>
</form>

</div>
</div>
</div>
<!-- /.col-md-12 -->
</div>
</div>
<!-- /.content-container -->
</div>
<!-- /.content-wrapper -->
</div>
<!-- /.main-wrapper -->
<script src="js/jquery/jquery-2.2.4.min.js"></script>
<script src="js/bootstrap/bootstrap.min.js"></script>
<script src="js/pace/pace.min.js"></script>
<script src="js/lobipanel/lobipanel.min.js"></script>
<script src="js/iscroll/iscroll.js"></script>
<script src="js/prism/prism.js"></script>
<script src="js/select2/select2.min.js"></script>
<script src="js/main.js"></script>
<script>
$(function($) {
    $(".js-states").select2();
    $(".js-states-limit").select2({
        maximumSelectionLength: 2
    });
    $(".js-states-hide").select2({
        minimumResultsForSearch: Infinity
    });
});
</script>
</body>
</html>
<?PHP ?>

```

Edit-result.php

```

<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])=="")
{
    header("Location: index.php");
}
else{

$stid=intval($_GET['stid']);
if(isset($_POST['submit']))
{

$rowid=$_POST['id'];
$marks=$_POST['marks'];

foreach($_POST['id'] as $count => $id){
$mrks=$marks[$count];
$iid=$rowid[$count];
for($i=0;$i<=$count;$i++) {

$sql="update tblresult set marks=:mrks where id=:iid ";
$query = $dbh->prepare($sql);
$query->bindParam(':mrks',$mrks,PDO::PARAM_STR);
$query->bindParam(':iid',$iid,PDO::PARAM_STR);
$query->execute();

$msg="Result info updated successfully";
}

}

}

?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1">
<title>SMS Admin| Student result info </title>
<link rel="stylesheet" href="css/bootstrap.min.css" media="screen" >
<link rel="stylesheet" href="css/font-awesome.min.css" media="screen" >
<link rel="stylesheet" href="css/animate-css/animate.min.css" media="screen" >
<link rel="stylesheet" href="css/lobipanel/lobipanel.min.css" media="screen" >
<link rel="stylesheet" href="css/prism/prism.css" media="screen" >
<link rel="stylesheet" href="css/select2/select2.min.css" >
<link rel="stylesheet" href="css/main.css" media="screen" >
<script src="js/modernizr/modernizr.min.js"></script>
</head>
<body class="top-navbar-fixed">
<div class="main-wrapper">

```

```

<!-- =--= TOP NAVBAR =--=>
<?php include('includes/topbar.php');?>

<!-- =--= WRAPPER FOR BOTH SIDEBARS & MAIN CONTENT =--= -->
<div class="content-wrapper">
  <div class="content-container">

    <!-- =--= LEFT SIDEBAR =--= -->
    <?php include('includes/leftbar.php');?>
    <!-- /.left-sidebar -->
    <div class="main-page">
      <div class="container-fluid">
        <div class="row page-title-div">
          <div class="col-md-6">
            <h2 class="title">Student Result Info</h2>
          </div>

          <!-- /.col-md-6 text-right -->
        </div>
        <!-- /.row -->
        <div class="row breadcrumb-div">
          <div class="col-md-6">
            <ul class="breadcrumb">
              <li><a href="dashboard.php"><i class="fa fa-home"></i> Home</a></li>

              <li class="active">Result Info</li>
            </ul>
          </div>
        </div>
        <!-- /.row -->
      </div>
      <div class="container-fluid">

        <div class="row">
          <div class="col-md-12">
            <div class="panel">
              <div class="panel-heading">
                <div class="panel-title">
                  <h5>Update the Result info</h5>
                </div>
              </div>
              <div class="panel-body">

<?php if($msg){ ?>
<div class="alert alert-success left-icon-alert" role="alert">
<strong>Well done!</strong><?php echo htmlentities($msg); ?>
</div><?php }
else if($error){ ?>
<div class="alert alert-danger left-icon-alert" role="alert">
<strong>Oh snap!</strong> <?php echo htmlentities($error); ?>
</div>
<?php } ?>
<form class="form-horizontal" method="post">
```

```

$ret = "SELECT tblstudents.StudentName,tblclasses.ClassName,tblclasses.Section from tblstudents on tblresult.StudentId=tblresult.StudentId join tblsubjects on tblsubjects.id=tblresult.SubjectId join tblclasses on tblclasses.id=tblstudents.ClassId where tblstudents.StudentId=:stid limit 1";
$stmt = $dbh->prepare($ret);
$stmt->bindParam(':stid',$stid,PDO::PARAM_STR);
$stmt->execute();
$result=$stmt->fetch(PDO::FETCH_OBJ);
$cnt=1;
if($stmt->rowCount() > 0)
{
foreach($result as $row)
{ ?>

        <div class="form-group">
            <label for="default" class="col-sm-2 control-label">Class</label> <div class="col-sm-10">
<?php echo htmlentities($row->ClassName)?>(<?php echo htmlentities($row->Section)?>) </div>
        </div>
<div class="form-group">
            <label for="default" class="col-sm-2 control-label">Full Name</label>
        <div class="col-sm-10">
<?php echo htmlentities($row->StudentName);?>
        </div>
    </div>
<?php } }?>
<?php

```

```

$sql = "SELECT distinct
tblstudents.StudentName,tblstudents.StudentId,tblclasses.ClassName,tblclasses.Section,tblsubjects.SubjectName,
tblresult.marks,tblresult.id as resultid from tblresult join tblstudents on tblstudents.StudentId=tblresult.StudentId
join tblsubjects on tblsubjects.id=tblresult.SubjectId join tblclasses on tblclasses.id=tblstudents.ClassId where
tblstudents.StudentId=:stid ";
$query = $dbh->prepare($sql);
$query->bindParam(':stid',$stid,PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $result)
{ ?>

```

```

<div class="form-group">
<label for="default" class="col-sm-2 control-label"><?php echo htmlentities($result->SubjectName)?></label>
<div class="col-sm-10">
<input type="hidden" name="id[]" value=<?php echo htmlentities($result->resultid)?>">
<input type="text" name="marks[]" class="form-control" id="marks" value=<?php echo htmlentities($result->marks)?>" maxlength="5" required="required" autocomplete="off">
</div>
</div>

<?php }} ?>

<div class="form-group">
<div class="col-sm-offset-2 col-sm-10">
    <button type="submit" name="submit" class="btn btn-primary">Update</button>
</div>
</div>
</form>
</div>
</div>
<!-- /.col-md-12 -->
</div>

</div>
</div>
<!-- /.content-container -->
</div>
<!-- /.content-wrapper -->
</div>
<!-- /.main-wrapper -->
<script src="js/jquery/jquery-2.2.4.min.js"></script>
<script src="js/bootstrap/bootstrap.min.js"></script>
<script src="js/pace/pace.min.js"></script>
<script src="js/lobipanel/lobipanel.min.js"></script>
<script src="js/iscroll/iscroll.js"></script>
<script src="js/prism/prism.js"></script>
<script src="js/select2/select2.min.js"></script>
<script src="js/main.js"></script>
<script>
$(function($) {
    $(".js-states").select2();
    $(".js-states-limit").select2({
        maximumSelectionLength: 2
    });
    $(".js-states-hide").select2({
        minimumResultsForSearch: Infinity
    });
});
</script>
</body>
</html>
<?PHP ?>

```

```

<div class="form-group">
<label for="default" class="col-sm-2 control-label"><?php echo htmlentities($result->SubjectName)?></label>
<div class="col-sm-10">
<input type="hidden" name="id[]" value=<?php echo htmlentities($result->resultid)?>">
<input type="text" name="marks[]" class="form-control" id="marks" value=<?php echo htmlentities($result->marks)?>" maxlength="5" required="required" autocomplete="off">
</div>
</div>
<?php }) ?>

<div class="form-group">
<div class="col-sm-offset-2 col-sm-10">
<button type="submit" name="submit" class="btn btn-primary">Update</button>
</div>
</div>
</form>
</div>
</div>
<!-- /.col-md-12 -->
</div>
</div>
</div>
<!-- /.content-container -->
</div>
<!-- /.content-wrapper -->
</div>
<!-- /.main-wrapper -->
<script src="js/jquery/jquery-2.2.4.min.js"></script>
<script src="js/bootstrap/bootstrap.min.js"></script>
<script src="js/pace/pace.min.js"></script>
<script src="js/lobipanel/lobipanel.min.js"></script>
<script src="js/iscroll/iscroll.js"></script>
<script src="js/prism/prism.js"></script>
<script src="js/select2/select2.min.js"></script>
<script src="js/main.js"></script>
<script>
$(function($) {
    $(".js-states").select2();
    $(".js-states-limit").select2({
        maximumSelectionLength: 2
    });
    $(".js-states-hide").select2({
        minimumResultsForSearch: Infinity
    });
});
</script>
</body>
</html>
<?php } ?>

```

Find-result.php

```
<?php
session_start();
//error_reporting(0);
include('includes/config.php');?>
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>School Result Management System</title>
    <link rel="stylesheet" href="css/bootstrap.min.css" media="screen">
    <link rel="stylesheet" href="css/font-awesome.min.css" media="screen">
    <link rel="stylesheet" href="css/animate-css/animate.min.css" media="screen">
    <link rel="stylesheet" href="css/checkbox/skins/flat/blue.css">
    <link rel="stylesheet" href="css/main.css" media="screen">
    <script src="js/modernizr/modernizr.min.js"></script>
</head>

<body class="">
    <div class="main-wrapper">
        <div class="login-bg-color bg-black-300">
            <div class="row">
                <div class="col-md-4 col-md-offset-4">
                    <div class="panel login-box">
                        <div class="panel-heading">
                            <div class="panel-title text-center">
                                <h4>School Result Management System</h4>
                            </div>
                        </div>
                        <div class="panel-body p-20">

                            <form action="result.php" method="post">
                                <div class="form-group">
                                    <label for="rollid">Enter your Roll Id</label>
                                    <input type="text" class="form-control" id="rollid" placeholder="Enter Your Roll Id" autocomplete="off" name="rollid">
                                </div>
                                <div class="form-group">
                                    <label for="default" class="col-sm-2 control-label">Class</label>
                                    <select name="class" class="form-control" id="default" required="required">
                                        <option value="">Select Class</option>
                                        <?php $sql = "SELECT * from tblclasses";>
$query = $dbh->prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
if($query->rowCount() > 0)
{
foreach($results as $result)
{ ?>
                                        <option value="<?php echo htmlentities($result->id); ?>">
                                            <?php echo htmlentities($result->ClassName); ?>&nbsp;
                                            Section-<?php echo htmlentities($result->Section); ?></option>
                                            <?php } } ?>
                                    </select>
                                </div>
                            </form>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </body>
```

```

<div class="form-group mt-20">
  <div class="">
    <button type="submit" class="btn btn-success btn-labeled pull-right">Search<span class="btn-label btn-label-right"><i class="fa fa-check"></i></span></button>
  <div class="clearfix"></div>
</div>
<div class="col-sm-6">
  <a href="index.php">Back to Home</a>
</div>
</form>

```

<hr>

</div>

</div>

<!-- /.panel -->

<p class="text-muted text-center"><small>Student Result Management System</small></p>

<!-- /.col-md-6 col-md-offset-3 -->

</div>

<!-- /.row -->

</div>

<!-- /. -->

</div>

<!-- /.main-wrapper -->

<!-- ===== COMMON JS FILES ===== -->

```

<script src="js/jquery/jquery-2.2.4.min.js"></script>
<script src="js/jquery-ui/jquery-ui.min.js"></script>
<script src="js/bootstrap/bootstrap.min.js"></script>
<script src="js/pace/pace.min.js"></script>
<script src="js/lobipanel/lobipanel.min.js"></script>
<script src="js/iscroll/iscroll.js"></script>

```

<!-- ===== PAGE JS FILES ===== -->

```

<script src="js/icombo/icombo.min.js"></script>

```

<!-- ===== THEME JS ===== -->

```

<script src="js/main.js"></script>

```

<script>

```

$(function() {

```

```

  $('input.flat-blue-style').iCheck({

```

```

    checkboxClass: 'icheckbox_flat-blue'
  });

```

});

</script>

<!-- ===== ADD custom.js FILE BELOW WITH YOUR CHANGES ===== -->

</body>

</html>

Result.php

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
?>
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Result Management System</title>
    <link rel="stylesheet" href="css/bootstrap.min.css" media="screen">
    <link rel="stylesheet" href="css/font-awesome.min.css" media="screen">
    <link rel="stylesheet" href="css/animate-css/animate.min.css" media="screen">
    <link rel="stylesheet" href="css/lobipanel/lobipanel.min.css" media="screen">
    <link rel="stylesheet" href="css/prism/prism.css" media="screen">
    <link rel="stylesheet" href="css/main.css" media="screen">
    <script src="js/modernizr/modernizr.min.js"></script>
</head>

<body>
    <div class="main-wrapper">
        <div class="content-wrapper">
            <div class="content-container">

                <!-- /.left-sidebar -->

                <div class="main-page">
                    <div class="container-fluid">
                        <div class="row page-title-div">
                            <div class="col-md-12">
                                <h2 class="title" align="center">Result Management System</h2>
                            </div>
                        </div>
                        <!-- /.row -->

                        <!-- /.row -->
                    </div>
                    <!-- /.container-fluid -->

                    <section class="section" id="example1">
                        <div class="container-fluid">

                            <div class="row">
```

```

<div class="col-md-8 col-md-offset-2">
  <div class="panel">
    <div class="panel-heading">
      <div class="panel-title">
        <h3 align="center">Student Result Details</h3>
        <hr />
        <?php
// code Student Data
$rollid=$_POST['rollid'];
$classid=$_POST['class'];
$_SESSION['rollid']=$rollid;
$_SESSION['classid']=$classid;

$query = "SELECT
tblstudents.StudentName,tblstudents.RollId,tblstudents.RegDate,tblstudents.StudentId,tblstudents.Status,tblcl
asse s.ClassName,tblclasses.Section from tblstudents join tblclasses on tblclasses.id=tblstudents.ClassId
where tblstudents.RollId=:rollid and tblstudents.ClassId=:classid ";
$stmt = $dbh->prepare($query);

$stmt->bindParam(':rollid',$rollid,PDO::PARAM_STR);
$stmt->bindParam(':classid',$classid,PDO::PARAM_STR);
$stmt->execute();
$resultss=$stmt->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($stmt->rowCount() > 0)
{
foreach($resultss as $row)
{
  ?>

    <p><b>Student Name :</b> <?php echo htmlentities($row->StudentName);?>
    </p>
    <p><b>Student Roll Id :</b> <?php echo htmlentities($row->RollId);?>
    <p><b>Student Class:</b>
      <?php echo htmlentities($row->ClassName);?>(<?php echo htmlentities($row-
>Section);?>)
    <?php }

  ?>
    </div>
    <div class="panel-body p-20">

      <table class="table table-hover table-bordered" border="1" width="100%">
        <thead>
          <tr style="text-align: center">
            <th style="text-align: center">#</th>
            <th style="text-align: center"> Subject</th>
            <th style="text-align: center">Marks</th>
          </tr>
        </thead>

        <tbody>
        <?php

```

```

// Code for result

$query = "select t.StudentName,t.RollId,t.ClassId,t.marks,SubjectId,tblsubjects.SubjectName from
sts.StudentName,sts.RollId,sts.ClassId,tr.marks,SubjectId from tblstudents as sts join tblresult as
t StudentId=sts.StudentId) as t join tblsubjects on tblsubjects.id=t.SubjectId where (t.RollId=:rollid,
t.ClassId=:classid)";

$query= $dbh -> prepare($query);
$query->bindParam(':rollid',$rollid,PDO::PARAM_STR);
$query->bindParam(':classid',$classid,PDO::PARAM_STR);
$query-> execute();

$results = $query -> fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($countrow=$query->rowCount()>0)
{

foreach($results as $result){

?>

<tr>
    <th scope="row" style="text-align: center">
        <?php echo htmlentities($cnt);?></th>
    <td style="text-align: center">
        <?php echo htmlentities($result-
>SubjectName);?></td> <td style="text-align: center">
        <?php echo htmlentities($totalmarks=$result->marks);?>
    </td>
</tr>
<?php

$totalcount+=$totalmarks;
$cnt++;}

?>

<tr>
    <th scope="row" colspan="2" style="text-align: center">Total
        Marks</th>
    <td style="text-align: center">
        <b><?php echo htmlentities($totalcount); ?></b> out of
        <b><?php echo htmlentities($outof=($cnt-1)*100); ?></b>
    </td>
</tr>
<tr>
    <th scope="row" colspan="2" style="text-align: center">
        Percentage</th>
    <td style="text-align: center">
        <b><?php echo htmlentities($totalcount*(100)/$outof); ?>
        %</b></td>

```

```
</td>
</td>

<td colspan="3" align="center"><i class="fa fa-print fa-2x"
aria-hidden="true" style="cursor:pointer"
OnClick="CallPrint(this.value)"></i></td>

<?php } else { ?>
<div class="alert alert-warning left-icon-alert" role="alert">
<strong>Notice!</strong> Your result not declare yet
<?php }

</div>
<?php

<div class="alert alert-danger left-icon-alert" role="alert">
<strong>Oh snap!</strong>
<?php

echo htmlentities("Invalid Roll Id");
|>
</div>

</tbody>
</table>

</div>
</div>
<!-- /.panel -->
</div>
<!-- /.col-md-6 -->

<div class="form-group">

<div class="col-sm-6">
<a href="index.php">Back to Home</a>
</div>
</div>

</div>
<!-- /.row -->

</div>
<!-- /.container-fluid -->
</section>
<!-- /.section -->
</div>
<!-- /.main-page -->
```

```

</div>
<!-- /.content-container -->

</div>
<!-- /.content-wrapper -->

</div>
<!-- /.main-wrapper -->

<!-- ===== COMMON JS FILES ===== -->
<script src="js/jquery/jquery-2.2.4.min.js"></script>
<script src="js/bootstrap/bootstrap.min.js"></script>
<script src="js/pace/pace.min.js"></script>
<script src="js/lobipanel/lobipanel.min.js"></script>
<script src="js/iscroll/iscroll.js"></script>

<!-- ===== PAGE JS FILES ===== -->
<script src="js/prism/prism.js"></script>

<!-- ===== THEME JS ===== -->
<script src="js/main.js"></script>
<script>
$(function($) {
    });

function CallPrint(strid) {
    var prtContent = document.getElementById("exampl");
    var WinPrint = window.open("", "", 'left=0,top=0,width=800,height=900,toolbar=0,scrollbars=0,status=0');
    WinPrint.document.write(prtContent.innerHTML);
    WinPrint.document.close();
    WinPrint.focus();
    WinPrint.print();
}

</script>

</script>

<!-- ===== ADD custom.js FILE BELOW WITH YOUR CHANGES ===== -->
</body>
</html>

```

Notice-details.php

```
<?php  
error_reporting(0);  
include('includes/config.php');  
>  
<!DOCTYPE html>  
<html lang="en">  
<head>  
    <meta charset="utf-8" />  
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no" />  
    <meta name="description" content="" />  
    <meta name="author" content="" />  
  
    <title>Student Result Management System</title>  
    <!-- Favicon-->  
    <link rel="icon" type="image/x-icon" href="assets/favicon.ico" />  
    <!-- Core theme CSS (includes Bootstrap)-->  
    <link href="css/styles.css" rel="stylesheet" />  
</head>  
<body>  
    <!-- Responsive navbar-->  
    <nav class="navbar navbar-expand-lg navbar-dark bg-dark">  
        <div class="container">  
            <a class="navbar-brand" href="index.php">SRMS-(Student Result Management System)</a>  
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse"  
                data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-  
                expanded="false"  
                aria-label="Toggle navigation"><span class="navbar-toggler-icon"></span></button>  
            <div class="collapse navbar-collapse" id="navbarSupportedContent">  
                <ul class="navbar-nav ms-auto mb-2 mb-lg-0">  
                    <li class="nav-item"><a class="nav-link active" aria-current="page" href="#">Home</a></li>  
                    <li class="nav-item"><a class="nav-link active" href="find-result.php">Students</a></li>  
                    <li class="nav-item"><a class="nav-link active" href="admin-login.php">Admin</a></li>  
                </ul>  
            </div>  
        </div>  
    </nav>  
  
<!-- Header - set the background image for the header in the line below-->  
<!-- Content section-->  
<section class="py-5">  
    <div class="container my-5">  
        <div class="row justify-content-center">  
            <div class="col-lg-10">  
                <?php
```

```

$noticeid=$_GET['nid'];
$sql = "SELECT * from tblnotice where id='$noticeid'";
$query = $dbh->prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$count=1;
if($query->rowCount() > 0)
{
foreach($results as $result)
{
    ?>
        <h3><?php echo htmlentities($result->noticeTitle);?></h3>
        <p><strong>Notice Posting Date:</strong> <?php echo htmlentities($result->postingDate);?>
        <hr color="#000" />
        <p><?php echo htmlentities($result->noticeDetails);?></p> <?php }} ?>

    </div>
</div>
</div>
</section>

<!-- Footer--&gt;
&lt;footer class="py-5 bg-dark"&gt;
    &lt;div class="container"&gt;
        &lt;p class="m-0 text-center text-white"&gt;Copyright &amp;copy; Student Result Management System
            &lt;?php echo date('Y');?&gt;&lt;/p&gt;
    &lt;/div&gt;
&lt;/footer&gt;
<!-- Bootstrap core JS--&gt;
&lt;script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"&gt;&lt;/script&gt;
<!-- Core theme JS--&gt;
&lt;script src="js/scripts.js"&gt;&lt;/script&gt;
&lt;/body&gt;
&lt;/html&gt;
</pre>

```

Logout.php

```

<?php
session_start();
$_SESSION = array();
if (ini_get("session.use_cookies")) {
    $params = session_get_cookie_params();
    setcookie(session_name(), "", time() - 60*60,
        $params["path"], $params["domain"],
        $params["secure"], $params["httponly"])
};

unset($_SESSION['login']);
session_destroy(); // destroy session
header("location:index.php");
?>

```