Cucumber Report

Start : Dec 03, 8:50:12.433 AM	End : Dec 03, 8:50:17.124 AM	Duration : 4.691 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 8 FAILED - 2 SKIPPED - 19
2	2	29
0 %	0 %	27 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Buying Product in online	*4.691 s*	*1*	*0*	*1*	*0*	*14*	*4*	*1*	*9*
Login to SauceDemo Application start Shopping	*4.680 s*	*1*	*0*	*1*	*0*	*15*	*4*	*1*	*10*

#	Feature Name	T	P	F	S	Duration
1	Buying Product in online	1	0	1	0	4.691 s
2	Login to SauceDemo Application start Shopping	1	0	1	0	4.680 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Buying Product in online	Creating second Order	14	4	1	9	4.684 s
2	Login to SauceDemo Application start Shopping	Sucessfull login with valid credentials and Creating First order	15	4	1	10	4.679 s

Buying Product in online

FAILED	DURATION - 4.691 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 14 Pass - 4 Fail - 1 Skip - 9	14
/ 8:50:12.433 AM // 8:50:17.124 AM /					

Creating second Order

FAILED	DURATION - 4.684 s		Steps Total - 14 Pass - 4 Fail - 1 Skip - 9	14
/ 8:50:12.440 AM // 8:50:17.124 AM /				
Buying Product in online				

| #	Step / Hook Details	Status	Duration
1	Given the user launches the sauceDemo website	PASSED	0.200 s
2	And the user enters the "standard_user"	PASSED	0.285 s
3	And the user enters the password as "secret_sauce"	PASSED	0.166 s
4	And user click on the sign button	PASSED	0.154 s
5	And the user click on the bag	FAILED	0.082 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()='Sauce Labs Backpack']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [869fb3180319cef6a9f0017ef8f5395a, findElement {using=xpath, value=//*[text()='Sauce Labs Backpack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\KHAJAM~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50362}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50362/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 869fb3180319cef6a9f0017ef8f5395a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source) at com.utils.UtilFunctions.clickElement(UtilFunctions.java:207) at com.pagefactory.SecondProductSelectingPage.clkbag(SecondProductSelectingPage.java:19) at com.stepdefinitions.CreatingSecondOrder.the_user_click_on_the_bag(CreatingSecondOrder.java:11) at ?.the user click on the bag(file:///C:/Users/KhajaMohammed-Kairos/eclipse-workspace/CucumberDemoAmazon/./Features/BuyingProduct.feature:8) * Not displayable characters are replaced by '?'.		
6	And the user moving the proceed page	SKIPPED	0.001 s
7	And the user selecting checkout	SKIPPED	0.001 s
8	And the user enters the addressfirstname "john"	SKIPPED	0.000 s
9	And the user enters the addresslastname "smith"	SKIPPED	0.001 s
10	And the user enters the postaddress "521001"	SKIPPED	0.001 s
11	And the user hits the continue button	SKIPPED	0.001 s
12	And the user click on the shoppingfinish	SKIPPED	0.001 s
13	Then user click on the menubutton	SKIPPED	0.001 s
14	And the user click on logoutbutton	SKIPPED	0.001 s

Login to SauceDemo Application start Shopping

FAILED	DURATION - 4.680 s		Scenarios		Steps	
/ 8:50:12.443 AM // 8:50:17.123 AM /			Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 15 Pass - 4 Fail - 1 Skip - 10	15

Sucessfull login with valid credentials and Creating First order

FAILED	DURATION - 4.679 s		Steps	
/ 8:50:12.444 AM // 8:50:17.123 AM /			Total - 15 Pass - 4 Fail - 1 Skip - 10	15
Login to SauceDemo Application start Shopping				

#	Step / Hook Details	Status	Duration
1	Given the user launches the sauceDemo website	PASSED	0.265 s
2	And the user enters the "standard_user"	PASSED	0.232 s
3	And the user enters the password as "secret_sauce"	PASSED	0.155 s
4	And user click on the sign button	PASSED	0.161 s
5	And the user click on the red shirt	FAILED	0.135 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Test. allTheThings() T-Shirt (Red)']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://selenium.dev/ exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [869fb3180319cef6a9f0017ef8f5395a, findElement {using=xpath, value=//div[text()='Test.allTheThings() T-Shirt (Red)']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\KHAJAM~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50362}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50362/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 869fb3180319cef6a9f0017ef8f5395a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source) at com.utils.UtilFunctions.clickElement(UtilFunctions.java:207) at com.pagefactory.ProductsPage.clickproduct(ProductsPage.java:24) at com.stepdefinitions.LoginPageSteps.the_user_click_on_the_red_shirt(LoginPageSteps.java:43) at ?.the user click on the red shirt(file:///C:/Users/KhajaMohammed-Kairos/eclipse-workspace/CucumberDemoAmazon/./Features/login.feature:8) * Not displayable characters are replaced by '?'.		
6	And the user click on the cartbutton	SKIPPED	0.002 s
7	And the user click on the checkoutbutton	SKIPPED	0.001 s
8	And the user enters the firstname "albert"	SKIPPED	0.001 s
9	And the user enters the secondname "stain"	SKIPPED	0.002 s
10	And the user enters the zipcode "453623"	SKIPPED	0.001 s
11	And the user clicks the continue	SKIPPED	0.002 s
12	And the user click the finish	SKIPPED	0.002 s
13	And the user click on backtohome	SKIPPED	0.002 s
14	Then user click on the menubutton	SKIPPED	0.001 s
15	And the user click on logoutbutton	SKIPPED	0.000 s