

Cucumber Report

Dec 3, 2023, 8:44:56 AM

Start : Dec 03, 8:44:50.825 AM

End : Dec 03, 8:44:54.925 AM

Duration : 4.100 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 2

SKIPPED - 0

PASSED - 0



FAILED - 2

SKIPPED - 0

PASSED - 8

FAILED - 2


SKIPPED - 19



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Buying Product in online</u>	4.099 s	1	0	1	0	14	4	1	9
<u>Login to SauceDemo Application start Shopping</u>	4.090 s	1	0	1	0	15	4	1	10





#	Feature Name	T	P	F	S	Duration
1	<u>Buying Product in online</u>	1	0	1	0	4.099 s
2	<u>Login to SauceDemo Application start Shopping</u>	1	0	1	0	4.090 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Buying Product in online</u>	<u>Creating second Order</u>	14	4	1	9	4.092 s
2	<u>Login to SauceDemo Application start Shopping</u>	<u>Sucessfull login with valid credentials and Creating First order</u>	15	4	1	10	4.090 s

Buying Product in online

<div>FAILED</div> <div>DURATION - 4.099 s</div>		<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>		<div></div>		<div>Steps</div> <div>Total - 14</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 9</div>		<div></div>	
/ 8:44:50.825 AM // 8:44:54.924 AM /									

Creating second Order

<div><div>FAILED</div><div>DURATION - 4.092 s</div></div>		<div></div>	<div>Steps Total - 14 Pass - 4 Fail - 1 Skip - 9</div>	<div></div>
/ 8:44:50.832 AM // 8:44:54.924 AM /				
Buying Product in online				

#	Step / Hook Details	Status	Duration
1	Given the user launches the sauceDemo website	PASSED	0.236 s
2	And the user enters the "standard_user"	PASSED	0.191 s
3	And the user enters the password as "secret_sauce"	PASSED	0.132 s
4	And user click on the sign button	PASSED	0.161 s
5	And the user click on the bag org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[text()='Sauce Labs Backpack']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6afac7adde27c6f87f42c55ea54ff0b8, findElement {using=xpath, value=//*[text()='Sauce Labs Backpack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\KHAJAM~1\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50257}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50257/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6afac7adde27c6f87f42c55ea54ff0b8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	0.129 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.utils.UtilFunctions.clickElement(UtilFunctions.java:207) at com.pagefactory.SecondProductSelectingPage.clkbag(SecondProductSelectingPage.java:19) at com.stepdefinitions.CreatingSecondOrder.the_user_click_on_the_bag(CreatingSecondOrder.java:11) at ?.the user click on the bag(file:///C:/Users/KhajaMohammed-Kairos/eclipse-workspace/CucumberDemoAmazon/.//Features/BuyingProduct.feature:8) * Not displayable characters are replaced by '?'. </pre>		
6	And the user moving the proceed page	SKIPPED	0.001 s
7	And the user selecting checkout	SKIPPED	0.002 s
8	And the user enters the addressfirstname "john"	SKIPPED	0.001 s
9	And the user enters the addresslastname "smith"	SKIPPED	0.002 s
10	And the user enters the postaddress "521001"	SKIPPED	0.000 s
11	And the user hits the continue button	SKIPPED	0.002 s
12	And the user click on the shoppingfinish	SKIPPED	0.001 s
13	Then user click on the menubutton	SKIPPED	0.003 s
14	And the user click on logoutbutton	SKIPPED	0.001 s


Login to SauceDemo Application start Shopping

Successfull login with valid credentials and Creating First order

FAILED DURATION - 4.090 s

/ 8:44:50.835 AM // 8:44:54.925 AM /

[Login to SauceDemo Application start Shopping](#)




Steps

Total - 15

Pass - 4

Fail - 1

Skip - 10



A donut chart representing the distribution of test results. The chart is divided into four segments: a large yellow segment (10), a green segment (4), a small red segment (1), and a very small blue segment (0). The number '15' is displayed in the center of the donut.

Category	Count
Total	15
Pass	4
Fail	1
Skip	10

#	Step / Hook Details	Status	Duration
1	Given the user launches the sauceDemo website	PASSED	0.175 s
2	And the user enters the "standard_user"	PASSED	0.233 s
3	And the user enters the password as "secret_sauce"	PASSED	0.150 s
4	And user click on the sign button	PASSED	0.158 s
5	And the user click on the red shirt org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Test.allTheThings() T-Shirt (Red)']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6afac7adde27c6f87f42c55ea54ff0b8, findElement {using=xpath, value=//div[text()='Test.allTheThings() T-Shirt (Red)']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\KHAJAM~1\AppData\Local\Temp\50257}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50257/devtools, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6afac7adde27c6f87f42c55ea54ff0b8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	0.077 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.utils.UtilFunctions.clickElement(UtilFunctions.java:207) at com.pagefactory.ProductsPage.clickproduct(ProductsPage.java:24) at com.stepdefinitions.LoginPageSteps.the_user_click_on_the_red_shirt(LoginPageSteps.java:43) at ?.the user click on the red shirt(file:///C:/Users/KhajaMohammed-Kairos/eclipse-workspace/CucumberDemoAmazon/./Features/login.feature:8) * Not displayable characters are replaced by '?'. </pre>		
6	And the user click on the cartbutton	SKIPPED	0.001 s
7	And the user click on the checkoutbutton	SKIPPED	0.001 s
8	And the user enters the firstname "albert"	SKIPPED	0.001 s
9	And the user enters the secondname "stain"	SKIPPED	0.002 s
10	And the user enters the zipcode "453623"	SKIPPED	0.000 s
11	And the user clicks the continue	SKIPPED	0.001 s
12	And the user click the finish	SKIPPED	0.001 s
13	And the user click on backtohome	SKIPPED	0.002 s
14	Then user click on the menubutton	SKIPPED	0.002 s
15	And the user click on logoutbutton	SKIPPED	0.002 s