
Start: Dec 03, 8:51:03.748 AM End: Dec 03, 8:51:08.720 AM **Duration**: 4.972 s Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 8 SKIPPED - 0 SKIPPED - 0 SKIPPED - 19 29 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass% 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 27 % 100 100

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to SauceDemo Application start Shopping	4.971 s	1	0	1	0	15	4	1	10
Buying Product in online	4.963 s	1	0	1	0	14	4	1	9

FEATURES SUMMARY -- 3 --




#	Feature Name	T	P	F	S	Duration
1	Login to SauceDemo Application start Shopping	1	0	1	0	4.971 s
2	Buying Product in online	1	0	1	0	4.963 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to SauceDemo Application start Shopping	Sucessfull login with valid credentials and Creating First order	15	4	1	10	4.965 s
2	Buying Product in online	Creating second Order	14	4	1	9	4.963 s

DETAILED SECTION -- 5 --

Login to SauceDemo Application start Shopping



Sucessfull login with valid credentials and Creating First order




#	Step / Hook Details	Status	Duration
1	Given the user launches the sauceDemo website	PASSED	0.217 s
2	And the user enters the "standard_user"	PASSED	0.359 s
3	And the user enters the password as "secret_sauce"	PASSED	0.209 s
4	And user click on the sign button	PASSED	0.202 s
5	And the user click on the red shirt	FAILED	0.119 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Test. allTheThings() T-Shirt (Red)']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd218b6888b1b75ce0a296a9b9b1c1b0, findElement {using=xpath, value=//div[text()='Test.allTheThings() T-Shirt (Red)']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\KHAJAM~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50448}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50448/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd218b6888b1b75ce0a296a9b9b1c1b0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		


DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.EttpCommandExecutor.invokeExecutor[vierCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocation.java:100 at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementHandler.java:39) at jdk.proxy2.jdk.proxy2.\$Proxy29.click(Unknown Source) at com.utils.UtilFunctions.clickElement(UtilFunctions.java:207) at com.pagefactory.ProductsPage.clickproduct(ProductsPage.java:24) at c.the user click on the red shirt(file:///C./Users/KhajaMohammed-Kairos/eclipse-workspace/CucumberDemoAmazon/./Features/login.feature:8) *Not displayable characters are replaced by '?'.		
6	And the user click on the cartbutton	SKIPPED	0.002 s
7	And the user click on the checkoutbutton	SKIPPED	0.002 s
8	And the user enters the firstname "albert"	SKIPPED	0.003 s
9	And the user enters the secondname "stain"	SKIPPED	0.001 s
10	And the user enters the zipcode "453623"	SKIPPED	0.003 s
11	And the user clicks the continue	SKIPPED	0.002 s
12	And the user click the finish	SKIPPED	0.003 s
13	And the user click on backtohome	SKIPPED	0.003 s
14	Then user click on the menubutton	SKIPPED	0.002 s
15	And the user click on logoutbutton	SKIPPED	0.001 s
14	Then user click on the menubutton	SKIPPED	0.002 s

Buying Product in online



Creating second Order



#	Step / Hook Details	Status	Duration
1	Given the user launches the sauceDemo website	PASSED	0.308 s
2	And the user enters the "standard_user"	PASSED	0.265 s
3	And the user enters the password as "secret_sauce"	PASSED	0.226 s
4	And user click on the sign button	PASSED	0.207 s
5	And the user click on the bag	FAILED	0.187 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//*[text()='Sauce Labs Backpack']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd218b6888b1b75ce0a296a9b9b1c1b0, findElement {using=xpath, value=//*[text()='Sauce Labs Backpack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\KHAJAM~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50448}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50448/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd218b6888b1b75ce0a296a9b9b1c1b0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at com.utils.UtilFunctions.clickElement(UtilFunctions.java:207) at com.pagefactory.SecondProductSelectingPage.clkbag(SecondProductSelectingPage.java:19)		
	at com.stepdefinitions.CreatingSecondOrder.the_user_click_on_the_bag(CreatingSecondOrder.java:11)		
	at com.stepdennitions.CreatingSecondOrder.tre_user_click_on_tre_bag(CreatingSecondOrder.java.11) at ?.the user click on the bag(file:///C:/Users/KhajaMohammed-Kairos/eclipse-workspace/CucumberDemoAmazon/./Features/BuyingProduct.		
	feature:8)		
	* Not displayable characters are replaced by '?'.		
6	And the user moving the proceed page	SKIPPED	0.002 s
7	And the user selecting checkout	SKIPPED	0.002 s
8	And the user enters the addressfirstname "john"	SKIPPED	0.001 s
9	And the user enters the addresslastname "smith"	SKIPPED	0.002 s
10	And the user enters the postaddress "521001"	SKIPPED	0.002 s
11	And the user hits the continue button	SKIPPED	0.003 s
12	And the user click on the shoppingfinish	SKIPPED	0.001 s
13	Then user click on the menubutton	SKIPPED	0.002 s
14	And the user click on logoutbutton	SKIPPED	0.002 s