

1. Launch EC2

- AML: Amazon Linux 2023
- Instance Type: t3.medium
- Storage: 20 GB gp3
- Public IP: Yes
- Security Group: 22 from my IP

Connect using `ssh -i my-key.pem ec2-user@<public-ip>`

2. Install MySQL 8.0

1. `sudo dnf update -y` #Update packages
2. `sudo dnf search mariadb` #Check Available MariaDB Versions
Or `sudo dnf list available | grep mariadb`
3. `sudo dnf install mariadb105-server -y` #Install MariaDB Server
4. `sudo systemctl start mariadb` #Start MariaDB Service
5. `sudo systemctl enable mariadb` #Enable Auto Start on Boot
6. `sudo systemctl status mariadb` # check status
7. `sudo mysql_secure_installation` #Secure MariaDB Installation
Set root password? Y
Root user password: admin123
Remove anonymous users? Y
Disallow root login remotely? Y
Remove test database? Y
Reload privilege tables? Y
8. `mysql -u root -p` #Login to MariaDB
`SELECT VERSION();` #Verify Installation from mariadb console
9. `CREATE DATABASE dms_test;` #Create DB from mariadb console
`SHOW DATABASES;` #check DB from mariadb console
10. `sudo vi /etc/my.cnf.d/mariadb-server.cnf` #Edit configuration and make
`bind-address=0.0.0.0` for allowing remote access and then restart the mariadb service
from bash
11. Create a Remote User
`CREATE USER 'admin'@'%' IDENTIFIED BY 'admin123';`
`GRANT ALL PRIVILEGES ON *.* TO 'admin'@'%' WITH GRANT OPTION;`
`FLUSH PRIVILEGES;`
12. Open Security Group Port 3306
13. Login from remote machine
`mysqlsh -h <EC2-Public-IP> -u admin -p` # Require MySQL shell for windows as client
Or `mysqlsh --sql admin@<EC2-Public-IP>:3306`
- 14.

3. Migration

15. Verify Source Database for DMS
Login to MariaDB:

```
SHOW VARIABLES LIKE 'log_bin';           # should be ON
SHOW VARIABLES LIKE 'binlog_format';     # should be ROW
SHOW VARIABLES LIKE 'server_id';         # should be 1
```

If `log_bin` is OFF, change the mariadb configuration otherwise CDC will not work.

```
sudo find /etc -name "*.cnf"             #to check configuration file
```

```
sudo cp /etc/my.cnf.d/mariadb-server.cnf /etc/my.cnf.d/mariadb-server.cnf.bak
```

```
sudo vim /etc/my.cnf.d/mariadb-server.cnf
```

```
[mariadb]
server_id=1
log_bin=mysql-bin
binlog_format=ROW
binlog_row_image=FULL
expire_logs_days=7
```

Verify:

```
grep -R "server_id" /etc/my.cnf*
grep -R "log_bin" /etc/my.cnf*
grep -R "binlog_format" /etc/my.cnf*
```

```
sudo systemctl restart mariadb
```

Verify Binary Logging (Connect to MariaDB and run):

```
SHOW VARIABLES LIKE 'log_bin';
SHOW VARIABLES LIKE 'binlog_format';
SHOW VARIABLES LIKE 'binlog_row_image';
SHOW VARIABLES LIKE 'server_id';
```

Verify Binlog Creation:

From EC2: `sudo ls -lh /var/lib/mysql | grep mysql-bin`

Should see the following:

```
mysql-bin.000001
mysql-bin.index
```

16. Create DMS User on Source

```
CREATE USER 'dms_user'@'%'
```

IDENTIFIED BY 'dms123!';

GRANT SELECT,
 REPLICATION CLIENT,
 REPLICATION SLAVE
ON *.*
TO 'dms_user'@'%';

FLUSH PRIVILEGES;

Verify: SHOW GRANTS FOR 'dms_user'@'%';

17. Create Target RDS MySQL

In AWS Console: RDS → Create Database:

Setting	Value
Engine	MySQL
Version	MySQL 8.4.8
Template	Dev/Test
DB Instance Identifier	dms-target-db
Master Username	admin
Storage	20 GB
Public Access	No
Multi-AZ	No
Instance Type	db.t3.micro

18. Configure Security Groups

EC2 Security Group: Inbound for port 3306 - source DMS Security Group

RDS Security Group: Inbound for port 3306 - source DMS Security Group

19. Verify Connectivity

mysqlsh -h <ec2-public-ip> -u dms_user -p

mysql -h <rds-endpoint> -u admin -p #from public ec2-instance of the same VPC

Create DMS User on target

CREATE USER 'dms_user'@'%'
IDENTIFIED BY 'dms123!';

GRANT SELECT,
 REPLICATION CLIENT,

```
REPLICATION SLAVE
ON *.*
TO 'dms_user'@'%';
```

```
FLUSH PRIVILEGES;
```

```
Verify: SHOW GRANTS FOR 'dms_user'@'%';
```

20. Create Target Database

Connect to RDS:

```
CREATE DATABASE dms_test;
SHOW DATABASES;
```

21. Create DMS Replication Instance

AWS Console: DMS → Replication Instances → Create

Setting	Value
Name	dms-repl-instance
Instance Class	dms.t3.small
Storage	20 GB
Multi-AZ	No
VPC	Same VPC as EC2/RDS

22. Create Source Endpoint

DMS → Endpoints → Create Endpoint

Setting	Value
Endpoint Type	Source
Engine	MariaDB
Server Name	EC2 Private IP
Port	3306
Username	dms_user
Password	*****

Test Connection.

Expected: Successful

23. Create Target Endpoint

DMS → Endpoints → Create Endpoint

Setting	Value
Endpoint Type	Target
Engine	MySQL
Server Name	RDS Endpoint
Port	3306
Username	dms_user
Password	*****

Test Connection.

Expected: Successful

24. Create Migration Task

DMS → Database Migration Tasks → Create Task

Settings	Value
Task Name	ec2-to-rds-migration
Replication Instance	dms-repl-instance
Source Endpoint	source-mariadb
Target Endpoint	target-rds
Migration Type	Migrate and replicate (Full Load + CDC)
Additional Settings	
Target table preparation mode	Drop tables on target
Stop task after full load completes	Do not stop
LOB mode	Full LOB mode (64 kb chunk size)
Data validation	Validation with data migration
Turn on CloudWatch logs	On
Batch-optimized apply	Turn on batch-optimized apply
Table mappings (JSON)	{ "rules": [{ "rule-type": "selection", "rule-id": "1", "rule-name": "include_all",

	<pre> "object-locator": { "schema-name": "dms_test", "table-name": "%" }, "rule-action": "include" }] } </pre>
Turn on premigration assessment	assessment-run-2026-06-13-17-48-53
Create and use a new S3 bucket	dms-assessment-run-2026-06-13-17-48-53
Create and use a new IAM role	DMSS3AccessRole-dms-assessment-run-2026-06-13-17-48-53
Migration task startup configuration	Manually later
<pre> Table Mapping { "rules": [{ "rule-type": "selection", "rule-id": "1", "rule-name": "include_all", "object-locator": { "schema-name": "dms_test", "table-name": "%" }, "rule-action": "include" }] } </pre>	

Pre-assessment Results:

Failed 1

MySQL-compatible database has one or more of net_read_timeout, net_write_timeout and wait_timeout set to less than 5 minutes.

Fixation:

In mariadb console with a user with the **SUPER** privilege like root

SET GLOBAL net_read_timeout = 300;

SET GLOBAL net_write_timeout = 300;

SET GLOBAL wait_timeout = 300;

For permanent: in mariadb config (sudo vim /etc/my.cnf.d/mariadb-server.cnf)

[mysqld]

```
net_read_timeout=300
net_write_timeout=300
wait_timeout=300
```

```
sudo systemctl restart mariadb
```

Checking in mariadb:

```
SHOW VARIABLES LIKE 'net_read_timeout';
SHOW VARIABLES LIKE 'net_write_timeout';
SHOW VARIABLES LIKE 'wait_timeout';
```

Failed 2

The AWS DMS user must have read/write privileges to the target. Refer to the following link for more information

Fixation: on target database

```
GRANT ALL PRIVILEGES ON `awsdms_control`.* TO 'dms_user'@'%';
GRANT ALL PRIVILEGES
ON dms_test.*
TO 'dms_user'@'%';
```

```
FLUSH PRIVILEGES;
```

Verify: SHOW GRANTS FOR 'dms_user'@'%';

Warnings:

1. Recommendation: Recommendation on using MaxFullLoadSubTasks setting - Recommendation on using MaxFullLoadSubTasks setting Warning AWS DMS preflight has identified that MaxFullLoadSubTasks task parameter value has changed and number of tables for migration exceeds 8. This might impact performance of the full load, please consider to use appropriate value for MaxFullLoadSubTasks.
2. Prerequisites: Validate that secondary constraints and indexes (non-primary) are present in the source database - Following tables constrains/secondary indexes needs to be created post migration on target
3. Limitation: Validate if auto-increment is enabled on any tables used for migration - AWS DMS does not migrate the AUTO_INCREMENT attribute on a column to a target database
4. Source table without primary key for CDC or full load and CDC tasks only - Some tables lack primary keys or unique indexes, which may impact CDC. Review and add unique identifiers where necessary.

25. Start Migration

[DMS](#) > [Migrate or replicate](#) > [Tasks](#) > ec2-to-rds-migration

ec2-to-rds-migration
[Actions](#) [Modify](#)

Summary

Task status
Load completed, replication ongoing

Latest premigration assessment
2 failed, 4 warnings, 30 passed and 7 skipped

Source
[source-endpoint-mariadb](#)

Type
 Full load, CDC

Full load progress 100%

Target
[target-endpoint-rds-mysql](#)

Mode
 Provisioned

[Details](#) | [Table statistics](#) | [Monitoring](#) | [Table mappings](#) | [Premigration assessments](#) | [Tags](#)

Table statistics (12)
[Export to CSV](#) [Validate again](#) [Reload table data](#)

Total rows include loaded source table rows from Inserts, Deletes, Updates, DDLs, and Full load rows.

Schema name	Table name	Load state	Logs	Elapsed load time	Total rows	Inserts	Deletes
dms_test	INDUSTRIES	Table completed	Find in Logs	< 1 s	5	0	0
dms_test	CUSTOMER_TYPES	Table completed	Find in Logs	< 1 s	5	0	0
dms_test	DISTRICTS	Table completed	Find in Logs	< 1 s	7	0	0
dms_test	THANAS	Table completed	Find in Logs	< 1 s	7	0	0
dms_test	FINANCING_PRODUCTS	Table completed	Find in Logs	< 1 s	4	0	0
dms_test	FINANCING_ACCOUNTS	Table completed	Find in Logs	< 1 s	10	0	0
dms_test	FINANCING_MONTHLY_S...	Table completed	Find in Logs	< 1 s	0	0	0
dms_test	DIVISIONS	Table completed	Find in Logs	< 1 s	6	0	0
dms_test	BUSINESS_UNITS	Table completed	Find in Logs	< 1 s	3	0	0
dms_test	CL_CATEGORIES	Table completed	Find in Logs	< 1 s	4	0	0
dms_test	CUSTOMERS	Table completed	Find in Logs	< 1 s	5	0	0
dms_test	BRANCHES	Table completed	Find in Logs	< 1 s	5	0	0

26. Validate Migration

```

SELECT COUNT(*) FROM CUSTOMERS;           —5
SELECT COUNT(*) FROM FINANCING_ACCOUNTS;  —10
SELECT
  COUNT(*)
FROM INFORMATION_SCHEMA.TABLES
WHERE TABLE_SCHEMA = 'dms_test';         —12
SELECT * FROM CUSTOMERS;                   —5 records
  
```

These query returns the same results in both source and target databases;

27. Test CDC

Insert into source:

```
INSERT INTO CUSTOMERS
(
  CUSTOMER_ID,
  CUSTOMER_TYPE_ID,
  CUSTOMER_NAME,
  CUSTOMER_RISK_LEVEL,
  LAST_UPDATE_TIME,
  ADDRESS,
  EMAIL,
  MOBILE,
  BRANCH_ID
)
VALUES
(6, 1, 'Bablu', 'Low', '2026-03-11 00:18:56',
'3/2 Patherbari, Khulna', 'bablu@spiritual.com', '0198351247576', 2);
```

After a few seconds:

```
SELECT * FROM customers;
```

on RDS should show the new row.

But no change in target. That means CDS is not working.

The following found from CloudWatch Logs

```
2026-06-15T08:35:10 [TARGET_APPLY ]E: RetCode: SQL_ERROR SqlState:
HY000 NativeError: 1044 Message: [MySQL][ODBC 8.0(w) Driver][mysqld-8.4.8]Access
denied for user 'dms_user'@'%' to database 'awsdms_control' [1022502]
(ar_odbc_stmt.c:5078)
```

```
-- Grant full privileges on the awsdms_control database (DMS needs this)
```

```
GRANT ALL PRIVILEGES ON `awsdms_control`.* TO 'dms_user'@'%';
```

```
-- Also ensure full privileges on target database
```

```
GRANT ALL PRIVILEGES ON `dms_test`.* TO 'dms_user'@'%';
```

```
-- Apply the changes
```

```
FLUSH PRIVILEGES;
```

CDC works now.

4. Screenshots

Source EC2 Instance

The screenshot shows the AWS Management Console for the EC2 service. A green banner at the top indicates "Successfully initiated starting of i-0377e5497dc66e600". The left sidebar shows the navigation menu with "Instances" selected. The main content area displays the "Instances (1/1)" page. A table lists the instance "my-ec2-mysql-server" with ID "i-0377e5497dc66e600", state "Running", type "t3.medium", and availability zone "ap-southeast-1a". Below the table, the instance details are shown for "i-0377e5497dc66e600 (my-ec2-mysql-server)". The details include the Instance ID, IPv6 address, Hostname type, Public IPv4 address (47.128.223.233), Private IPv4 addresses (172.31.45.240), Instance state (Running), and Private IP DNS name (ip-172-31-45-240.ap-southeast-1.compute.internal).

The screenshot shows the AWS Management Console for the EC2 service, displaying the "Inbound rules" for the instance "my-ec2-mysql-server". The left sidebar shows the navigation menu with "Instances" selected. The main content area displays the "Instances (1/1)" page. A table lists the instance "my-ec2-mysql-server" with ID "i-0377e5497dc66e600", state "Running", type "t3.medium", and availability zone "ap-southeast-1a". Below the table, the instance details are shown for "i-0377e5497dc66e600 (my-ec2-mysql-server)". The details include the Instance ID, IPv6 address, Hostname type, Public IPv4 address (47.128.223.233), Private IPv4 addresses (172.31.45.240), Instance state (Running), and Private IP DNS name (ip-172-31-45-240.ap-southeast-1.compute.internal). The "Inbound rules" section shows a table with columns: Name, Security group rule ID, Port range, Protocol, Source, Security groups, and Description. The table lists three rules: "sg-07ba776cc76ee0df5" (TCP, 3306, sg-07cee9faa00022d54), "sg-03d121aea1a71b912" (TCP, 22, 103.76.45.71/32), and "sg-01e70d0fb38933516" (TCP, 3306, 103.76.45.71/32).

Target RDS (MySQL): Configuration

Aurora and RDS > **Databases** > dms-target-db

Configuration

Configuration	Instance class	Primary storage	Monitoring
DB instance ID dms-target-db	Instance class db.t3.micro	Encryption Enabled	Monitoring type Database Insights - Standard
Engine version 8.4.8	vCPU 2	Encryption key AWS managed KMS key aws/rds	Performance Insights Disabled
RDS Extended Support Disabled	RAM 1 GiB	Storage type General Purpose SSD (gp3)	Enhanced Monitoring Disabled
DB name -	Availability	Storage 20 GiB	
License model General Public License	Master username admin	Provisioned IOPS 3000 IOPS	
Option groups default.mysql-8.4 In sync	Master password *****	Storage throughput 125 MiBps	
Amazon Resource Name (ARN) arn:aws:rds:ap-southeast-1:415668460034:db:dms-target-db	IAM DB authentication Not enabled	Storage autoscaling Disabled	
Resource ID db-4WUL4KBTQRN6DUJQ3FU45CLA	Multi-AZ No	Storage file system configuration Current	
Created time June 13, 2026, 16:47 (UTC+06:00)	Secondary Zone -		
DB instance parameter group default.mysql8.4 In sync			
Deletion protection			

Summary and Connectivity & security

Aurora and RDS > **Databases** > dms-target-db

Summary

Summary	Status	Role	Engine	Recommendations
DB identifier dms-target-db	Status Available	Role Instance	Engine MySQL Community	
CPU 4.39%	Class db.t3.micro	Current activity 0 Connections	Region & AZ ap-southeast-1c	

Connectivity & security

Connect using | **Info**

☐ **Cloud console**
Use when connecting through SDK, API, or third-party tools including agents.

☐ **CloudShell**
Use for a quick access to AWS CLI that searches directly from the AWS Management Console.

Database name
mysql

Master username
admin

Internet access gateway
Disabled

Port
3306

Endpoint type
Instance endpoint

Additional configurations

Connectivity & security	Networking	Security
Endpoint dms-target-db.c28t2k3mmyf.ap-southeast-1.rds.amazonaws.com	Availability Zone ap-southeast-1c	VPC security groups sg-0207f681a055a83a8f
Port 3306	VPC vpc-04b4bffe64775c5d	Publicly accessible No
	Subnet group default-vgp-04b4bffe64775c5d	Certificate authority Info ca-4a20565-91
	Subnets subnet-0207f1a7f5a667a9f subnet-0207f1a7f5a667a9f subnet-0207f1a7f5a667a9f	Certificate authority date May 22, 2061, 06:39 (UTC+06:00)
	Network type IPv4	DB instance certificate expiration date June 15, 2027, 16:47 (UTC+06:00)

Security groups

Aurora and RDS

Dashboard

Databases

Query editor

Performance Insights

Snapshots

Exports in Amazon S3

Automated backups

Reserved instances

Profiles

Subnet groups

Parameter groups

Option groups

Custom engine versions

Zero-ETL integrations

Events

Event subscriptions

Recommendations

Certificate update

Network type

IPv4

See resource security group name

June 13, 2027, 16:47 (UTC+06:00)

Connected compute resources (0)

Info

Connections to compute resources that were created automatically by RDS are shown here. Connections to compute resources that were created manually aren't shown.

Filter by compute resources

Resource identifier

Resource type

Availability Zone

VPC security group

Compute resource security group

Connected proxy

No connected compute resources

No connected compute resources that were created automatically to display.

Set up EC2 connection

Set up Lambda connection

Security group rules (3)

Filter by Security group rules

Security group

Type

Rule

[rds-mysql-sg-bp-0207661b653a83ab4](#)

EC2 Security Group - Inbound

sg-07cee9faa00022d34

[rds-mysql-sg-bp-0207661b653a83ab4](#)

EC2 Security Group - Inbound

sg-0d0cfb4ce59c3d006

[rds-mysql-sg-bp-0207661b653a83ab4](#)

ODR/IP - Outbound

0.0.0.0/0

DMS Replication Instance

DMS

Migrate or replicate

Replication instances

dms-repl-instance

AWS DMS

New navigation

Dashboard

Getting started

Convert or move to managed

Projects

Data providers

Instance profiles

Migrate or replicate

Tasks

Endpoints

Provisioned instances

Monitor

Certificates

Subnet groups

Support lifecycle policy

New feature announcements

Provide feedback

Summary

Status

Available

Class

dms.t3.small

Engine version

3.5.4

Associated migration tasks

-

Overview details

CloudWatch metrics

Migration tasks

Log management

Tags

Details

Basic configuration

ARN

arn:aws:dms:ap-southeast-1:415668460034:rep:CSQBUJQRCSG5JERPMVVV5GFEHE

Instance class

dms.t3.small

Status

Available

Availability zone

ap-southeast-1a

Multi AZ

No

Free instance expiration

-

Storage

Allocated storage (GiB)

20

Connectivity and security

Network type

IPv4

VPC

vpc-04beb0fec64775c3d

Replication subnet group

default-vpc-04bab0fec64775c3d

Public IP address

-

Private IP address

172.31.38.63

VPC security groups

sg-07cee9faa00022d34

Created

June 13, 2026 at 16:53:03 (UTC+06:00)

KMS key

arn:aws:kms:ap-southeast-1:415668460034:key/e1236f8b-7f17-4c07-92b9-c0ce5cae1e3

Maintenance

Minor version automatic upgrade

Yes

Pending modify values

-

Maintenance window

June 13, 2026, 23:57 (UTC+06:00) - June 14, 2026, 00:27 (UTC+06:00)

Source Endpoint

DMS > Migrate or replicate > Endpoints > source-endpoint-mariadb

AWS DMS

New navigation

Dashboard

Getting started

▼ Convert or move to managed

Projects

Data providers

Instance profiles

▼ Migrate or replicate

Tasks [New](#)

[Endpoints](#)

Provisioned instances

► Monitor

Certificates

Subnet groups

Support lifecycle policy

source-endpoint-mariadb

How was your experience using endpoints? [Provide feedback](#)

Overview details | Connections | Schemas | Endpoint settings | Tags

Details

Endpoint ARN

arn:aws:dms:ap-southeast-1:415668460034:endpoint:JFSKNKZ7UNA7BGGX0HHCYZWEFSI

Endpoint engine

MariaDB

Endpoint type

Source

User name

dms_user

KMS ARN / ID

arn:aws:kms:ap-southeast-1:415668460034:key/e1236ffb-7f17-4c07-92b9-cdce5caef1e3

Status

Active

SSL mode

None

Server name

172.31.45.240

Port

3306

DMS > Migrate or replicate > Endpoints > source-endpoint-mariadb

AWS DMS

New navigation

Dashboard

Getting started

▼ Convert or move to managed

Projects

Data providers

Instance profiles

▼ Migrate or replicate

Tasks [New](#)

[Endpoints](#)

Provisioned instances

► Monitor

Certificates

Subnet groups

Support lifecycle policy

source-endpoint-mariadb

How was your experience using endpoints? [Provide feedback](#)

Overview details | [Connections](#) | Schemas | Endpoint settings | Tags

Connections

Endpoint identifier

Replication instance

Status

Message

source-endpoint-mariadb

[dms-repl-instance](#)

Successful

Target Endpoint

DMS > Migrate or replicate > Endpoints > target-endpoint-rds-mysql

AWS DMS

New navigation

Dashboard

Getting started

▼ Convert or move to managed

Projects

Data providers

Instance profiles

▼ Migrate or replicate

Tasks [New](#)

[Endpoints](#)

Provisioned instances

► Monitor

Certificates

Subnet groups

Support lifecycle policy

target-endpoint-rds-mysql

How was your experience using endpoints? [Provide feedback](#)

Overview details | Connections | Schemas | Endpoint settings | Tags

Details

Endpoint ARN

arn:aws:dms:ap-southeast-1:415668460034:endpoint:S2J7GGJJ3NAN5MW3CDKQIK5LU4

Endpoint engine

MySQL

Endpoint type

Target

User name

dms_user

KMS ARN / ID

arn:aws:kms:ap-southeast-1:415668460034:key/e1236ffb-7f17-4c07-92b9-cdce5caef1e3

Status

Active

SSL mode

None

Server name

dms-target-db.cz842ckoovj.ap-southeast-1.rds.amazonaws.com

Port

3306

Extra connection attributes

-

DMS > Migrate or replicate > Endpoints > target-endpoint-rds-mysql

AWS DMS

New navigation

Dashboard

Getting started

▼ Convert or move to managed

Projects

Data providers

Instance profiles

▼ Migrate or replicate

Tasks [New](#)

Endpoints

Provisioned instances

► Monitor

Certificates

Subnet groups

Support lifecycle policy

target-endpoint-rds-mysql

Overview details

Connections

Schemas

Endpoint settings

Tags

Test connections

Endpoint identifier	Replication instance	Status	Message
target-endpoint-rds-mysql	dms-repl-instance	Successful	

Migration Task:

DMS > Migrate or replicate > Tasks > ec2-to-rds-migration

AWS DMS

New navigation

Dashboard

Getting started

▼ Convert or move to managed

Projects

Data providers

Instance profiles

▼ Migrate or replicate

Tasks [New](#)

Endpoints

Provisioned instances

► Monitor

Certificates

Subnet groups

Support lifecycle policy

New feature announcements

ec2-to-rds-migration

Actions

Modify

Summary

Task status

Start required

Latest premigration assessment

2 failed, 4 warnings, 30 passed and 7 skipped

Source

source-endpoint-mariadb

Type

Full load, CDC

Full load progress

0%

Target

target-endpoint-rds-mysql

Mode

Provisioned

Details

Table statistics

Monitoring

Table mappings

Premigration assessments

Tags

General

ARN

arn:aws:dms:ap-southeast-1:415668460034:task:WA5X4F22B8G5DIOAMB744NJHH4

Created

June 13, 2026 at 18:13 (UTC+06:00)

Started

-

Stopped

-

Task Settings

Task logs

View CloudWatch logs

Data validation

Validation with data migration

Data resync

Not enabled

Batch-optimized apply

Enabled

Connectivity and security

Replication instance

dms-repl-instance

Subnet group

default-vpc-04bebdfec64775c3d

VPC

ypc-04bebdfec64775c3d

AWS DMS > **Migrate or replicate** > **Tasks** > ec2-to-rds-migration

Details | Table statistics | Monitoring | Table mappings | Premigration assessments | Tags

General

ARN
arn:aws:dms:ap-southeast-1:415668460034:task:WA5X4F2ZBBGSDIOAMB744NJHH4

Created
June 13, 2026 at 18:13 (UTC+06:00)

Started
-

Stopped
-

Other

Source engine
MariaDB

Target engine
MySQL

Task Settings

Task logs
[View CloudWatch logs](#)

Data validation
Validation with data migration

Data resync
Not enabled

Batch-optimized apply
Enabled

Change data capture (CDC) start position
-

Change data capture (CDC) recovery checkpoint
-

Change data capture (CDC) stop position
-

Connectivity and security

Replication instance
[dms-repl-instance](#)

Subnet group
[default-vpc-04bebdfec64775c3d](#)

VPC
[vpc-04bebdfec64775c3d](#)

Troubleshooting

Last failure message
-

AWS DMS > **Migrate or replicate** > **Tasks** > ec2-to-rds-migration

Details | Table statistics | Monitoring | **Table mappings** | Premigration assessments | Tags

Table mappings

► Selection rules
► Transformation rules

▼ Mapping rules (JSON)

```
1  {  
2    "rules": [  
3      {  
4        "rule-type": "selection",  
5        "rule-id": "1",  
6        "rule-name": "include_all",  
7        "object-locator": {  
8          "schema-name": "dms_test",  
9          "table-name": "%"  
10       },  
11        "rule-action": "include"  
12      }  
13    ]  
14  }
```

1:1 JSON

After fixation the failed items

DMS

Migrate or replicate

Tasks

ec2-to-rds-migration

assessment-run-2026-06-13-19-37-20-2

AWS DMS

New navigation

Dashboard

Getting started

▼ Convert or move to managed

Projects

Data providers

Instance profiles

▼ Migrate or replicate

Tasks **New**

Endpoints

Provisioned instances

► Monitor

Certificates

Subnet groups

Support lifecycle policy

New feature announcements

Assessment-run-2026-06-13-19-37-20-2

ActionsDownload summaryRe-run assessment

Summary

Results

0 failed

2 warnings

8 passed

0 skipped

0 cancelled

Last failure message

-

Created

June 13, 2026 at 19:52:24 (UTC+06:00)

Encryption mode

Not enabled

S3 bucket for assessment report storage

dms-assessment-run-2026-06-13-17-48-53

IAM role ARN

DMSS3AccessRole-dms-assessment-run-2026-06-13-17-48-53

KMS key ARN

-

Assessment run ARN

arn:aws:dms:ap-southeast-1:415668460034:assessment-run:X7VZRR3R7VDODIUAC7JJDS5EWBM

Applied assessments (10)

Find individual assessment options within your current assessment run.

Search assessments

1

	Name	Category	Results	Message
☐	Recommendation on using MaxFullLoadSubTasks setting	Recommendation	Warning	AWS DMS preflight has identifi...
☐	Validate that at least one selected object exists in the source database	Prerequisites	Passed	Validation succeeded, no additi...
☐	Validate if binary log is enabled	Prerequisites	Passed	Verification succeeded. No addi...
☐	Validate that secondary constraints and indexes (non-primary) are present in the sou	Prerequisites	Warning	Following tables constrains/sec...

DMS

Migrate or replicate

Tasks

ec2-to-rds-migration

AWS DMS

New navigation

Dashboard

Getting started

► Convert or move to managed

▼ Migrate or replicate

Tasks **New**

Endpoints

Provisioned instances

► Monitor

ec2-to-rds-migration

ActionsModify

⚠ Premigration assessment is not created

We recommend you consider creating and running a premigration assessment for this migration task to identify potential issues before your start the migration. Choose **Create premigration assessment** from the Actions menu, then you can view assessment results from the **Premigration assessment tab**. [Learn more](#)

Summary

Task status

Load completed, replication ongoing

Latest premigration assessment

Not assessed

Source

source-endpoint-mariadb

Type

Full load, CDC

Full load progress

100%

Target

target-endpoint-rds-mysql

Mode

Provisioned

DMS

Migrate or replicate

Tasks

ec2-to-rds-migration

Table statistics (12)

Total rows include loaded source table rows from Inserts, Deletes, Updates, DDLs, and Full load rows.

Search

Export to CSVValidate againReload table data

	Schema name	Table name	Load state	Logs	Elapsed load time	Total rows	Inserts	Deletes	Updates
☐	dms_test	DIVISIONS	Table completed	Find in Logs	< 1 s	6	0	0	0
☐	dms_test	FINANCING_MONTHLY_STATEMENT	Table completed	Find in Logs	< 1 s	0	0	0	0
☐	dms_test	FINANCING_ACCOUNTS	Table completed	Find in Logs	< 1 s	10	0	0	0
☐	dms_test	FINANCING_PRODUCTS	Table completed	Find in Logs	< 1 s	4	0	0	0
☐	dms_test	THANAS	Table completed	Find in Logs	< 1 s	7	0	0	0
☐	dms_test	DISTRICTS	Table completed	Find in Logs	< 1 s	7	0	0	0
☐	dms_test	BRANCHES	Table completed	Find in Logs	< 1 s	5	0	0	0
☐	dms_test	CUSTOMERS	Table completed	Find in Logs	< 1 s	7	0	0	1
☐	dms_test	CUSTOMER_TYPES	Table completed	Find in Logs	< 1 s	5	0	0	0
☐	dms_test	CL_CATEGORIES	Table completed	Find in Logs	< 1 s	4	0	0	0
☐	dms_test	INDUSTRIES	Table completed	Find in Logs	< 1 s	6	1	0	0
☐	dms_test	BUSINESS_UNITS	Table completed	Find in Logs	< 1 s	3	0	0	0

Table statistics (1/2)

Total rows include loaded source table rows from Inserts, Deletes, Updates, DDLs, and Full load rows.

Search

Export to CSV Validate again Reload table data

Total rows	Inserts	Deletes	Updates	DDLs	Applied inserts	Applied deletes	Applied updates	Applied DDLs	Full load rows
6	0	0	0	0	0	0	0	0	6
0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	10
4	0	0	0	0	0	0	0	0	4
7	0	0	0	0	0	0	0	0	7
7	0	0	0	0	0	0	0	0	7
5	0	0	0	0	0	0	0	0	5
7	0	0	1	0	0	0	1	0	6
5	0	0	0	0	0	0	0	0	5
4	0	0	0	0	0	0	0	0	4
6	1	0	0	0	1	0	0	0	5
3	0	0	0	0	0	0	0	0	3

CloudWatch

Log management dms-tasks-dms-repl-instance dms-task-Q3NHSZJKJGNZFLSV63KUSI3QE

Log events

You can use the filter bar below to search for and match terms, phrases, or values in your log events. [Learn more about filter patterns.](#)

ERROR

Clear 1m 30m 1h 12h Custom UTC timezone Display

Timestamp	Message
2026-06-15T08:34:54.000Z	2026-06-15T08:34:54 [TARGET_APPLY] I: execute create table statement failed, statement CREATE TABLE 'awsdms_apply_exceptions' ('TASK_NAME' VARCHAR(128) NOT NULL, 'TABLE_NAME...
2026-06-15T08:34:59.000Z	2026-06-15T08:34:59 [TARGET_APPLY] E: RetCode: SQL_ERROR SqlState: HY000 NativeError: 1044 Message: [MySQL][ODBC 8.0(w) Driver][mysqld-8.4.8]Access denied for user 'dms_user'...
2026-06-15T08:34:59.000Z	2026-06-15T08:34:59 [TARGET_APPLY] I: RetCode: SQL_ERROR SqlState: 3D000 NativeError: 1046 Message: [MySQL][ODBC 8.0(w) Driver][mysqld-8.4.8]No database selected [1022582] (a...
2026-06-15T08:34:59.000Z	2026-06-15T08:34:59 [TARGET_APPLY] I: execute create table statement failed, statement CREATE TABLE 'awsdms_apply_exceptions' ('TASK_NAME' VARCHAR(128) NOT NULL, 'TABLE_NAME...
2026-06-15T08:35:04.000Z	2026-06-15T08:35:04 [TARGET_APPLY] E: RetCode: SQL_ERROR SqlState: HY000 NativeError: 1044 Message: [MySQL][ODBC 8.0(w) Driver][mysqld-8.4.8]Access denied for user 'dms_user'...
2026-06-15T08:35:04.000Z	2026-06-15T08:35:04 [TARGET_APPLY] I: RetCode: SQL_ERROR SqlState: 3D000 NativeError: 1046 Message: [MySQL][ODBC 8.0(w) Driver][mysqld-8.4.8]No database selected [1022582] (a...
2026-06-15T08:35:04.000Z	2026-06-15T08:35:04 [TARGET_APPLY] I: execute create table statement failed, statement CREATE TABLE 'awsdms_apply_exceptions' ('TASK_NAME' VARCHAR(128) NOT NULL, 'TABLE_NAME...
2026-06-15T08:35:10.000Z	2026-06-15T08:35:10 [TARGET_APPLY] E: RetCode: SQL_ERROR SqlState: HY000 NativeError: 1044 Message: [MySQL][ODBC 8.0(w) Driver][mysqld-8.4.8]Access denied for user 'dms_user'@'%' to database 'awsdms_control' [1022582] (ar_odbc_stmt.c:5078)
2026-06-15T08:35:10.000Z	2026-06-15T08:35:10 [TARGET_APPLY] I: RetCode: SQL_ERROR SqlState: 3D000 NativeError: 1046 Message: [MySQL][ODBC 8.0(w) Driver][mysqld-8.4.8]No database selected [1022582] (a...
2026-06-15T08:35:10.000Z	2026-06-15T08:35:10 [TARGET_APPLY] I: execute create table statement failed, statement CREATE TABLE 'awsdms_apply_exceptions' ('TASK_NAME' VARCHAR(128) NOT NULL, 'TABLE_NAME...
2026-06-15T08:35:15.000Z	2026-06-15T08:35:15 [TARGET_APPLY] E: RetCode: SQL_ERROR SqlState: HY000 NativeError: 1044 Message: [MySQL][ODBC 8.0(w) Driver][mysqld-8.4.8]Access denied for user 'dms_user'...
2026-06-15T08:35:15.000Z	2026-06-15T08:35:15 [TARGET_APPLY] I: RetCode: SQL_ERROR SqlState: 3D000 NativeError: 1046 Message: [MySQL][ODBC 8.0(w) Driver][mysqld-8.4.8]No database selected [1022582] (a...
2026-06-15T08:35:15.000Z	2026-06-15T08:35:15 [TARGET_APPLY] I: execute create table statement failed, statement CREATE TABLE 'awsdms_apply_exceptions' ('TASK_NAME' VARCHAR(128) NOT NULL, 'TABLE_NAME...
2026-06-15T08:35:20.000Z	2026-06-15T08:35:20 [TARGET_APPLY] E: RetCode: SQL_ERROR SqlState: HY000 NativeError: 1044 Message: [MySQL][ODBC 8.0(w) Driver][mysqld-8.4.8]Access denied for user 'dms_user'@'%' to database 'awsdms_control' [1022582] (ar_odbc_stmt.c:5078)
2026-06-15T08:35:20.000Z	2026-06-15T08:35:20 [TARGET_APPLY] I: RetCode: SQL_ERROR SqlState: 3D000 NativeError: 1046 Message: [MySQL][ODBC 8.0(w) Driver][mysqld-8.4.8]No database selected [1022582] (a...

5. Post Migration Tasks:

a. Monitor Replication Lag

Keep an eye on CDC latency in CloudWatch metrics:

- CDCLatencySource - time between source commit and DMS reading the change
- CDCLatencyTarget - time between DMS reading and applying to target

b. Set Up Alerting

Consider creating CloudWatch alarms for:

- Replication lag exceeding tolerance (e.g., 5 minutes)
- Task failures or auto-recovery events

c. Plan Cutover

When you're ready to switch from EC2 MariaDB to RDS MySQL:

- Stop writes to the source database
- Wait for CDC lag to reach 0
- Verify data consistency between source and target
- Point your application to the RDS endpoint

d. Security Hardening (Optional)

Consider narrowing the dms_user privileges on the target now that replication is working. While DMS needs broad permissions to operate, you can scope them more tightly if desired.

e. Test Failover/Failback

If this is a production migration, test rollback plan before the final cutover.