



Daffodil
International
University

Smart Donation System

Name :Md Naeem Miah

Id : 232-35-628

Topics: Donner , Receiver

Name :Md. Mubashshir Alam

Id : 232-35-682


Topics: NGO, Admin

Name :Sheek Md.Jannatul Hassan

Id : 241-35-177

Topics: Volunteer, Authority

Use Case Diagram



User Case Description

Case Description-01: Register Account

Use Case	Register Account
Goal	Users can register to create an account in the Donation Management System.
Precondition	User must have installed the Donation Management app and have a valid email address.
Success End Condition	Notification: !!!Successfully Registered!!!
Failed End Condition	Notification: "Submission Not Submitted"
Primary Actors:	Donor / Receiver
Secondary Actors:	
Trigger	User will request a registration form to fill up.
Description / Main Success Scenario	1. Press "Register Account" Button 2. Provide registration form

	3. Enter Information 4. Press "Submit" Button. 5. Information saved 6. The system saves the details and shows them !!!Successfully Registered!!! Notify																
Alternative Flows	<table border="1"> <tr> <td>1.1</td><td>System Error</td></tr> <tr> <td colspan="2">1.1a. Try Again!!</td></tr> <tr> <td>2.1</td><td>System Doesn't work.</td></tr> <tr> <td colspan="2">2.1a. Try Again Later!</td></tr> <tr> <td>4.1</td><td>The user Did not fill up the details!</td></tr> <tr> <td colspan="2">4.1a. Checked By the system & Notify by "Please! Fill Up the Box".</td></tr> <tr> <td>5.1</td><td>The system did not respond</td></tr> <tr> <td colspan="2">5.1a. Show Error Message.</td></tr> </table>	1.1	System Error	1.1a. Try Again!!		2.1	System Doesn't work.	2.1a. Try Again Later!		4.1	The user Did not fill up the details!	4.1a. Checked By the system & Notify by "Please! Fill Up the Box".		5.1	The system did not respond	5.1a. Show Error Message.	
1.1	System Error																
1.1a. Try Again!!																	
2.1	System Doesn't work.																
2.1a. Try Again Later!																	
4.1	The user Did not fill up the details!																
4.1a. Checked By the system & Notify by "Please! Fill Up the Box".																	
5.1	The system did not respond																
5.1a. Show Error Message.																	

	6.1	The system Doesn't save the details.
	6.1a. Notification: "Details did not Save"	
Quality Requirements	The user Will fill up all the details in 30 minutes.	

Case Description-02: Login

Use Case	Login
Goal	Registered users can log into the system to access their accounts.
Precondition	User must have a registered account with valid credentials.
Success End Condition	User is successfully logged in and redirected to the dashboard.
Failed End Condition	Notification: "Invalid Email or Password"
Primary Actors:	Donor / Receiver
Secondary Actors:	

Trigger	User wants to access the system and clicks the Login button.								
Description / Main Success Scenario	1. Press "Login" Button 2. System displays the login form 3. Enter email and password 4. Press "Sign In" Button. 5. System validates credentials 6. System grants access and redirects user to the dashboard								
Alternative Flows	<table> <tr> <td>1.1</td><td>System Error</td></tr> <tr> <td colspan="2">1.1a. Try Again!!</td></tr> <tr> <td>3.1</td><td>User enters invalid credentials</td></tr> <tr> <td colspan="2">3.1a. System shows: Invalid Credentials. Please try again.</td></tr> </table>	1.1	System Error	1.1a. Try Again!!		3.1	User enters invalid credentials	3.1a. System shows: Invalid Credentials. Please try again.	
1.1	System Error								
1.1a. Try Again!!									
3.1	User enters invalid credentials								
3.1a. System shows: Invalid Credentials. Please try again.									

	4.1	User leaves fields empty
	4.1a. System notifies: Please fill in all required fields.	
	5.1	System does not respond
	5.1a. Show Error Message.	
	6.1	Account locked after multiple failed attempts
	6.1a. Notification: "Account Locked. Contact support."	
Quality Requirements	The login process should be completed within 1 minute.	

Case Description-03: Update Profile

Use Case	Update Profile
Goal	Users can update their personal profile information in the system.
Precondition	User must be logged into the system.
Success End Condition	Notification: Profile Updated Successfully!

Failed End Condition	Notification: "Profile Update Failed"
Primary Actors:	Donor / Receiver
Secondary Actors:	
Trigger	User navigates to the Profile section and selects Edit Profile.
Description / Main Success Scenario	1. User navigates to the Profile section 2. Press "Edit Profile" Button 3. System displays the current profile information form 4. User modifies the required fields 5. Press "Save Changes" Button. 6. System validates and saves updated information 7. System displays Profile Updated Successfully! notification

Alternative Flows	1.1	System Error
	1.1a. Try Again!!	
	4.1	User leaves mandatory fields empty
	4.1a. System notifies: Please Fill Up the Required Fields.	
	5.1	System does not respond
	5.1a. Show Error Message.	
	7.1	System fails to save updated profile
	7.1a. Notification: "Changes did not Save. Try again."	
Quality Requirements	Profile update should be completed within 5 minutes.	

Case Description-04: View Received Donation History

Use Case	View Received Donation History
Goal	Receivers can view the list of all donations they have received.

Precondition	User must be logged in as a Receiver with at least one received donation.
Success End Condition	System displays the full received donation history list.
Failed End Condition	Notification: "No Donation History Found"
Primary Actors:	Receiver
Secondary Actors:	
Trigger	Receiver selects View Received Donation History from the dashboard.
Description / Main Success Scenario	1. Receiver navigates to the Donation History section 2. Receiver selects View Received Donation History 3. System retrieves donation records from the database 4. System displays the list of received donations with details 5. Receiver views donation records including date, amount, and donor info

Alternative Flows	<table border="1"> <tr> <td>1.1</td><td>System Error</td></tr> <tr> <td colspan="2">1.1a. Try Again!!</td></tr> <tr> <td>3.1</td><td>No donation history exists</td></tr> <tr> <td colspan="2">3.1a. System displays: "No Donation History Found."</td></tr> <tr> <td>4.1</td><td>System does not respond</td></tr> <tr> <td colspan="2">4.1a. Show Error Message.</td></tr> </table>	1.1	System Error	1.1a. Try Again!!		3.1	No donation history exists	3.1a. System displays: "No Donation History Found."		4.1	System does not respond	4.1a. Show Error Message.	
1.1	System Error												
1.1a. Try Again!!													
3.1	No donation history exists												
3.1a. System displays: "No Donation History Found."													
4.1	System does not respond												
4.1a. Show Error Message.													
Quality Requirements	Donation history should load within 5 seconds.												

Case Description-05: View Campaign Details

Use Case	View Campaign Details
Goal	Users can view the detailed information of a specific donation campaign.
Precondition	User must be logged in. At least one active campaign must exist.

Success End Condition	System displays complete campaign details.
Failed End Condition	Notification: "Campaign Details Not Found"
Primary Actors:	Donor / Receiver
Secondary Actors:	
Trigger	User selects a campaign from the campaign list.
Description / Main Success Scenario	1. User navigates to the Campaigns section 2. User selects a specific campaign from the list 3. System retrieves campaign details from the database 4. System displays full campaign information including goal, description, and progress

Alternative Flows		
	1.1	System Error
	1.1a. Try Again!!	
	3.1	Campaign no longer exists or has been deleted
	3.1a. System shows: "Campaign Not Found."	
	4.1	System does not respond
	4.1a. Show Error Message.	
Quality Requirements	Campaign details should load within 3 seconds.	

Case Description-06: Search Campaign

Use Case	Search Campaign
Goal	Users can search for specific donation campaigns by keyword or filter.
Precondition	User must be logged in. At least one campaign must exist in the system.

Success End Condition	System displays the list of matching campaigns.
Failed End Condition	Notification: "No Campaigns Found Matching Your Search"
Primary Actors:	Donor / Receiver
Secondary Actors:	
Trigger	User enters a keyword in the search bar and submits.
Description / Main Success Scenario	1. User navigates to the Campaign Search section 2. User enters a keyword or applies filters 3. User presses the "Search" Button 4. System searches the database for matching campaigns 5. System displays a list of matching campaigns with brief info

Alternative Flows		
	1.1	System Error
	1.1a. Try Again!!	
	3.1	No search query entered
	3.1a. System notifies: Please enter a search term.	
	5.1	No campaigns match the search criteria
	5.1a. Notification: "No Campaigns Found."	
Quality Requirements	Search results should be returned within 3 seconds.	

Case Description-07: Donate Money

Use Case	Donate Money
Goal	Donors can make a monetary donation to a selected campaign.
Precondition	User must be logged in as a Donor. A valid campaign must be selected.

Success End Condition	Notification: Donation Successful! Receipt Generated.
Failed End Condition	Notification: "Donation Failed. Please Try Again."
Primary Actors:	Donor
Secondary Actors:	Payment Gateway
Trigger	Donor selects Donate on a campaign details page.
Description / Main Success Scenario	1. Donor selects a campaign and presses "Donate" Button 2. System displays the donation form with amount input 3. Donor enters donation amount and payment details 4. Donor confirms and presses "Donate Now" Button. 5. System processes payment via payment gateway 6. System saves the donation record and generates a receipt 7. System notifies: Donation Successful!

Alternative Flows	<table> <tr> <td>1.1</td><td>System Error</td></tr> <tr> <td colspan="2">1.1a. Try Again!!</td></tr> <tr> <td>3.1</td><td>Invalid donation amount entered</td></tr> <tr> <td colspan="2">3.1a. System notifies: Please enter a valid amount.</td></tr> <tr> <td>5.1</td><td>Payment gateway fails</td></tr> <tr> <td colspan="2">5.1a. Notification: "Payment Failed. Try Again."</td></tr> <tr> <td>6.1</td><td>System fails to save donation record</td></tr> <tr> <td colspan="2">6.1a. Notification: "Donation record not saved. Contact support."</td></tr> </table>	1.1	System Error	1.1a. Try Again!!		3.1	Invalid donation amount entered	3.1a. System notifies: Please enter a valid amount.		5.1	Payment gateway fails	5.1a. Notification: "Payment Failed. Try Again."		6.1	System fails to save donation record	6.1a. Notification: "Donation record not saved. Contact support."	
1.1	System Error																
1.1a. Try Again!!																	
3.1	Invalid donation amount entered																
3.1a. System notifies: Please enter a valid amount.																	
5.1	Payment gateway fails																
5.1a. Notification: "Payment Failed. Try Again."																	
6.1	System fails to save donation record																
6.1a. Notification: "Donation record not saved. Contact support."																	
Quality Requirements	The donation process should be completed within 5 minutes.																

Case Description-08: Edit Donation Request

Use Case	Edit Donation Request
----------	-----------------------

Goal	Receivers can edit the details of an existing donation request.
Precondition	User must be logged in as a Receiver. A donation request must exist and be in editable status.
Success End Condition	Notification: Donation Request Updated Successfully!
Failed End Condition	Notification: "Update Failed. Please Try Again."
Primary Actors:	Receiver
Secondary Actors:	
Trigger	Receiver selects Edit on an existing donation request.
Description / Main Success Scenario	1. Receiver navigates to the Donation Requests section 2. Receiver selects a request and presses "Edit" Button 3. System displays the editable request form 4. Receiver modifies the required fields

	5. Receiver presses "Save Changes" Button. 6. System validates and saves the updated request 7. System notifies: Donation Request Updated Successfully!												
Alternative Flows	<table border="1"> <tr> <td>1.1</td><td>System Error</td></tr> <tr> <td colspan="2">1.1a. Try Again!!</td></tr> <tr> <td>4.1</td><td>Receiver leaves mandatory fields empty</td></tr> <tr> <td colspan="2">4.1a. System notifies: Please Fill Up All Required Fields.</td></tr> <tr> <td>6.1</td><td>System fails to save changes</td></tr> <tr> <td colspan="2">6.1a. Notification: "Changes not saved."</td></tr> </table>	1.1	System Error	1.1a. Try Again!!		4.1	Receiver leaves mandatory fields empty	4.1a. System notifies: Please Fill Up All Required Fields.		6.1	System fails to save changes	6.1a. Notification: "Changes not saved."	
1.1	System Error												
1.1a. Try Again!!													
4.1	Receiver leaves mandatory fields empty												
4.1a. System notifies: Please Fill Up All Required Fields.													
6.1	System fails to save changes												
6.1a. Notification: "Changes not saved."													
Quality Requirements	Edit process should be completed within 10 minutes.												

Case Description-09: Delete Donation Request

Use Case	Delete Donation Request
Goal	Receivers can delete an existing donation request from the system.
Precondition	User must be logged in as a Receiver. A donation request must exist.
Success End Condition	Notification: Donation Request Deleted Successfully!
Failed End Condition	Notification: "Deletion Failed. Please Try Again."
Primary Actors:	Receiver
Secondary Actors:	
Trigger	Receiver selects Delete on a donation request.
Description / Main Success Scenario	1. Receiver navigates to the Donation Requests section 2. Receiver selects a request and presses "Delete" Button 3. System shows a confirmation dialog: Are you sure? 4. Receiver confirms deletion

	5. System removes the donation request from the database 6. System notifies: Donation Request Deleted Successfully!												
Alternative Flows	<table border="1"> <tr> <td>1.1</td><td>System Error</td></tr> <tr> <td colspan="2">1.1a. Try Again!!</td></tr> <tr> <td>4.1</td><td>Receiver cancels deletion</td></tr> <tr> <td colspan="2">4.1a. System returns to request list without changes.</td></tr> <tr> <td>5.1</td><td>System fails to delete the record</td></tr> <tr> <td colspan="2">5.1a. Notification: "Deletion Failed. Contact Support."</td></tr> </table>	1.1	System Error	1.1a. Try Again!!		4.1	Receiver cancels deletion	4.1a. System returns to request list without changes.		5.1	System fails to delete the record	5.1a. Notification: "Deletion Failed. Contact Support."	
1.1	System Error												
1.1a. Try Again!!													
4.1	Receiver cancels deletion												
4.1a. System returns to request list without changes.													
5.1	System fails to delete the record												
5.1a. Notification: "Deletion Failed. Contact Support."													
Quality Requirements	The deletion process should be completed within 1 minute.												

Case Description-10: Download Donation Receipt

Use Case	Download Donation Receipt
----------	---------------------------

Goal	Donors can download the receipt of a completed donation.
Precondition	User must be logged in as a Donor. At least one completed donation must exist.
Success End Condition	Donation receipt downloaded successfully.
Failed End Condition	Notification: "Receipt Download Failed."
Primary Actors:	Donor
Secondary Actors:	
Trigger	Donor selects Download Receipt on a completed donation entry.
Description / Main Success Scenario	1. Donor navigates to the Donation History section 2. Donor selects a completed donation 3. Donor presses "Download Receipt" Button 4. System generates the PDF receipt

	5. System downloads the receipt to the user's device 6. System notifies: Receipt Downloaded Successfully!												
Alternative Flows	<table border="1"> <tr> <td>1.1</td><td>System Error</td></tr> <tr> <td colspan="2">1.1a. Try Again!!</td></tr> <tr> <td>4.1</td><td>Receipt file not found in system</td></tr> <tr> <td colspan="2">4.1a. Notification: "Receipt Not Available."</td></tr> <tr> <td>5.1</td><td>Download fails</td></tr> <tr> <td colspan="2">5.1a. Show Error Message. Try Again.</td></tr> </table>	1.1	System Error	1.1a. Try Again!!		4.1	Receipt file not found in system	4.1a. Notification: "Receipt Not Available."		5.1	Download fails	5.1a. Show Error Message. Try Again.	
1.1	System Error												
1.1a. Try Again!!													
4.1	Receipt file not found in system												
4.1a. Notification: "Receipt Not Available."													
5.1	Download fails												
5.1a. Show Error Message. Try Again.													
Quality Requirements	Receipt should download within 10 seconds.												

Case Description-11: Create Donation Request

Use Case	Create Donation Request
----------	-------------------------

Goal	Receivers can create a new donation request to seek funding.
Precondition	User must be logged in as a Receiver.
Success End Condition	Notification: Donation Request Created Successfully!
Failed End Condition	Notification: "Submission Failed."
Primary Actors:	Receiver
Secondary Actors:	
Trigger	Receiver selects Create Donation Request from the dashboard.
Description / Main Success Scenario	1. Receiver presses "Create Donation Request" Button 2. System displays the donation request form 3. Receiver enters all required details (title, description, amount, documents) 4. Receiver presses "Submit" Button.

	5. System validates the information 6. System saves the donation request 7. System notifies: Donation Request Created Successfully!																
Alternative Flows	<table border="1"> <tr> <td>1.1</td><td>System Error</td></tr> <tr> <td colspan="2">1.1a. Try Again!!</td></tr> <tr> <td>3.1</td><td>Receiver does not fill all required fields</td></tr> <tr> <td colspan="2">3.1a. System notifies: Please Fill Up All Required Fields.</td></tr> <tr> <td>5.1</td><td>System does not respond</td></tr> <tr> <td colspan="2">5.1a. Show Error Message.</td></tr> <tr> <td>6.1</td><td>System fails to save the request</td></tr> <tr> <td colspan="2">6.1a. Notification: "Request not saved. Try again."</td></tr> </table>	1.1	System Error	1.1a. Try Again!!		3.1	Receiver does not fill all required fields	3.1a. System notifies: Please Fill Up All Required Fields.		5.1	System does not respond	5.1a. Show Error Message.		6.1	System fails to save the request	6.1a. Notification: "Request not saved. Try again."	
1.1	System Error																
1.1a. Try Again!!																	
3.1	Receiver does not fill all required fields																
3.1a. System notifies: Please Fill Up All Required Fields.																	
5.1	System does not respond																
5.1a. Show Error Message.																	
6.1	System fails to save the request																
6.1a. Notification: "Request not saved. Try again."																	

Quality Requirements	The request creation should be completed within 30 minutes.
----------------------	---

Case Description-12: Upload Required Documents

Use Case	Upload Required Documents
Goal	Receivers can upload supporting documents for their donation requests.
Precondition	User must be logged in as a Receiver. A donation request must be created or in progress.
Success End Condition	Notification: Documents Uploaded Successfully!
Failed End Condition	Notification: "Upload Failed."
Primary Actors:	Receiver
Secondary Actors:	
Trigger	Receiver selects Upload Documents on a donation request.

Description / Main Success Scenario	1. Receiver navigates to a donation request 2. Receiver presses "Upload Documents" Button 3. System displays the file upload interface 4. Receiver selects files from their device 5. System validates file format and size 6. System uploads and saves the documents 7. System notifies: Documents Uploaded Successfully!								
Alternative Flows	<table border="1"> <tr> <td data-bbox="477 1325 565 1440">1.1</td><td data-bbox="565 1325 1398 1440">System Error</td></tr> <tr> <td colspan="2" data-bbox="477 1440 1398 1556">1.1a. Try Again!!</td></tr> <tr> <td data-bbox="477 1556 565 1671">4.1</td><td data-bbox="565 1556 1398 1671">File format not supported</td></tr> <tr> <td colspan="2" data-bbox="477 1671 1398 1818">4.1a. System notifies: Unsupported File Format. Use PDF/JPG/PNG.</td></tr> </table>	1.1	System Error	1.1a. Try Again!!		4.1	File format not supported	4.1a. System notifies: Unsupported File Format. Use PDF/JPG/PNG.	
1.1	System Error								
1.1a. Try Again!!									
4.1	File format not supported								
4.1a. System notifies: Unsupported File Format. Use PDF/JPG/PNG.									

	5.1	File size exceeds limit
	5.1a. System notifies: File too large. Max allowed size exceeded.	
	6.1	Upload fails
	6.1a. Notification: "Upload Failed. Try again."	
Quality Requirements	Document upload should complete within 2 minutes.	

Case Description-13: Track Donation

Use Case	Track Donation
Goal	Donors can track the status of their submitted donations.
Precondition	User must be logged in as a Donor. At least one donation must have been made.
Success End Condition	System displays the current status and details of the donation.
Failed End Condition	Notification: "Tracking Information Not Found."

Primary Actors:	Donor				
Secondary Actors:					
Trigger	Donor selects Track Donation from the dashboard.				
Description / Main Success Scenario	1. Donor navigates to the Track Donation section 2. System displays a list of all donations made by the donor 3. Donor selects a specific donation to track 4. System retrieves the donation's current status 5. System displays tracking details including status, date, and recipient info				
Alternative Flows	<table border="1"> <tr> <td>1.1</td><td>System Error</td></tr> <tr> <td colspan="2">1.1a. Try Again!!</td></tr> </table>	1.1	System Error	1.1a. Try Again!!	
1.1	System Error				
1.1a. Try Again!!					

	3.1	No donations made yet
	3.1a. System shows: "No Donation Records Found."	
	4.1	System does not respond
	4.1a. Show Error Message.	
Quality Requirements	Tracking info should load within 5 seconds.	

Case Description-14: View Donation History

Use Case	View Donation History
Goal	Donors can view the full history of all donations they have made.
Precondition	User must be logged in as a Donor.
Success End Condition	System displays the donation history list.
Failed End Condition	Notification: "No Donation History Found."
Primary Actors:	Donor

Secondary Actors:									
Trigger	Donor selects View Donation History from the dashboard.								
Description / Main Success Scenario	1. Donor navigates to the Donation History section 2. System retrieves all donation records for the logged-in donor 3. System displays the full donation history with date, amount, and status 4. Donor reviews their donation history								
Alternative Flows	<table border="1"> <tr> <td>1.1</td><td>System Error</td></tr> <tr> <td colspan="2">1.1a. Try Again!!</td></tr> <tr> <td>3.1</td><td>No donation history exists</td></tr> <tr> <td colspan="2">3.1a. System shows: "No Donation History Found."</td></tr> </table>	1.1	System Error	1.1a. Try Again!!		3.1	No donation history exists	3.1a. System shows: "No Donation History Found."	
1.1	System Error								
1.1a. Try Again!!									
3.1	No donation history exists								
3.1a. System shows: "No Donation History Found."									

	4.1	System does not respond
	4.1a. Show Error Message.	
Quality Requirements	Donation history should load within 5 seconds.	

Case Description-15: View Request Status

Use Case	View Request Status
Goal	Receivers can check the current status of their donation requests.
Precondition	User must be logged in as a Receiver. At least one donation request must exist.
Success End Condition	System displays the current status of the donation request.
Failed End Condition	Notification: "Request Status Not Found."
Primary Actors:	Receiver
Secondary Actors:	

Trigger	Receiver selects View Request Status from the dashboard.												
Description / Main Success Scenario	- Receiver navigates to the Donation Requests section - System displays a list of all donation requests - Receiver selects a specific request to view its status - System retrieves and displays the request status (Pending/Approved/Rejected)												
Alternative Flows	<table> <tr> <td>1.1</td><td>System Error</td></tr> <tr> <td colspan="2">1.1a. Try Again!!</td></tr> <tr> <td>3.1</td><td>No requests exist</td></tr> <tr> <td colspan="2">3.1a. System shows: "No Donation Requests Found."</td></tr> <tr> <td>4.1</td><td>System does not respond</td></tr> <tr> <td colspan="2">4.1a. Show Error Message.</td></tr> </table>	1.1	System Error	1.1a. Try Again!!		3.1	No requests exist	3.1a. System shows: "No Donation Requests Found."		4.1	System does not respond	4.1a. Show Error Message.	
1.1	System Error												
1.1a. Try Again!!													
3.1	No requests exist												
3.1a. System shows: "No Donation Requests Found."													
4.1	System does not respond												
4.1a. Show Error Message.													

Quality Requirements	Status information should load within 3 seconds.

Case Description-16: Receive Donation

Use Case	Receive Donation
Goal	Receivers can confirm and record the receipt of a donation.
Precondition	User must be logged in as a Receiver. A donation must have been processed by a Donor.
Success End Condition	Notification: Donation Received Successfully!
Failed End Condition	Notification: "Unable to Confirm Donation Receipt."
Primary Actors:	Receiver
Secondary Actors:	Donor
Trigger	Receiver is notified of an incoming donation and confirms receipt.

Description / Main Success Scenario	1. Receiver receives a notification of an incoming donation 2. Receiver navigates to the Donation Notification section 3. Receiver reviews the donation details 4. Receiver confirms receipt by pressing "Confirm" Button 5. System records the confirmation 6. System notifies: Donation Received Successfully!										
Alternative Flows	<table border="1"> <tr> <td data-bbox="479 1213 565 1325">1.1</td><td data-bbox="565 1213 1398 1325">System Error</td></tr> <tr> <td colspan="2" data-bbox="479 1325 1398 1444">1.1a. Try Again!!</td></tr> <tr> <td data-bbox="479 1444 565 1556">4.1</td><td data-bbox="565 1444 1398 1556">Receiver does not confirm</td></tr> <tr> <td colspan="2" data-bbox="479 1556 1398 1675">4.1a. Donation remains in Pending status.</td></tr> <tr> <td data-bbox="479 1675 565 1793">5.1</td><td data-bbox="565 1675 1398 1793">System fails to record confirmation</td></tr> </table>	1.1	System Error	1.1a. Try Again!!		4.1	Receiver does not confirm	4.1a. Donation remains in Pending status.		5.1	System fails to record confirmation
1.1	System Error										
1.1a. Try Again!!											
4.1	Receiver does not confirm										
4.1a. Donation remains in Pending status.											
5.1	System fails to record confirmation										

	5.1a. Notification: "Confirmation Failed. Try again."
Quality Requirements	The confirmation process should be completed within 5 minutes.


Case Description-17: View Donation Campaign

Use Case	View Donation Campaign
Goal	Receivers can view all donation campaigns related to their requests.
Precondition	User must be logged in as a Receiver. At least one campaign must exist.
Success End Condition	System displays the list of donation campaigns.
Failed End Condition	Notification: "No Campaigns Found."
Primary Actors:	Receiver
Secondary Actors:	
Trigger	Receiver selects View Donation Campaign from the dashboard.

Description / Main Success Scenario	1. Receiver navigates to the Donation Campaign section 2. System retrieves and displays all relevant campaigns 3. Receiver selects a specific campaign to view detailed information 4. System displays campaign details including goal, progress, and timeline												
Alternative Flows	<table border="1"> <tr> <td data-bbox="477 1020 565 1136">1.1</td><td data-bbox="565 1020 1398 1136">System Error</td></tr> <tr> <td colspan="2" data-bbox="477 1136 1398 1251">1.1a. Try Again!!</td></tr> <tr> <td data-bbox="477 1251 565 1367">3.1</td><td data-bbox="565 1251 1398 1367">No campaigns available</td></tr> <tr> <td colspan="2" data-bbox="477 1367 1398 1482">3.1a. System shows: "No Campaigns Found."</td></tr> <tr> <td data-bbox="477 1482 565 1598">4.1</td><td data-bbox="565 1482 1398 1598">System does not respond</td></tr> <tr> <td colspan="2" data-bbox="477 1598 1398 1713">4.1a. Show Error Message.</td></tr> </table>	1.1	System Error	1.1a. Try Again!!		3.1	No campaigns available	3.1a. System shows: "No Campaigns Found."		4.1	System does not respond	4.1a. Show Error Message.	
1.1	System Error												
1.1a. Try Again!!													
3.1	No campaigns available												
3.1a. System shows: "No Campaigns Found."													
4.1	System does not respond												
4.1a. Show Error Message.													

Quality Requirements	Campaign list should load within 5 seconds.
----------------------	---

Use case Diagram of Smart Donation System (NGO AND ADMIN)



Use Case Description

Smart Donation System (NGO and Admin)

NGO Actor Use Cases

Use Case: Register Account	
Goal	NGO creates a new account in the Smart Donation System.
Precondition	NGO must have internet access and valid organizational documents.
Success End Condition	Notification: "Successfully Registered!"
Failed End Condition	Notification: "Registration Failed."
Primary Actor	NGO
Secondary Actor	Admin (for account activation)
Trigger	NGO clicks on the Registration button.
Main Success Scenario	1. Press "Registration" button 2. System shows registration form 3. NGO enters required organizational information 4. Upload required documents (e.g., registration certificate) 5. Press "Submit" button 6. System validates information

	7. System saves data and shows "Successfully Registered" message
Alternative Flows	1.1 Required fields missing → Show message "Please fill all required fields" 2.1 Email already exists → Show message "Account already exists" 3.1 System error → Show message "Try again later"
Quality Requirements	Registration process should complete within 2 minutes.

Use Case: Login / Logout	
Goal	NGO logs into or out of the Smart Donation System securely.
Precondition	NGO must be registered and account must be activated by Admin.
Success End Condition	NGO dashboard displayed upon login. Session ended upon logout.
Failed End Condition	"Invalid Email or Password."
Primary Actor	NGO
Secondary Actor	—
Trigger	NGO enters login credentials or clicks "Logout" button.

Main Success Scenario	1. Enter registered email and password 2. Press "Login" button 3. System verifies credentials 4. System redirects NGO to dashboard — Logout — 5. Click "Logout" button 6. System ends session and redirects to login page
Alternative Flows	1.1 Wrong password → Show "Invalid Credentials" 2.1 Account not activated → Show "Account not yet activated by Admin"
Quality Requirements	Login verification must complete in less than 5 seconds.

Use Case: Update Profile	
Goal	NGO updates its organizational profile information.
Precondition	NGO must be logged in.
Success End Condition	"Profile updated successfully."
Failed End Condition	"Update Failed. Please try again."
Primary Actor	NGO

Secondary Actor	—
Trigger	NGO navigates to Profile settings and clicks "Edit".
Main Success Scenario	1. NGO logs in and navigates to Profile page 2. Click "Edit Profile" button 3. System displays editable profile form 4. NGO updates required fields 5. Press "Save Changes" button 6. System validates and saves updated information 7. Success message displayed
Alternative Flows	1.1 Invalid data format → Show field-specific validation message 2.1 System error → Show "Unable to save changes. Try again later"
Quality Requirements	Profile update should process within 3 seconds.

Use Case: Upload Required Documents	
Goal	NGO uploads official documents for verification by Admin.
Precondition	NGO must be logged in. Documents must be in accepted format (PDF, JPG, PNG).

Success End Condition	"Documents uploaded successfully."
Failed End Condition	"Upload Failed."
Primary Actor	NGO
Secondary Actor	Admin (reviews documents)
Trigger	NGO clicks on "Upload Documents" button.
Main Success Scenario	1. NGO navigates to Document Upload section 2. System displays upload interface with required document list 3. NGO selects files from device 4. Press "Upload" button 5. System validates file format and size 6. System stores documents and notifies Admin for verification 7. Confirmation message displayed to NGO
Alternative Flows	1.1 Unsupported file format → Show "Please upload PDF, JPG, or PNG files only" 2.1 File size exceeds limit → Show "File size must not exceed 5MB" 3.1 Upload interrupted → Show "Upload failed. Check your connection"
Quality Requirements	Upload should complete within 30 seconds for files up to 5MB.

Use Case: Create Donation Request	
Goal	NGO creates a new donation request for a specific cause or campaign.
Precondition	NGO must be logged in and documents must be verified by Admin.
Success End Condition	"Donation request submitted successfully."
Failed End Condition	"Request submission failed."
Primary Actor	NGO
Secondary Actor	Admin (approves/rejects request)
Trigger	NGO clicks "Create Donation Request" button.
Main Success Scenario	1. NGO navigates to Donation Request section 2. Click "New Request" button 3. System displays donation request form 4. NGO fills in cause details, target amount, and deadline 5. Press "Submit" button 6. System validates the form 7. Request is saved and sent to Admin for approval 8. Confirmation message displayed
Alternative Flows	1.1 Incomplete form → Show "Please fill all required fields"

	2.1 Documents not verified → Show "Your documents must be verified before submitting a request"
Quality Requirements	Request submission should complete within 5 seconds.

Use Case: Edit / Delete Donation Request	
Goal	NGO modifies or removes an existing donation request.
Precondition	NGO must be logged in. The request must be in Pending status (not yet approved).
Success End Condition	"Request updated successfully." or "Request deleted successfully."
Failed End Condition	"Action not permitted." or "Operation failed."
Primary Actor	NGO
Secondary Actor	—
Trigger	NGO selects an existing request and clicks "Edit" or "Delete".

Main Success Scenario	1. NGO navigates to Donation Requests list 2. Select target request 3. Click "Edit" to modify or "Delete" to remove 4. For Edit: update required fields and press "Save" 5. For Delete: confirm deletion in popup dialog 6. System processes the action and updates records 7. Success notification displayed
Alternative Flows	1.1 Request already approved → Show "Approved requests cannot be edited or deleted" 2.1 System error → Show "Operation failed. Try again later"
Quality Requirements	Edit/Delete operation should complete within 5 seconds.

Use Case: View Request Status	
Goal	NGO checks the current approval status of its submitted donation requests.
Precondition	NGO must be logged in and have at least one submitted request.
Success End Condition	Request status displayed (Pending / Approved / Rejected).
Failed End Condition	"Unable to retrieve status. Try again later."

Primary Actor	NGO
Secondary Actor	—
Trigger	NGO navigates to the Request Status page.
Main Success Scenario	1. NGO logs in and goes to Donation Requests section 2. System retrieves and displays all submitted requests 3. Each request shows its current status: Pending, Approved, or Rejected 4. NGO can click on a request to view detailed status and Admin comments
Alternative Flows	1.1 No requests found → Show "You have not submitted any requests yet" 2.1 System error → Show "Unable to load data. Try again later"
Quality Requirements	Status page should load within 3 seconds.

Use Case: View Donation History	
Goal	NGO reviews a complete history of all donations received.
Precondition	NGO must be logged in.
Success End Condition	Donation history records displayed.

Failed End Condition	"Unable to load donation history."
Primary Actor	NGO
Secondary Actor	—
Trigger	NGO clicks on "Donation History" in the navigation menu.
Main Success Scenario	1. NGO navigates to Donation History section 2. System retrieves all donation transactions linked to the NGO 3. Records are displayed with donor info, date, and amount 4. NGO can filter by date range or campaign
Alternative Flows	1.1 No history found → Show "No donation records found" 2.1 System error → Show "Failed to load history. Try again later"
Quality Requirements	History should load within 5 seconds.

Use Case: Receive Donation	
Goal	NGO receives a donation from a donor through the system.
Precondition	NGO donation request must be approved. Donor must have completed payment.

Success End Condition	"Donation received successfully."
Failed End Condition	"Donation processing failed."
Primary Actor	NGO
Secondary Actor	—
Trigger	Donor completes donation transaction.
Main Success Scenario	1. Donor submits a donation for an approved NGO request 2. Payment gateway processes the transaction 3. System confirms successful payment 4. Donation is recorded and credited to the NGO account 5. NGO receives a notification of the received donation
Alternative Flows	1.1 Payment gateway error → Show "Transaction failed. Please retry" 2.1 Insufficient donor funds → Show "Payment declined"
Quality Requirements	Transaction confirmation should complete within 10 seconds.

Use Case: Download Donation Report	
Goal	NGO downloads a detailed report of all donation activities.

Precondition	NGO must be logged in and have existing donation records.
Success End Condition	Report file downloaded successfully (PDF/Excel).
Failed End Condition	"Report generation failed."
Primary Actor	NGO
Secondary Actor	—
Trigger	NGO clicks "Download Report" button.
Main Success Scenario	1. NGO navigates to Reports section 2. Select report type (by date range, campaign, etc.) 3. Click "Generate Report" button 4. System compiles donation data into a report 5. Report file (PDF/Excel) is ready for download 6. NGO clicks "Download" and file is saved to device
Alternative Flows	1.1 No data for selected range → Show "No records found for selected period" 2.1 Generation failure → Show "Report generation failed. Try again"
Quality Requirements	Report should generate within 15 seconds.

Use Case: Track Donation	
Goal	NGO monitors real-time progress of incoming donations for a specific request.
Precondition	NGO must be logged in. At least one donation request must be active.
Success End Condition	Real-time donation tracking data displayed.
Failed End Condition	"Tracking data unavailable."
Primary Actor	NGO
Secondary Actor	—
Trigger	NGO selects an active request and views tracking dashboard.
Main Success Scenario	1. NGO navigates to active donation requests 2. Select a specific request to track 3. System displays progress bar with amount collected vs. target 4. List of recent donors and amounts shown 5. NGO can view donation trends over time
Alternative Flows	1.1 No active requests → Show "No active campaigns to track" 2.1 System error → Show "Unable to load tracking data"
Quality Requirements	Tracking dashboard should refresh data within 5 seconds.

Use Case: View Campaign Details	
Goal	NGO views detailed information about available or ongoing campaigns.
Precondition	NGO must be logged in.
Success End Condition	Campaign details displayed successfully.
Failed End Condition	"Campaign details unavailable."
Primary Actor	NGO
Secondary Actor	Admin (creates campaigns)
Trigger	NGO clicks on a campaign from the campaigns list.
Main Success Scenario	1. NGO navigates to Campaigns section 2. System displays list of available campaigns 3. NGO selects a campaign to view 4. System shows full details: title, description, goal, deadline, and progress 5. NGO can choose to participate or create a related donation request
Alternative Flows	1.1 No campaigns available → Show "No campaigns available at this time"

	2.1 Campaign expired → Show campaign as closed with final results
Quality Requirements	Campaign details should load within 3 seconds.

Admin Actor Use Cases

Use Case: Manage NGO Accounts	
Goal	Admin reviews, activates, suspends, or deletes NGO accounts.
Precondition	Admin must be logged in.
Success End Condition	NGO account status updated successfully.
Failed End Condition	"Account update failed."
Primary Actor	Admin
Secondary Actor	NGO (notified of changes)
Trigger	Admin navigates to NGO Account Management panel.

Main Success Scenario	1. Admin logs in and navigates to NGO Accounts section 2. System displays list of all registered NGO accounts 3. Admin selects an NGO to manage 4. Admin chooses action: Activate, Suspend, or Delete 5. System processes the selected action 6. NGO receives notification of account status change 7. Success confirmation displayed to Admin
Alternative Flows	1.1 NGO account not found → Show "Account not found" 2.1 System error → Show "Action failed. Try again later"
Quality Requirements	Account status update should complete within 5 seconds.

Use Case: Verify Documents	
Goal	Admin reviews and verifies documents uploaded by NGOs.
Precondition	Admin must be logged in. NGO must have uploaded documents.
Success End Condition	"Documents verified successfully."
Failed End Condition	"Verification rejected."
Primary Actor	Admin

Secondary Actor	NGO (notified of outcome)
Trigger	Admin opens Document Verification queue.
Main Success Scenario	1. Admin navigates to Document Verification section 2. System shows list of pending document submissions 3. Admin selects an NGO's documents to review 4. Admin opens and reviews each uploaded document 5. Admin clicks "Approve" or "Reject" with reason 6. System updates document status 7. NGO is notified of the verification result
Alternative Flows	1.1 Document illegible/corrupted → Admin rejects with note "Please re-upload clear documents" 2.1 No pending documents → Show "No documents awaiting verification"
Quality Requirements	Verification action should save within 3 seconds.

Use Case: Approve / Reject Donation Request	
Goal	Admin reviews and approves or rejects donation requests submitted by NGOs.
Precondition	Admin must be logged in. NGO must have a pending donation request.

Success End Condition	"Donation request approved/rejected successfully."
Failed End Condition	"Action failed. Try again."
Primary Actor	Admin
Secondary Actor	NGO (notified of outcome)
Trigger	Admin opens the Donation Request review queue.
Main Success Scenario	1. Admin navigates to Donation Requests section 2. System displays list of pending requests 3. Admin selects a request to review 4. Admin reviews request details and supporting documents 5. Admin clicks "Approve" or "Reject" with remarks 6. System updates the request status 7. NGO receives notification with Admin's decision and remarks
Alternative Flows	1.1 Incomplete request details → Admin rejects with note to resubmit 2.1 Duplicate request detected → Admin rejects with "Duplicate request found"
Quality Requirements	Approval/rejection action should complete within 5 seconds.

Use Case: Manage Campaigns	
Goal	Admin creates, edits, or removes fundraising campaigns in the system.
Precondition	Admin must be logged in.
Success End Condition	Campaign created/updated/deleted successfully.
Failed End Condition	"Campaign operation failed."
Primary Actor	Admin
Secondary Actor	NGO (participates in campaigns)
Trigger	Admin navigates to Campaign Management panel.
Main Success Scenario	1. Admin navigates to Campaigns section 2. Click "New Campaign" or select an existing one 3. For New: fill in title, description, goal, start/end dates 4. For Edit: modify required fields 5. For Delete: confirm deletion in dialog 6. System saves changes and updates NGO-visible campaign list 7. Success notification displayed
Alternative Flows	1.1 Missing required fields → Show field-level validation messages 2.1 End date before start date → Show "End date must be after start date"

Quality Requirements	Campaign changes should save within 5 seconds.
-----------------------------	--

Use Case: Monitor Donations	
Goal	Admin monitors all donation transactions across the platform in real time.
Precondition	Admin must be logged in.
Success End Condition	Donation monitoring dashboard displayed with live data.
Failed End Condition	"Unable to load monitoring data."
Primary Actor	Admin
Secondary Actor	—
Trigger	Admin opens the Donation Monitoring dashboard.
Main Success Scenario	1. Admin navigates to Donation Monitoring section 2. System loads all recent and ongoing transactions 3. Admin views totals by campaign, NGO, and time period 4. Admin can filter by date, NGO, or campaign 5. Suspicious or failed transactions are flagged for review

Alternative Flows	1.1 No transactions in period → Show "No donation activity for selected period" 2.1 System lag → Show loading indicator with retry option
Quality Requirements	Dashboard should load within 5 seconds and auto-refresh every 60 seconds.

Use Case: Generate Reports	
Goal	Admin generates comprehensive system-wide donation and activity reports.
Precondition	Admin must be logged in.
Success End Condition	Report generated and available for download.
Failed End Condition	"Report generation failed."
Primary Actor	Admin
Secondary Actor	—
Trigger	Admin clicks "Generate Report" on the Reports page.

Main Success Scenario	1. Admin navigates to Reports section 2. Select report type (Donation Summary, NGO Activity, Campaign Performance, etc.) 3. Set date range and filter criteria 4. Click "Generate" button 5. System compiles data and creates report file 6. Report is displayed on screen and available for PDF/Excel download
Alternative Flows	1.1 No data for selected parameters → Show "No data available for selected criteria" 2.1 Generation timeout → Show "Report is taking long. It will be available in your notifications"
Quality Requirements	Report generation should complete within 20 seconds for standard reports.

Use Case: Manage Users	
Goal	Admin manages all user accounts on the platform including NGOs and donors.
Precondition	Admin must be logged in.
Success End Condition	User account action completed successfully.
Failed End Condition	"User management action failed."

Primary Actor	Admin
Secondary Actor	NGO / Donor (affected users)
Trigger	Admin accesses the User Management panel.
Main Success Scenario	1. Admin navigates to User Management section 2. System displays full list of registered users 3. Admin can search/filter by role, name, or status 4. Admin selects a user and chooses: View, Edit, Suspend, or Delete 5. System executes the action 6. Affected user is notified of significant changes 7. Success confirmation displayed to Admin
Alternative Flows	1.1 User not found → Show "No matching user records" 2.1 Deleting user with active transactions → Show warning and request confirmation
Quality Requirements	User management operations should complete within 5 seconds.


Use Case: View Dashboard	
Goal	Admin views a high-level overview of platform activity and key metrics.

Precondition	Admin must be logged in.
Success End Condition	Dashboard loaded with up-to-date statistics.
Failed End Condition	"Dashboard data unavailable."
Primary Actor	Admin
Secondary Actor	—
Trigger	Admin logs in or navigates to the Dashboard page.
Main Success Scenario	- Admin logs in and is redirected to Dashboard - System retrieves and displays key metrics: — Total donations collected — Number of active NGOs — Pending approvals count — Recent transaction activity - Admin can click any metric to drill down for details
Alternative Flows	1.1 Data loading error → Show "Some dashboard widgets failed to load" with retry option
Quality Requirements	Dashboard should fully load within 5 seconds.

Use Case: Handle Complaints	
Goal	Admin receives and resolves complaints submitted by NGOs or donors.
Precondition	Admin must be logged in. At least one complaint must be submitted.
Success End Condition	Complaint resolved and submitter notified.
Failed End Condition	"Failed to process complaint."
Primary Actor	Admin
Secondary Actor	NGO / Donor (complaint submitters)
Trigger	Admin opens the Complaints Management section.
Main Success Scenario	1. Admin navigates to Complaints section 2. System lists all open complaints with priority flags 3. Admin selects a complaint to review 4. Admin reviews the details and any attached evidence 5. Admin takes appropriate action (warn user, suspend account, resolve issue) 6. Admin marks complaint as Resolved with a response note 7. Submitter receives notification of complaint resolution
Alternative Flows	1.1 Complaint lacks detail → Admin requests more information from submitter

	2.1 Fraudulent complaint → Admin marks as Invalid and may warn the submitter
Quality Requirements	Complaint acknowledgment should be sent within 24 hours of submission.

Use Case Diagram : Volunteer & Authority



Use Case:	Registration
Goal:	User can create a new account in the system.
Precondition:	User must have internet access.
Success End Condition:	Notification: "Successfully Registered!"
Failed End Condition:	Notification: "Registration Failed."
Primary Actors:	Volunteer / Donor
Secondary Actors:	Authority (for activation)
Trigger:	User clicks on Registration button.
Description / Main Success Scenario:	1.Press "Registration" button 2.System shows registration form 3.User enters required information 4.Press "Submit" button 5.System validates information 6.System saves data and shows "Successfully Registered" message

Alternative Flows:	1.1 Required fields missing → Show message “Please fill all required fields” 2.1 Email already exists → Show message “Account already exists” 3.1 System error → Show message “Try again later”
Quality Requirements:	Registration process should complete within 1 minute.

Use Case:	Login
Goal:	User logs into the system.
Precondition:	User must be registered and activated.
Success End Condition:	User dashboard displayed.

Failed End Condition:	"Invalid Email or Password."
Primary Actors:	Volunteer / Authority / Donor
Trigger:	User enters login credentials.
Main Success Scenario:	1.Enter email and password 2.Press "Login" button 3.System verifies credentials 4.System redirects to dashboard
Alternative Flows:	1.1 Wrong password → Show "Invalid Credentials" 2.1 Account not activated → Show "Account not activated"

Quality Requirements:	Login verification must take less than 5 seconds.	
Use Case:	Assign Task	
Goal:	Authority assigns a task to volunteer.	
Precondition:	Volunteer account is active.	
Success End Condition:	Task assigned successfully.	
Failed End Condition:	"Assignment Failed."	
Primary Actor:	Authority	
Trigger:	Authority selects volunteer and task.	

Main Success Scenario:	1.Authority logs in 2.Select campaign 3.Select volunteer 4.Click “Assign Task” 5.System saves assignment 6.Volunteer notified
Alternative Flows:	1.1 Volunteer inactive → Show error message 2.1 System failure → Show “Try again later”
Quality Requirements:	Assignment process should complete within 10 seconds.

Use Case: .	Apply for Task
Goal:	Volunteer applies for available task.
Precondition:	Volunteer logged in.
Success End Condition:	Application submitted.
Failed End Condition:	Failed End Condition: "Application Failed."
Primary Actor:	Volunteer
Trigger:	Volunteer clicks "Apply".

Main Success Scenario:	1.View available tasks 2.Select task 3.Click “Apply” 4.System records application 4.Confirmation message shown
Alternative Flows:	1.1 Task closed → Show “Task not available”

Use Case:	Accept Task
Goal:	Volunteer accepts assigned task.
Precondition:	Task must be assigned.
Success End Condition:	Task status updated to "Accepted."
Primary Actor:	Volunteer

Main Success Scenario:	Open assigned tasks Click "Accept" System updates status Confirmation displayed
------------------------	---

Use Case:	Manage Volunteers
Goal:	Authority manages volunteer accounts.
Primary Actor:	Authority

Main Success Scenario:	View task details Select status (Pending/Approved/Rejected/Completed) Save changes Volunteer notified
------------------------	---

Use Case:	Update Task Status
Goal:	Authority updates task progress.
Primary Actor:	Authority
Main Success Scenario:	View task details Select status (Pending/Approved/Rejected/Completed) Save changes Volunteer notified

Use Case:	Logout
-----------	--------

Goal:	User exits system securely.
Primary Actor:	All users
Main Success Scenario:	Click "Logout" System ends session Redirect to login page