

PUSH:

1. Create Repository
2. Create Folder on Desktop having 3 text files

```
aquis@LAPTOP-CVDR41EG MINGW64 ~ (master)
$ git C:\\Users\\aquis\\Desktop\\DemoPush
git: 'C:\\Users\\aquis\\Desktop\\DemoPush' is not a git command. See 'git
--help'.

aquis@LAPTOP-CVDR41EG MINGW64 ~ (master)
$ cd C:\\Users\\aquis\\Desktop\\DemoPush

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/DemoPush (master)
$ git init
Initialized empty Git repository in C:/Users/aquis/Desktop/DemoPush/.g
it/
```

```
aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/DemoPush (master)
$ git init
Initialized empty Git repository in C:/Users/aquis/Desktop/DemoPush/.
it/

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/DemoPush (master)
$ ls
One.txt  Three.txt  Two.txt

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/DemoPush (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    One.txt
    Three.txt
    Two.txt
```

```
aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/DemoPush (master)
$ git add .

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/DemoPush (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   One.txt
    new file:   Three.txt
    new file:   Two.txt
```

```

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/DemoPush (master)
$ git commit -m "okk"
[master (root-commit) 27ce2c5] okk
3 files changed, 3 insertions(+)
create mode 100644 One.txt
create mode 100644 Three.txt
create mode 100644 Two.txt

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/DemoPush (master)
$ git branch -m main

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/DemoPush (main)
$

```

```

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/DemoPush (main)
$ git remote add origin https://github.com/AquilaShaikh/DemoPush.git

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/DemoPush (main)
$ git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (5/5), 339 bytes | 339.00 KiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/AquilaShaikh/DemoPush.git
* [new branch]      main -> main

```

The screenshot shows the GitHub web interface for the repository 'DemoPush' by user 'AquilaShaikh'. The repository is private and has 1 branch (main) and 0 tags. The commit history shows a single commit 'okk' by AquilaShaikh at 27ce2c5, made 6 minutes ago. The commit details show three files: One.txt, Three.txt, and Two.txt, all created with mode 100644. The repository page includes a README section with a placeholder 'Add a README' and a sidebar with 'About', 'Releases', and 'Packages' sections.

Repository: DemoPush (Private)

Unwatch 1 Fork 0 Star 0

main 1 Branch 0 Tags

Go to file Add file Code

File	Commit	Time
One.txt	okk	6 minutes ago
Three.txt	okk	6 minutes ago
Two.txt	okk	6 minutes ago

README

Add a README

About

No description, website, or topics provided.

Activity

0 stars

1 watching

0 forks

Releases

No releases published




Create a new release

Packages

No packages published

Publish your first package

PULL



Click on commit changes

```
aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/DemoPush (main)
$ git pull origin main
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 978 bytes | 163.00 KiB/s, done.
From https://github.com/AquilaShaikh/DemoPush
* branch                main                -> FETCH_HEAD
   27ce2c5..ed5754c      main                -> origin/main
Updating 27ce2c5..ed5754c
Fast-forward
 Three.txt | 3 ++-
 1 file changed, 2 insertions(+), 1 deletion(-)
```

