Production data dictionary

Catalog cricsocc · Schema bronze · Managed Delta

Catalog cricsocc, schema bronze. Managed Delta tables on Databricks.

Source is Cricbuzz: archive series lists, match facts, scorecard API, and full commentary API. The daily GitHub job scripts/databricks_sync.py inserts only finished matches that are not already in matches. Existing match_id values are left unchanged.

Row counts below are the snapshot loaded on 23 October 2026. Later daily runs add finished matches only.

Databricks does not enforce the collector primary keys or checks. The grain and keys below are the production contract the insert path follows.

Inventory

Table	Grain	Rows	Logical key
teams	One Cricbuzz team	937	team_id
players	One Cricbuzz player	21,736	player_id
series	One Cricbuzz series	3,479	series_id
series_years	Series listed on an archive year page	3,753	series_id, archive_year
venues	One ground	786	venue_id
matches	One finished match	35,392	match_id
match_facts	One non-empty fact label on a match info page	419,461	match_id, label
awards	One award for one player in a match	26,739	match_id, award, player_id
squads	One person in a match team list	1,126,598	match_id, team_id, player_id
innings	One innings of a match	80,696	match_id, innings_number
extras	Extra runs for one innings	80,696	match_id, innings_number
batting	One batter card in an innings	894,199	match_id, innings_number, player_id
bowling	One bowler card in an innings	477,766	match_id, innings_number, player_id
wickets	One fall-of-wicket row	575,477	match_id, innings_number, wicket_number
partnerships	One partnership row	398,289	match_id, innings_number, partnership_number
powerplays	One powerplay block	41,408	match_id, innings_number, powerplay_number
commentary	One legal delivery	8,405,132	match_id, innings_number, sequence_number

Not in Databricks: rejections and series_done. Those were local collector state.

Columns by table

Table	Columns
teams	team_id, name, short_name
players	player_id, name
series	series_id, name, category, start_time, end_time, source_path
series_years	series_id, archive_year
venues	venue_id, cricbuzz_venue_id, name, city, country, timezone, latitude, longitude, capacity, ends, hosts
matches	match_id, series_id, venue_id, home_team_id, away_team_id, category, format_code, status, match_desc, start_time, end_time, day_night, toss_text, toss_winner_team_id, toss_decision, result_text, status_text, umpire1, umpire2, umpire3, referee, info_time_text, commentary_loaded, collected_at
match_facts	match_id, label, value
awards	match_id, award, player_id, player_name, team_name
squads	match_id, team_id, player_id, squad_group, sort_order, is_captain, is_keeper
innings	match_id, innings_number, batting_team_id, bowling_team_id, runs, wickets, overs, run_rate, time_score
extras	match_id, innings_number, total, wides, no_balls, byes, leg_byes, penalty

Table	Columns
batting	match_id, innings_number, player_id, bat_order, runs, balls, dots, fours, sixes, minutes, strike_rate, is_out, dismissal, is_captain, is_keeper, bowler_id, fielder1_id, fielder2_id, fielder3_id, wicket_code
bowling	match_id, innings_number, player_id, bowl_order, overs, maidens, runs, wickets, economy, no_balls, wides, dots, balls
wickets	match_id, innings_number, wicket_number, player_id, player_name, runs, overs
partnerships	match_id, innings_number, partnership_number, batter1_id, batter1_name, batter1_runs, batter1_balls, batter2_id, batter2_name, batter2_runs, batter2_balls, runs, balls
powerplays	match_id, innings_number, powerplay_number, kind, overs_from, overs_to, runs
commentary	match_id, innings_number, sequence_number, over_number, ball_in_over, ball_number, event, batter_id, batter_name, bowler_id, bowler_name, legal_runs, total_runs, team_score, commentary_text

Relationships

```
series -< series_years
series -< matches >- venues
          |
          ├-< match_facts
          ├-< awards >- players
          ├-< squads >- teams, players
          └-< innings
               +- extras (1:1)
               ├-< batting >- players
               ├-< bowling >- players
               ├-< wickets
               ├-< partnerships
               ├-< powerplays
               └-< commentary
```

Join matches to children on match_id. Join innings children on match_id and innings_number. Team and player ids are Cricbuzz ids, not Databricks-generated.

venues.venue_id is assigned at load time. Prefer cricbuzz_venue_id when it is present.

Quality rules

- Only finished matches are stored. Abandoned, cancelled, live, and upcoming matches are skipped.
- Innings runs must equal batting runs plus extras total.
- Fall-of-wickets count may be less than the score wicket count on old cards. It must not be greater.
- Finished matches need a venue name.
- start_time is null when Cricbuzz sends a garbage epoch (year before 1800). The Date and Time fact strings are still stored in match_facts.
- Commentary keeps deliveries only: ball_number > 0, non-empty text, and a batter or bowler id. Preview, welcome, and goodbye notes are dropped. Older matches may have zero commentary rows.
- Every non-empty fact label from the match info page is stored. Blank source fields stay null. Values are not invented.

Controlled values

Column	Values
series.category, matches.category	international, league, domestic, women, other
matches.format_code	test, odi, t20, t10, hundred, or a cleaned Cricbuzz format string
matches.status	finished in this load
matches.toss_decision	bat, bowl, or null
squads.squad_group	playing, bench, support

Column	Values
awards.award	player of the match, player of the series

Timestamps are UTC stored as TIMESTAMP_NTZ.

cricsocc.bronze.teams

One team. Upserted on team_id.

Columns: team_id, name, short_name.

Column	Type	Null	Description
team_id	BIGINT	no	Cricbuzz team id.
name	STRING	no	Full team name.
short_name	STRING	yes	Short code when Cricbuzz has one.

cricsocc.bronze.players

One player. Name is replaced only when the new name is longer.

Columns: player_id, name.

Column	Type	Null	Description
player_id	BIGINT	no	Cricbuzz player id.
name	STRING	no	Display name from scorecard, squad, award, or commentary.

cricsocc.bronze.series

One competition. Category other does not overwrite a more specific stored category.

Columns: series_id, name, category, start_time, end_time, source_path.

Column	Type	Null	Description
series_id	BIGINT	no	Cricbuzz series id.
name	STRING	no	Series name.
category	STRING	no	international, league, domestic, women, or other.
start_time	TIMESTAMP_NTZ	yes	Series start when the archive list has it.
end_time	TIMESTAMP_NTZ	yes	Series end when the archive list has it.
source_path	STRING	yes	Cricbuzz path such as /cricket-series/{id}/matches.

cricsocc.bronze.series_years

Which archive year page listed the series. One series can appear in more than one year.

Columns: series_id, archive_year.

Column	Type	Null	Description
series_id	BIGINT	no	series.series_id.
archive_year	INT	no	Year on cricbuzz.com/cricket-scorecard-archives/{year}. Years before 1800 are not written.

cricsocc.bronze.venues

One ground. New rows get the next venue_id. Match on cricbuzz_venue_id first, else name and city.

Columns: venue_id, cricbuzz_venue_id, name, city, country, timezone, latitude, longitude, capacity, ends, hosts.

Column	Type	Null	Description
venue_id	BIGINT	no	Load-time venue key used by matches.venue_id.
cricbuzz_venue_id	BIGINT	yes	Cricbuzz venue id when present.
name	STRING	no	Ground name.
city	STRING	yes	City.
country	STRING	yes	Country.
timezone	STRING	yes	Venue timezone from the scorecard.

Column	Type	Null	Description
latitude	DOUBLE	yes	Latitude.
longitude	DOUBLE	yes	Longitude.
capacity	INT	yes	Seated capacity when the fact is digits only. Text capacities stay in match_facts.
ends	STRING	yes	End names, for example Pavilion End, Shell End.
hosts	STRING	yes	Hosts text from the info page.

cricsocc.bronze.matches

One finished match. The daily job skips a match_id that is already here.

Columns: match_id, series_id, venue_id, home_team_id, away_team_id, category, format_code, status, match_desc, start_time, end_time, day_night, toss_text, toss_winner_team_id, toss_decision, result_text, status_text, umpire1, umpire2, umpire3, referee, info_time_text, commentary_loaded, collected_at.

Column	Type	Null	Description
match_id	BIGINT	no	Cricbuzz match id.
series_id	BIGINT	no	series.series_id.
venue_id	BIGINT	yes	venues.venue_id.
home_team_id	BIGINT	no	Home teams.team_id.
away_team_id	BIGINT	no	Away teams.team_id.
category	STRING	no	Same controlled list as series.category.
format_code	STRING	no	Match format.
status	STRING	no	finished for stored rows.
match_desc	STRING	yes	Fixture line, for example 3rd Match.
start_time	TIMESTAMP_NTZ	yes	Scheduled start in UTC. Null when the source timestamp is invalid.
end_time	TIMESTAMP_NTZ	yes	Completion time in UTC.
day_night	BOOLEAN	yes	Day/night flag from the scorecard.
toss_text	STRING	yes	Full toss sentence from the info page.
toss_winner_team_id	BIGINT	yes	Team that won the toss.
toss_decision	STRING	yes	bat or bowl.
result_text	STRING	yes	Result sentence.
status_text	STRING	yes	Cricbuzz status line.
umpire1	STRING	yes	First on-field umpire.
umpire2	STRING	yes	Second on-field umpire.
umpire3	STRING	yes	Third umpire.
referee	STRING	yes	Match referee.
info_time_text	STRING	yes	Time fact as written, including local and GMT.
commentary_loaded	BOOLEAN	no	True when at least one delivery row was stored.
collected_at	TIMESTAMP_NTZ	no	UTC time this match row was written.

cricsocc.bronze.match_facts

Every non-empty label on /cricket-match-facts/{match_id}. Playing XI, bench, and support staff are stored in squads, not here.

Common labels: Match, Series, Venue, Stadium, City, Date, Time, Toss, Umpires, 3rd Umpire, Referee, Capacity, Ends, Hosts To, Also Hosts.

Columns: match_id, label, value.

Column	Type	Null	Description
match_id	BIGINT	no	matches.match_id.
label	STRING	no	Fact heading exactly as shown.
value	STRING	no	Fact value exactly as shown. Never blank.

cricsocc.bronze.awards

Columns: match_id, award, player_id, player_name, team_name.

Column	Type	Null	Description
match_id	BIGINT	no	matches.match_id.
award	STRING	no	player of the match or player of the series.
player_id	BIGINT	no	players.player_id.
player_name	STRING	no	Name as printed on the award.
team_name	STRING	yes	Team name when Cricbuzz sends it.

cricsocc.bronze.squads

Playing XI, bench, and support staff from the match info page. One person appears once per match and team.

Columns: match_id, team_id, player_id, squad_group, sort_order, is_captain, is_keeper.

Column	Type	Null	Description
match_id	BIGINT	no	matches.match_id.
team_id	BIGINT	no	teams.team_id.
player_id	BIGINT	no	players.player_id. Support staff still use a Cricbuzz profile id.
squad_group	STRING	no	playing, bench, or support.
sort_order	INT	no	Order on the page, starting at 1 within the group.
is_captain	BOOLEAN	no	True when the name is marked (c) or (c & wk).
is_keeper	BOOLEAN	no	True when the name is marked (wk) or (c & wk).

cricsocc.bronze.innings

Columns: match_id, innings_number, batting_team_id, bowling_team_id, runs, wickets, overs, run_rate, time_score.

Column	Type	Null	Description
match_id	BIGINT	no	matches.match_id.
innings_number	INT	no	1-based innings id from Cricbuzz.
batting_team_id	BIGINT	yes	Batting teams.team_id.
bowling_team_id	BIGINT	yes	Bowling teams.team_id.
runs	INT	no	Innings total. Equals batting runs plus extras.
wickets	INT	no	Wickets fallen, 0 to 10.
overs	STRING	yes	Overs faced, for example 49.5.
run_rate	DOUBLE	yes	Innings run rate.
time_score	STRING	yes	Time-of-innings text when present.

cricsocc.bronze.extras

One extras row per innings. A zero extras row is written when the card omits extras and batting already equals the innings total.

Columns: match_id, innings_number, total, wides, no_balls, byes, leg_byes, penalty.

Column	Type	Null	Description
match_id	BIGINT	no	matches.match_id.
innings_number	INT	no	innings.innings_number.
total	INT	no	Extra runs.
wides	INT	no	Wides.
no_balls	INT	no	No-balls.
byes	INT	no	Byes.
leg_byes	INT	no	Leg-byes.
penalty	INT	no	Penalty runs.

cricsocc.bronze.batting

Columns: match_id, innings_number, player_id, bat_order, runs, balls, dots, fours, sixes, minutes, strike_rate, is_out, dismissal, is_captain, is_keeper, bowler_id, fielder1_id, fielder2_id, fielder3_id, wicket_code.

Column	Type	Null	Description
match_id	BIGINT	no	matches.match_id.
innings_number	INT	no	innings.innings_number.
player_id	BIGINT	no	players.player_id.
bat_order	INT	no	Position in the batting card.
runs	INT	no	Runs scored.
balls	INT	no	Balls faced.
dots	INT	yes	Dot balls.
fours	INT	no	Fours.
sixes	INT	no	Sixes.
minutes	INT	yes	Minutes batted.
strike_rate	DOUBLE	yes	Strike rate.
is_out	BOOLEAN	no	True when dismissed.
dismissal	STRING	yes	Dismissal text.
is_captain	BOOLEAN	no	Captain on this card.
is_keeper	BOOLEAN	no	Wicket-keeper on this card.
bowler_id	BIGINT	yes	Bowler credited with the wicket.
fielder1_id	BIGINT	yes	First fielder on the dismissal.
fielder2_id	BIGINT	yes	Second fielder.
fielder3_id	BIGINT	yes	Third fielder.
wicket_code	STRING	yes	Cricbuzz wicket code.

cricsocc.bronze.bowling

Columns: match_id, innings_number, player_id, bowl_order, overs, maidens, runs, wickets, economy, no_balls, wides, dots, balls.

Column	Type	Null	Description
match_id	BIGINT	no	matches.match_id.
innings_number	INT	no	innings.innings_number.
player_id	BIGINT	no	players.player_id.
bowl_order	INT	no	Position in the bowling card.
overs	STRING	no	Overs bowled.
maidens	INT	no	Maiden overs.
runs	INT	no	Runs conceded.
wickets	INT	no	Wickets taken.
economy	DOUBLE	yes	Economy rate.
no_balls	INT	no	No-balls.
wides	INT	no	Wides.
dots	INT	yes	Dot balls.
balls	INT	yes	Balls bowled.

cricsocc.bronze.wickets

Fall of wicket. Old cards may omit the tenth wicket.

Columns: match_id, innings_number, wicket_number, player_id, player_name, runs, overs.

Column	Type	Null	Description
match_id	BIGINT	no	matches.match_id.
innings_number	INT	no	innings.innings_number.
wicket_number	INT	no	Wicket number, starting at 1.
player_id	BIGINT	yes	Dismissed batter when an id is present.
player_name	STRING	no	Dismissed batter name.
runs	INT	no	Team score at the fall.

Column	Type	Null	Description
overs	STRING	yes	Overs at the fall.

cricsocc.bronze.partnerships

Columns: match_id, innings_number, partnership_number, batter1_id, batter1_name, batter1_runs, batter1_balls, batter2_id, batter2_name, batter2_runs, batter2_balls, runs, balls.

Column	Type	Null	Description
match_id	BIGINT	no	matches.match_id.
innings_number	INT	no	innings.innings_number.
partnership_number	INT	no	Partnership order in the innings.
batter1_id	BIGINT	yes	First batter id.
batter1_name	STRING	no	First batter name.
batter1_runs	INT	no	Runs for the first batter in this stand.
batter1_balls	INT	yes	Balls for the first batter in this stand.
batter2_id	BIGINT	yes	Second batter id.
batter2_name	STRING	no	Second batter name.
batter2_runs	INT	no	Runs for the second batter in this stand.
batter2_balls	INT	yes	Balls for the second batter in this stand.
runs	INT	no	Partnership runs.
balls	INT	yes	Partnership balls.

cricsocc.bronze.powerplays

Columns: match_id, innings_number, powerplay_number, kind, overs_from, overs_to, runs.

Column	Type	Null	Description
match_id	BIGINT	no	matches.match_id.
innings_number	INT	no	innings.innings_number.
powerplay_number	INT	no	Powerplay order in the innings.
kind	STRING	no	Cricbuzz powerplay type, for example mandatory.
overs_from	STRING	yes	Start over.
overs_to	STRING	yes	End over.
runs	INT	no	Runs in the block.

cricsocc.bronze.commentary

Legal deliveries only. ball_number is always greater than 0. Text has Cricbuzz B0$ / B1$ tokens stripped.

Columns: match_id, innings_number, sequence_number, over_number, ball_in_over, ball_number, event, batter_id, batter_name, bowler_id, bowler_name, legal_runs, total_runs, team_score, commentary_text.

Column	Type	Null	Description
match_id	BIGINT	no	matches.match_id.
innings_number	INT	no	innings.innings_number.
sequence_number	INT	no	Delivery order in that innings after sorting by ball.
over_number	DOUBLE	yes	Over as a decimal, for example 49.5.
ball_in_over	INT	yes	Ball within the over, from the fractional over.
ball_number	INT	no	Cricbuzz ball number. Always > 0.
event	STRING	yes	Event flag such as FOUR, SIX, WICKET.
batter_id	BIGINT	yes	Striker id. Required if bowler_id is null.
batter_name	STRING	yes	Striker name.
bowler_id	BIGINT	yes	Bowler id. Required if batter_id is null.
bowler_name	STRING	yes	Bowler name.
legal_runs	INT	yes	Legal runs off the ball.
total_runs	INT	yes	Total runs off the ball, including extras.
team_score	INT	yes	Batting team score after the ball.
commentary_text	STRING	no	Delivery text. Never empty.