Taula de Derivades

INS Vilafant 17/18

Funció	Derivada
Constant	$(k)' = 0 \forall k \in \mathbb{R}$
Identitat	x'=1
Suma	$(f(x) + g(x))' = f'^{(x)} + g'^{(x)}$
Producte per un nombre	$(k \cdot f(x))' = k \cdot f'^{(x)}$
Potència	$(x^n)' = n \cdot x^{n-1}$
Polinomi:	$[a_n x^n + a_{n-1} x^{n-1} + \dots + a_2 x^2 + a_1 x + a_0]' = n \cdot a_n x^{n-1} + (n-1) \cdot a_{n-1} x^{n-2} + \dots$
Producte	$(f(x) \cdot g(x))' = f'(x) \cdot g(x) + f(x) \cdot g'(x)$
Quocient	$\left(\frac{f(x)}{g(x)}\right)' = \frac{f'(x) \cdot g(x) - f(x) \cdot g'(x)}{g(x)^2}$
Trigonomètriques	$\left(\sin(x)\right)' = \cos(x)$
	$\left(\cos(x)\right)' = -\sin(x)$
	$\left(\tan(x)\right)' = 1 + \tan^2(x)$
Inverses Trigonomètriques	$\left(arcsin(x)\right)' = \frac{1}{\sqrt{1-x^2}}$
	$ \left(\frac{arccos(x)}{} \right)' = -\frac{1}{\sqrt{1-x^2}} $ $ \left(\frac{1}{arctan(x)} \right)' = \frac{1}{1+x^2} $
	$\left(\arctan(x)\right)' = \frac{1}{1+x^2}$
Composició (regla de la cadena)	$(f(g(x)))' = f'(g(x)) \cdot g'(x)$
Exponencials	$\left(e^{x}\right)' = e^{x}$
	$(a^x)' = a^x \cdot ln(a)$
Logarítmiques	$(ln(x))' = \frac{1}{x}$
	$\left(\log_a(x)\right)' = \frac{1}{x} \cdot \frac{1}{\ln(a)}$