• TIPS: Salin Bae Kodemny man nak tau hasilnyo

Memulai

```
1 <!doctype html>
2 <html>
3 <head>
     <!-- Wajib -->
      <meta charset="utf-8" />
      <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no"</pre>
7 />
     <!-- Bootstrap CSS -->
      <link href="foldernya/bootstrap.css" rel="stylesheet" />
11
     <!-- Font Awesome CSS -->
     <link href="foldernya/fontawesome.css" rel="stylesheet" />
12
13
     <title>Hello, world!</title>
15
   </head>
16 <body>
17
    </body>
19 </html>
```

Container

```
• • •
 2
         CONTAINER, INGET BUATLAH MAK INI DLU,
         - MAN KURANG BARES TAMBAHKE CLASS ROWNY

    MAN NAK NAMBAHKE COLOM, TAMBAHKE CLASS

 6 COLNYθ>
 8
       <div class='container-fluid'>
 9
           <div class='container'>
10
                <div class='row'>
11
                    <div class='col'></div>
12
                </div>
13
           </div>
       </div>
14
15 ...
```

```
• • •
    <div class="container">
 2
       <!-- SEBELOM BUAT COL, BUATLAH ROW DULU -->
 4
       <!-- BARIS PERTAMO -->
 6
       <div class="row justify-content-md-center">
         <div class="col col-lg-2">
 8
           1 of 3
         </div>
         <div class="col-md-auto">
10
           Variable width content
11
12
         </div>
13
         <div class="col col-lg-2">
14
           3 of 3
15
         </div>
       </div>
16
17
18
       <!-- BARIS KE DUO -->
19
       <div class="row">
20
         <div class="col">
21
           1 of 3
22
         </div>
         <div class="col-md-auto">
23
           Variable width content
24
25
         </div>
26
         <div class="col col-lg-2">
27
           3 of 3
         </div>
28
29
       </div>
30
31 </div>
32 ...
```

Coloms Responsif

```
• • •
     <div class="container">
 6 >
      <div class="row">
         <div class="col-12 col-md-8">.col-12 .col-md-8</div>
         <div class="col-6 col-md-4">.col-6 .col-md-4</div>
       </div>
       <div class="row">
        <div class="col-6 col-md-4">.col-6 .col-md-4</div>
         <div class="col-6 col-md-4">.col-6 .col-md-4</div>
         <div class="col-6 col-md-4">.col-6 .col-md-4</div>
      </div>
18
19
       <div class="row">
        <div class="col-6">.col-6</div>
20
        <div class="col-6">.col-6</div>
      </div>
   </div>
```

Width

Height

```
• • •
 1 ....
 2
       <!-- BUAT BORDER -->
 3
       <span class="border"></span>
 4
       <span class="border-top"></span>
 5
       <span class="border-right"></span>
 6
       <span class="border-bottom"></span>
       <span class="border-left"></span>
 8
       <!--HAPUS BORDER -->
10
       <span class="border-0"></span>
11
       <span class="border-top-0"></span>
12
       <span class="border-right-0"></span>
13
       <span class="border-bottom-0"></span>
14
       <span class="border-left-0"></span>
15
16
       <!--WANRO BORDER -->
17
       <span class="border border-primary"></span>
18
       <span class="border border-secondary"></span>
19
       <span class="border border-success"></span>
       <span class="border border-danger"></span>
20
21
       <span class="border border-warning"></span>
22
       <span class="border border-info"></span>
23
       <span class="border border-light"></span>
24
       <span class="border border-dark"></span>
25
       <span class="border border-white"></span>
26
27
       <!-- BULETKE BORDER -->
       <img src="..." alt="..." class="rounded">
28
       <img src="..." alt="..." class="rounded-top">
29
       <img src="..." alt="..." class="rounded-right">
30
       <img src="..." alt="..." class="rounded-</pre>
31
32 bottening src="..." alt="..." class="rounded-left">
       <img src="..." alt="..." class="rounded-</pre>
33
34 circ₹emg src="..." alt="..." class="rounded-pill">
       <img src="..." alt="..." class="rounded-0">
35
36
37
       <!-- BESAKE BORDER -->
       <img src="..." alt="..." class="rounded-sm">
38
       <img src="..." alt="..." class="rounded-lg">
39
40 ...
```

Spacing

Where property is one of:

- m for classes that set margin
- p for classes that set padding

Where sides is one of:

- t for classes that set margin-top or padding-top
- b for classes that set margin-bottom or padding-bottom
- 1 for classes that set margin-left or padding-left
- r for classes that set margin-right or padding-right
- x for classes that set both *-left and *-right
- y for classes that set both *-top and *-bottom
- blank for classes that set a margin or padding on all 4 sides of the element

Where size is one of:

- 0 for classes that eliminate the margin or padding by setting it to 0
- 1 (by default) for classes that set the margin or padding to \$spacer * .25
- 2 (by default) for classes that set the margin or padding to \$spacer * .5
- 3 (by default) for classes that set the margin or padding to \$spacer
- 4 (by default) for classes that set the margin or padding to \$spacer * 1.5
- 5 (by default) for classes that set the margin or padding to \$spacer * 3
- auto for classes that set the margin to auto
- * NEGATIVE MARGIN : mt-n1

```
• • •
 1 ...
 2
     <!-- Contoh Warna Text -->
 3
     .text-primary
 4
     .text-secondary
     .text-success
     .text-danger
 6
     .text-warning
 8
     .text-info
 9
     .text-light
10
     .text-dark
11
     .text-body
12
     .text-muted
13
     .text-white
14
     .text-black-50
15
     .text-white-50
16
17
     <!-- Contoh Warna Bg -->
18
     <div class="p-3 mb-2 bg-primary text-white">.bg-primary</div>
19
     <div class="p-3 mb-2 bg-secondary text-white">.bg-secondary</div>
20
     <div class="p-3 mb-2 bg-success text-white">.bg-success</div>
21
     <div class="p-3 mb-2 bg-danger text-white">.bg-danger</div>
22
     <div class="p-3 mb-2 bg-warning text-dark">.bg-warning</div>
23
     <div class="p-3 mb-2 bg-info text-white">.bg-info</div>
24
     <div class="p-3 mb-2 bg-light text-dark">.bg-light</div>
25
     <div class="p-3 mb-2 bg-dark text-white">.bg-dark</div>
26
     <div class="p-3 mb-2 bg-white text-dark">.bg-white</div>
27
     <div class="p-3 mb-2 bg-transparent text-dark">.bg-
28 transparent</div>
```

```
1 ...
2 <!-- Flex -->
3 <div class="d-inline-flex p-2 bd-highlight">I'm an inline flexbox container!
4 </div>
```

```
.d-inline-flex
.d-sm-flex
.d-sm-inline-flex
.d-md-flex
.d-lg-flex
.d-lg-inline-flex
.d-xl-flex
.d-xl-flex
```

.d-flex

```
• • •
       <!-- Flex Umumnya -->
 3
       <div class="d-flex flex-row bd-highlight mb-3">
         <div class="p-2 bd-highlight">Flex item 1</div>
 4
 5
         <div class="p-2 bd-highlight">Flex item 2</div>
         <div class="p-2 bd-highlight">Flex item 3</div>
 6
       </div>
 8
       <div class="d-flex flex-row-reverse bd-highlight">
 9
         <div class="p-2 bd-highlight">Flex item 1</div>
10
         <div class="p-2 bd-highlight">Flex item 2</div>
11
         <div class="p-2 bd-highlight">Flex item 3</div>
12
       </div>
13 ...
```

```
• • •
 2
       <!-- Flex Row -->
       <div class="d-flex flex-column bd-highlight mb-3">
         <div class="p-2 bd-highlight">Flex item 1</div>
 4
         <div class="p-2 bd-highlight">Flex item 2</div>
 5
         <div class="p-2 bd-highlight">Flex item 3</div>
 6
       </div>
 8
       <div class="d-flex flex-column-reverse bd-highlight">
         <div class="p-2 bd-highlight">Flex item 1</div>
 9
10
         <div class="p-2 bd-highlight">Flex item 2</div>
         <div class="p-2 bd-highlight">Flex item 3</div>
11
12
       </div>
13 ...
```

```
1 ...
2 <!-- Flex Justify -->
3 <div class="d-flex justify-content-start">...</div>
4 <div class="d-flex justify-content-end">...</div>
5 <div class="d-flex justify-content-center">...</div>
6 <div class="d-flex justify-content-between">...</div>
7 </divdiv class="d-flex justify-content-around">...</div>
8 ...
```

```
1 ...
2 <!-- Flex Align -->
3 <div class="d-flex align-items-start">...</div>
4 <div class="d-flex align-items-end">...</div>
5 <div class="d-flex align-items-center">...</div>
6 <div class="d-flex align-items-baseline">...
7 </divdiv class="d-flex align-items-stretch">...</div>
8 ...
```

```
1 ...
2 <!-- Flex Warp -->
3 <div class="d-flex flex-wrap">
4 ...
5 </div>
6 ...
```

- .flex-nowrap
- .flex-wrap
- .flex-wrap-reverse
- .flex-sm-nowrap
- .flex-sm-wrap
- .flex-sm-wrap-reverse
- .flex-md-nowrap
- .flex-md-wrap
- .flex-md-wrap-reverse
- .flex-lg-nowrap
- .flex-lg-wrap
- .flex-lg-wrap-reverse
- .flex-xl-nowrap
- .flex-xl-wrap
- .flex-xl-wrap-reverse

```
1 ...
2 <!-- Flex Align Cotent -->
3 <div class="d-flex align-content-stretch flex-wrap">...
4 </div>
```

- .align-content-start
- .align-content-end
- .align-content-center
- .align-content-around
- .align-content-stretch

Form, Input

```
. . .
       <form>
        <div class="form-group">
          <label for="exampleInputEmail1">Email address</label>
          <input type="email" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"</pre>
          <small id="emailHelp" class="form-text text-muted">We'll never share your email with anyone
   else.</small>
         </div>
         <div class="form-group">
          <label for="exampleInputPassword1">Password</label>
          <input type="password" class="form-control" id="exampleInputPassword1"</pre>
        </div>
        <div class="form-group form-check">
          <input type="checkbox" class="form-check-input" id="exampleCheck1">
          <label class="form-check-label" for="exampleCheck1">Check me out</label>
        </div>
         <button type="submit" class="btn btn-primary">Submit</button>
       </form>
```

Card

```
• • •
      <button type="button" class="btn btn-primary">Primary/button>
      <button type="button" class="btn btn-secondary">Secondary/button>
      <button type="button" class="btn btn-success">Success/button>
      <button type="button" class="btn btn-danger">Danger/button>
      <button type="button" class="btn btn-warning">Warning</button>
      <button type="button" class="btn btn-info">Info</button>
      <button type="button" class="btn btn-light">Light/button>
10
      <button type="button" class="btn btn-dark">Dark/button>
11
12
      <button type="button" class="btn btn-link">Link</putton>
13
15
      <button type="button" class="btn btn-outline-primary">Primary/button>
      <button type="button" class="btn btn-outline-secondary">Secondary
      <button type="button" class="btn btn-outline-success">Success
17
      <button type="button" class="btn btn-outline-danger">Danger/button>
      <button type="button" class="btn btn-outline-warning">Warning</button>
      <button type="button" class="btn btn-outline-info">Info/button>
20
      <button type="button" class="btn btn-outline-light">Light/button>
21
      <button type="button" class="btn btn-outline-dark">Dark/button>
23
      <button type="button" class="btn btn-primary btn-lg">Large button/button>
26
      <button type="button" class="btn btn-secondary btn-lg">Large button/button>
      <!-- Button Lebar Penuh -->
29
      <button type="button" class="btn btn-primary btn-lg btn-block">Block level button/button>
      <button type="button" class="btn btn-secondary btn-lg btn-block">Block level
31 button</button>
```

```
3 <nav class="navbar navbar-expand-lg navbar-light bg-light">
 4 <a class="navbar-brand" href="#">Navbar</a>
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-</pre>
   target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-
   label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      class="nav-item active">
          <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
        class="nav-item">
          <a class="nav-link" href="#">Link</a>
        class="nav-item dropdown">
          <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button" data-</pre>
   toggle="dropdown" aria-haspopup="true" aria-expanded="false">
            Dropdown
20
          </a>
          <div class="dropdown-menu" aria-labelledby="navbarDropdown">
            <a class="dropdown-item" href="#">Action</a>
23
            <a class="dropdown-item" href="#">Another action</a>
24
            <div class="dropdown-divider"></div>
            <a class="dropdown-item" href="#">Something else here</a>
26
          </div>
        class="nav-item">
          <a class="nav-link disabled" href="#" tabindex="-1" aria-disabled="true">Disabled</a>
30
        <form class="form-inline my-2 my-lg-0">
        <input class="form-control mr-sm-2" type="search" placeholder="Search" aria-label="Search">
        <button class="btn btn-outline-success my-2 my-sm-0" type="submit">Search</button>
      </form>
    </div>
37 </nav>
```

```
class="nav-item">
        <a class="nav-link active" href="#">Active</a>
     class="nav-item">
        <a class="nav-link" href="#">Link</a>
      class="nav-item">
       <a class="nav-link" href="#">Link</a>
11
      class="nav-item">
       <a class="nav-link disabled" href="#" tabindex="-1" aria-disabled="true">Disabled</a>
    <!-- Complex -->
     20
       class="nav-item">
         <a class="nav-link active" href="#">Active</a>
        23
        class="nav-item dropdown">
24
         <a class="nav-link dropdown-toggle" data-toggle="dropdown" href="#" role="button" aria-</p>
  haspopup="true" aria-expanded="false">Dropdown</a>
25
         <div class="dropdown-menu">
           <a class="dropdown-item" href="#">Action</a>
26
           <a class="dropdown-item" href="#">Another action</a>
           <a class="dropdown-item" href="#">Something else here</a>
28
29
           <div class="dropdown-divider"></div>
30
           <a class="dropdown-item" href="#">Separated link</a>
        </div>
        class="nav-item">
         <a class="nav-link" href="#">Link</a>
35
        class="nav-item">
         <a class="nav-link disabled" href="#" tabindex="-1" aria-disabled="true">Disabled</a>
```