
# Modular toolkit for Data Processing

a Python data processing framework



Pietro Berkes, Niko Wilbert, <u>Tiziano Zito</u>



CNS 2009


Python in Neuroscience Workshop

July 22<sup>th</sup>, 2009



### Background

- Python module, Object Oriented design
- Open Source (LGPL)
- first public release 2004
- 15k+ downloads, available in Debian, Ubuntu,
   MacPorts, Python(x,y)
- origin in Prof. Wiskott research group...



... but also used outside computational neuroscience

#### Contents

- MDP basic building blocks: nodes, flows, networks
- Extending MDP
- Parallelization
- Examples and design considerations
- Future development: the BiNet package
- Using and embedding MDP
- Future perspectives

### Building Blocks: Node

- fundamental data processing element
   Node classes correspond to algorithms
- API: <u>train</u>
  support for multiple phases, batch,
  online, chunks, supervised, unsupervised
- API: execute

  map n-dim input to m-dim output
- API: <u>inverse</u> inverse of execute mapping
- data format: 2-dim numpy arrays
- automatic consistency checks and conversions (dimensions, dtype, ...)

# Building Blocks: Node

example: Principal Component Analysis (PCA)

```
>>> pca = PCANode(output_dim=0.9, dtype='float32')
>>> for x in data_stream:
...     pca.train(x)
>>> out = pca.execute(x)
>>> rec = pca.invert(out)
>>> pca.explained_variance
0.9012761929
>>> pca.output_dim
45
```

shortcut

```
>>> proj_data = pca(x, output_dim=0.9, dtype='float32')
```

### Building Blocks: Node

- PCA (standard, NIPALS)
- ICA (FastICA, CuBICA, JADE, TDSEP, XSFA)
- Locally Linear Embedding
- Hessian Locally Linear Embedding
- Linear Regression
- Fisher Discriminant Analysis
- Slow Feature Analysis
- Independent Slow Feature Analysis
- Restricted Boltzmann Machine
- Growing Neural Gas
- Factor Analysis
- Gaussian Classifiers
- Polynomial Expansion
- Time Frames
- Hit Parades
- Noise

• • •


#### Building Blocks: Flow

- combine nodes in a pipeline
- API: train, execute, inverse
- automatic training, execution, inversion
- automatic checks: dims and data formats
- Flow is a Python container (list)
- feed on arrays or iterators
- crash recovery, checkpoints

```
>>> flow = PCANode() + SFANode() + FastICANode()
>>> # DataStream is an iterable and returns
>>> # chunks of data (online or offline)
>>> flow.train([DataStream()]*3)
>>> out = flow.execute(x)
>>> rec = flow.inverse(out)
>>> flow += HitParadeNode()
```

# Building Blocks: Network


- mdp.hinet: hierarchical networks
- Layer: combine nodes horizontally in parallel
- Switchboard: routing between layers
- FlowNode: encapsulate a Flow into a "super" Node
- everything is a Node: combine as you want
- all acyclic graphs can be emulated



# Building Blocks: Network

- HTML visualization of your network
- Use it for debugging, reports or GUIs

>>> mdp.hinet.show\_flow(net)



#### http://mdp-toolkit.sourceforge.net

# Extending MDP: Writing Nodes

- concentrate on the algorithm,
   MDP takes care of the details
- use MDP utilities in your nodes
- immediately integrate your nodes with the existing library
- contribute your nodes to MDP!

#### Parallelization

- for embarrassingly parallel problems data chunks can be processed independently
- use multiple cores and multiple machines
  Parallel Python support
- automatic parallelization of serial flows
- use abstract scheduler API
   write your own adapter
- simple API: write your own parallel nodes implement fork and join methods

```
>>> flow = PCANode() + SFANode()
>>> scheduler = ProcessScheduler(n_processes=8)
>>> pflow = make_flow_parallel(flow)
>>> pflow.train(data, scheduler)
```

### Real World Example

- object recognition system
   working on 155x155 pixel image sequences
- several GBs of training data for each training phase
- hierarchical network with nested nodes 900 "super" nodes on lowest layer
- training is distributed over network









[Franzius, Wilbert, Wiskott, 2008]

# Software Design Considerations


- Networks in MDP are modular. Why?
  - flexibility
  - distributed complexity = less complexity
  - extensions [e.g. parallelization] are independent from the specific structure of the network
  - higher but "once and for all" implementation cost
- Comparison with monolithic approach:
  - network structure is hard-coded
  - quick and dirty, not reusable
  - every extension must be hard-coded
  - network changes affect low-level code in different locations

# Future Development: the BiNet Package

- mdp.binet allows bi-directional data flow feedback loops, error back-propagation, ...
- compatible with mdp.parallel and mdp.hinet
- HTML+JS inspector for debugging and visualization
- scheduled for MDP 3.0 (end 2009?)

# BiNet: Building Blocks

- BiNode and BiFlow: backward compatible
- BiNode has an ID string and can be accessed by this name: biflow['PCA\_node\_3']
- pass a "message" dictionary together with data
- BiNode can specify a target node [GOTO :)]



#### BiNet: Features

message content addresses all or specific nodes:

message content accessed by argument names

```
>>> class BiFDANode(BiNode):
... def _train(self, x, labels):
... FDA training code ...
```

 several additional features, if you need it it's probably already there;)

### Using MDP


- comprehensive documentation:
  - tutorial covering basic and advanced usage
  - public objects have detailed doc-strings
  - PEP8 compliant, commented, and pylint-clean code
  - active and responsive user mailing list
- collection of efficient and well tested (390+ unit tests) algorithms
- minimal dependencies: Python + NumPy

### Embedding MDP

- input and output just NumPy arrays
- API is stable and designed for straightforward embedding
- PyMCA: X-ray fluorescence mapping
- PyMVPA: ML framework for neuroimaging data analysis
- Chandler: personal organizer application

### Future perspectives

- Architecture:
  - fully integrate, test, and document BiNet
  - Python 3
  - plugin system
  - GUI
  - automatic graph to BiNet translator
- Algorithms:
  - integrate widely used libraries (e.g. SVM)



#### • Developers:

- Pietro Berkes, Niko Wilbert, Tiziano Zito

#### • Contributors:

Gabriel Beckers, Alberto Escalante, Farzad Farkhooi,
 Mathias Franzius, Yaroslav Halchenko, Michael Hanke,
 Konrad Hinsen, Samuel John, Susanne Lezius,
 Michael Schmuker, Henning Sprekeler, Jake VanderPlas