

Rahimuddin Mohammad

Web Developer Assessment



Web Developer Assessment

Welcome to the Xebia Web Developer assessment. The assessment is intended to give us insight into your technical abilities, development approach and general technical working habits. We view your performance on this assessment as indicative of the work you will deliver as a Xebia Web Developer.

The assessment consists of an assignment to prepare beforehand and a presentation about your implementation of the assignment at the Xebia office.

The assignment is the "YakShop" case, described below. Read the case carefully and approach it as you would a regular project. The assignment should be implemented in JavaScript, Golang or a JVM language (this can definitely be something other than Java). The case contains several test cases for each user story so you can see if your implementation works. In addition to the test cases mentioned in this document, we will subject your solution to more rigorous automated tests during the assessment.

Expect to spend **4 - 8 hours** to prepare for the assessment. It's okay to not finish each user story, use your own judgement to decide on which are most valuable. We ask you treat the assignment confidentially so we can use it again in the future.

At the assessment presentation, please bring a laptop with a working development environment so you can show us your solution. There will be a projector present at the office. You are free to deliver your presentation in any form, but we expect you to cover:

- The overall approach you took to the assignment.
- The architecture of the solution and the technologies used.
- · Your solution for each of the user stories.

Good luck with the assignment!

The YakShop

Your new customer is a Yak shepherd living on the tundra, herding a group of Yaks. Every once in a while he gets customers who come in to buy Yak wool or milk from him. He has decided to open up a shop on the internet so that he can expand his horizon and actually sell his products outside of his regular clientele. He has hired you as a developer to build this new webshop. You've had a few meetings with him and together you've thought up a number of user stories so that you can both have a clear focus and don't spend time on... well, essentially shaving yaks;-)

From research on the internet you of course know that Yaks like humans also age, and with age they give less milk until they finally die of old age. Contrary to humans, a standard Yak year consists of 100 days.

The shepherd currently has Yaks who all stem from the "LabYaks" tribe. This tribe is known for its consistency in wool quality, milk taste and production rate of said goods. The shepherd gave you the following facts about LabYaks:

- Each day a LabYak produces 50-D*0.03 liters of milk (D = age in days).
- At most every 8+D*0.01 days you can again shave a LabYak (D = age in days).
- A yak can be first shaven when it is 1 year old.
- A LabYak dies the day it turns 10.

Assumptions

- The moment you open up the YakShop will be day 0, and all
 yaks are eligible to be shaven, as the two of you spent quite a
 lot of time setting up this shop and the shepherd wasn't able
 to attend much to his herd.
- Each morning the shepherd milks and shaves his yaks. Yaks
 which aren't eligible to be shaven on the exact day, cannot
 be shaved today. Example: a yak who started out on day 0 as
 4 years old, can be shaven again during day 13.
- When querying your app and placing orders, the elapsed time in days (T) is used. A value of for instance 13 means that day 12 has elapsed and we're at midnight day 13.

Clarifications

The Yak shepherd is available at yakherder@xebia.com if during the course of developing the webshop you have any questions or want clarification on the requirements.

User Stories

YAK-1: As a Yak Shepherd I want to be able to load a new Herd into my webshop using an HTTP REST service so that I can open my webshop.

I want to be able to run my webshop and load my herd into it. Once I load a herd, any previous state of my webshop should be reset to the initial state.

The following are the HTTP requests I want to make:

 POST /yak-shop/load which returns a HTTP Status Code 205 (Reset Content)

Example:

```
Request: POST /yak-shop/load
<herd>
    <labyak name="Betty-1" age="4" sex="f" />
    <labyak name="Betty-2" age="8" sex="f" />
    <labyak name="Betty-3" age="9.5" sex="f" />
</herd>
Response: status = 205
```

YAK-2: As a Yak Shepherd I want to be able to query my herd and my current stock using HTTP REST services which output JSON data.

The following are the requests I want to make:

- GET /yak-shop/stock/T which returns a view of your stock at T days
- GET /yak-shop/herd/T which returns a view of your herd at T days

Examples:

```
Request: GET /yak-shop/stock/13
Response: {
    "milk": 1104.48,
    "skins": 3
}

Request: GET /yak-shop/herd/13
Response: {
    "herd": [
        { "name": "Betty-1", "age": 4.13,
        "age-last-shaved": 4.0 },
        { "name": "Betty-2", "age": 8.13,
        "age-last-shaved": 8.0 },
        { "name": "Betty-3", "age": 9.63,
        "age-last-shaved": 9.5 }
]
```

Examples (continued):

```
Request: GET /yak-shop/stock/14
Response: {
    "milk": 1188.81,
    "skins": 4
}

Request: GET /yak-shop/herd/14
Response: {
    "herd": [
        { "name": "Betty-1", "age": 4.14,
        "age-last-shaved": 4.0 },
        { "name": "Betty-2", "age": 8.14,
        "age-last-shaved": 8.0 },
        { "name": "Betty-3", "age": 9.64,
        "age-last-shaved": 9.5 }
    ]
}
```

YAK-3: As a Yak Shepherd I want my customers to be able to buy from my stock using my HTTP REST services.

You can assume that requests come in ascending order of time. If you cannot fulfill one of the ordered goods of the order because you're out of stock, you deliver the other goods that are fully in stock.

So for instance if your stock contains 4000 liters of milk and 10 yak hides, and your customer orders 4500 liters of milk and 4 hides, you only deliver the 4 hides (and omit the milk from the result) and give a HTTP status code 206 (partial content). If the full order is not in stock, you only return a HTTP 404 status code. If the order was placed successfully you return HTTP status code 201 (created) with the resulting order.

Request format:

 POST /yak-shop/order/T where T is the day the customer orders, this means that day T has not elapsed

Examples:

```
Request: POST /yak-shop/order/14
{
    "customer": "Medvedev",
    "order": { "milk": 1100, "skins": 3 }
}
Response: status = 201
{
    "milk": 1100.0,
    "skins": 3 }
}
Request: POST /yak-shop/order/14
{
    "customer": "Medvedev",
    "order": { "milk": 1200, "skins": 3 }
}
Response: status = 206
{
    "skins": 3
```

YAK-4: As a Yak Shepherd I want to have a Single Page App (SPA) in my browser which my customers can use to order goods.

The user interface should be able to show an overview of the available herd and stock. Furthermore the user interface should be able to place an order using the exposed REST services, and provide feedback whether the order was placed successfully, partial successfully, or failed. In case of a partial success it should output what you will get delivered. The user interface should have at least 3 views:

- · The shop homepage.
- · An order form with stock information.
- A thank you page with the order confirmation.

Bonus assignments

Congratulations! You've made it this far! The Yak shepherd has come up with a few more user stories. These are all of equal business value to him, so you're allowed to pick and choose which one(s) you implement.

YAK-5: As a Yak Shepherd I want to have realtime updates of the stock and herd in my user interface so that customers always see correct stock information.

The user interface should update automatically without intervention of the user with the current state of the stock and herd.

YAK-6: As a Yak Shepherd I want to be surprised by your ingenuity so that I can show off to my fellow shepherds.

You can do anything that we haven't thought of, so that I can show off some cool stuff on our monthly shepherd meeting!