

SUPPLEMENTAL MATERIAL

Table S1. Basic main characteristics of study participants (n = 88).

Characteristics	Male (n = 34)	Female (n = 54)	Total (n = 88)
Age, mean $\pm$ SD, years	21.35 $\pm$ 1.12	21.61 $\pm$ 1.09	21.51 $\pm$ 1.10
BMI, kg/m ² , mean $\pm$ SD	21.65 $\pm$ 1.67	21.3 $\pm$ 3.53	21.43 $\pm$ 2.94
Exercise time, n (%)			
0 time per week	13 (31.71%)	28 (68.29%)	41 (46.59%)
1 time per week	8 (42.11%)	11 (57.89%)	19 (21.59%)
2 times per week	10 (50.00%)	10 (50.00%)	20 (22.73%)
≥ 3 times per week	3 (37.50%)	5 (62.50%)	8 (9.09%)
Seated blood pressure			
SBP, mean $\pm$ SD, mmHg	120.38 $\pm$ 12.80	107.45 $\pm$ 12.50	112.45 $\pm$ 14.07
DBP, mean $\pm$ SD, mmHg	73.83 $\pm$ 8.52	69.20 $\pm$ 8.69	70.99 $\pm$ 8.90
PP, mean $\pm$ SD, mmHg	46.55 $\pm$ 11.62	38.25 $\pm$ 10.57	41.46 $\pm$ 11.68
MAP, mean $\pm$ SD, mmHg	89.35 $\pm$ 8.54	81.95 $\pm$ 8.81	84.81 $\pm$ 9.40

SD, standard deviation; BMI, body mass index; SBP, systolic blood pressure; DBP, diastolic blood pressure; PP, pulse pressure.

Table S2. Spearman correlations of air pollutants and meteorological conditions*

Exposures	PM _{2.5}	PM _{1.0}	PM _{0.5}	PM _{0.2}	PN _{0.1}	Temperature (°C)	Relative humidity (%)
PM _{2.5}	1.00						
PM _{1.0}	1.00	1.00					
PM _{0.5}	0.99	0.99	1.00				
PM _{0.2}	0.71	0.71	0.75	1.00			
PN _{0.1}	0.18	0.17	0.20	0.54	1.00		
Temperature (°C)	0.27	0.29	0.33	0.46	0.40	1.00	
Relative humidity (%)	0.12	0.14	0.16	0.10	-0.14	0.17	1.00

PM_{2.5}, particle with aerodynamic diameter ≤ 2.5 μm ; PM_{1.0}, particle with aerodynamic diameter ≤ 1.0 μm ; PM_{0.5}, particle with aerodynamic diameter ≤ 0.5 μm ; PM_{0.2}, particle with aerodynamic diameter ≤ 0.2 μm ; PN_{0.1}, particle with aerodynamic diameter ≤ 0.1 μm ;

* All correlations are statistically significant.