



Practice Day Sheet

Module 3.5 — File Handling & Exception Handling

Topics: File Basics · Read · Write/Append · File Pointer · Try/Except/Else/Finally

Problem 1 Create and Write to a File

Write a function `create_file(filename, content)` that creates a new text file with the given filename and writes the content into it. Call it using positional arguments.



Sample Input:

```
"notes.txt", "Hello, this is my first file."
```



Sample Output (notes.txt will contain):

```
Hello, this is my first file.
```

Problem 2 Read Lines with Line Numbers

Write a function `read_lines(filename)` that reads a text file and prints each line with its line number.



Sample Input (file: data.txt):

```
Apple  
Banana  
Cherry
```



Sample Output:

```
1: Apple  
2: Banana  
3: Cherry
```

Problem 3 Append Log Entries to a File

Given a filename `log.txt`, use file append mode to add a new log entry each time the function `add_log(message)` is called. Each message should appear on a new line.



Sample Input:

```
add_log("User logged in")
add_log("File uploaded")
```



Sample Output (log.txt will contain):

```
User logged in
File uploaded
```

Problem 4 Read from a Specific File Pointer Position

Write a function `read_from_position(filename, position)` that uses the file pointer to start reading a file from a given byte position and prints the remaining content.



Sample Input:

```
filename = "hello.txt"    # contains: "Hello, World!"
position = 7
```



Sample Output:

```
World!
```

Problem 5 ★ Conceptual Session — Safe File Read with Full Exception Handling

Write a function `safe_read(filename)` that tries to open and read a file. Use `try`, `except`, `else`, and `finally` blocks:

- Print file content if successful (`else` block)
- Handle the case where file does not exist (`except` block)
- Always print "Operation complete." at the end (`finally` block)



Sample Input 1:

```
safe_read("missing.txt")
```



Sample Output 1:

```
Error: File not found.  
Operation complete.
```



Sample Input 2:

```
safe_read("hello.txt")    # contains: "Hello, World!"
```



Sample Output 2:

```
Hello, World!  
Operation complete.
```