

Bug Report

Source File: generated-documents\quality-assurance\bug-report.md

Generated: 15/07/2025 at 11:38:09

Generated by: Requirements Gathering Agent - PDF Converter

Bug Report

Generated by adpa-enterprise-framework-automation v3.2.0

Category: quality-assurance

Generated: 2025-07-14T21:08:18.448Z

Description: Bug reporting template and procedures

Bug Reporting Process and Guidelines

=== PROJECT README ===

ADPA - Advanced Document Processing & Automation Framework

npm package 3.2.0

node >=18.0.0

TypeScript 5.7.2

License MIT





API-First TypeSpec

Previously known as Requirements Gathering Agent (RGA)




ADPA is a modular, standards-compliant enterprise automation framework for AI-powered document generation, project management, and business analysis. Built with TypeScript and Node.js, it provides both CLI and REST API interfaces for generating professional documentation following industry standards including BABOK v3, PMBOK 7th Edition, and DMBOK 2.0.

Key Features

Enterprise Standards Compliance






-  **BABOK v3** - Business Analysis Body of Knowledge automation
-  **PMBOK 7th Edition** - Project Management documentation generation
-  **DMBOK 2.0** - Data Management frameworks (in progress)
-  **Multi-Framework Integration** - Cross-reference and unified reporting

AI-Powered Generation

-  **Multi-Provider AI Support** - OpenAI, Google AI, GitHub Copilot, Ollama
-  **Intelligent Context Management** - Smart context injection and processing
-  **Professional Document Generation** - Standards-compliant business documents

-  **Automated Workflows** - End-to-end document generation pipelines

Enterprise Integration

-  **Production-Ready REST API** - TypeSpec-generated OpenAPI specifications
-  **Confluence Integration** - Direct publishing to Atlassian Confluence
-  **SharePoint Integration** - Microsoft SharePoint document management
-  **Adobe Document Services** - Professional PDF generation and document intelligence
-  **CLI & Web Interface** - Multiple interaction modes

Compliance & Security

-  **Enterprise-Grade Security** - Production-ready authentication and authorization
-  **Regulatory Compliance** - Basel III, MiFID II, GDPR, SOX, FINRA, PCI DSS
-  **Fortune 500 Ready** - Designed for large-scale enterprise deployments
-  **API-First Architecture** - Scalable microservices design

Installation

NPM Package (Recommended)

```
npm install -g adpa-enterprise-framework-automation
```

From Source

```
git clone https://github.com/mdresch/requirements-gathering-agent.git
cd requirements-gathering-agent
npm install
npm run build
```

Docker (Coming Soon)

```
docker pull adpa/enterprise-framework:latest
```

Quick Start

1. CLI Usage

```
# Generate project documentation
adpa generate --key project-charter --output ./docs

# Start the API server
adpa-api

# Initialize Confluence integration
adpa confluence init

# Initialize SharePoint integration
adpa sharepoint init
```

2. API Server

```
# Start the Express.js API server
npm run api:start

# Access API documentation
open http://localhost:3000/api-docs
```

3. Admin Web Interface

```
# Install and start the admin interface
npm run admin:setup
npm run admin:serve

# Access at http://localhost:3001
```

Configuration

Environment Setup

```
# Copy environment template
cp .env.example .env

# Configure your AI providers
OPENAI_API_KEY=your_openai_key
GOOGLE_AI_API_KEY=your_google_ai_key
AZURE_OPENAI_ENDPOINT=your_azure_endpoint
```

AI Provider Configuration

ADPA supports multiple AI providers with automatic failover:

```
// Supported providers
- OpenAI (GPT-4, GPT-3.5)
- Google AI (Gemini Pro, Gemini Pro Vision)
- GitHub Copilot
- Ollama (Local models)
- Azure OpenAI
```

Framework Support

BABOK v3 (Business Analysis)

✓ Production Ready

- Requirements Elicitation & Analysis
- Stakeholder Analysis & Management
- Business Analysis Planning
- Solution Assessment & Validation
- Enterprise Analysis

PMBOK 7th Edition (Project Management)

✓ Implemented

- Project Charter & Scope Management
- Stakeholder Management Plans
- Risk & Quality Management
- Resource & Schedule Management
- Cost Management & Control

DMBOK 2.0 (Data Management)

🚧 In Progress

- Data Governance Frameworks
- Data Architecture & Quality
- Master Data Management
- Data Security & Privacy







Architecture

Core Components

ADPA/

- | | | |
|---|-------------------------|------------------------------------|
| — | 🗨️ AI Processing Engine | # Multi-provider AI orchestration |
| — | 📄 Document Generator | # Template-based document creation |
| — | 🌐 REST API Server | # Express.js with TypeSpec specs |

└─ 	CLI Interface	# Yargs-based command line tools
└─ 	Integration Layer	# Adobe, Confluence, SharePoint, VCS
└─ 	Admin Interface	# Next.js web management portal
└─ 	Analytics & Reporting	# Usage metrics and insights

Technology Stack

- **Backend:** Node.js 18+, TypeScript 5.7+, Express.js
- **AI Integration:** OpenAI, Google AI, GitHub Copilot, Ollama
- **API:** TypeSpec, OpenAPI 3.0, Swagger UI
- **Frontend:** Next.js 14, React 18, Tailwind CSS
- **Database:** JSON-based configuration, extensible to SQL/NoSQL
- **Testing:** Jest, TypeScript, comprehensive test coverage

Usage Examples

Document Generation

```
# Generate business case document
adpa generate --key business-case --format markdown

# Generate complete project charter
adpa generate --category project-charter --output ./project-docs

# Generate stakeholder analysis
adpa generate --key stakeholder-analysis --format json
```

API Usage

```
// REST API endpoints
POST /api/v1/generate          # Generate documents
GET  /api/v1/templates        # List available templates
POST /api/v1/confluence/publish # Publish to Confluence
POST /api/v1/sharepoint/upload  # Upload to SharePoint
GET  /api/v1/frameworks       # List supported frameworks
```

Integration Examples

```
# Adobe Document Services integration
npm run adobe:setup                # Configure Adobe credentials
npm run adobe:demo-generation      # Run document generation demo
npm run adobe:example-basic        # Basic PDF generation example

# Confluence integration
adpa confluence oauth2 login
adpa confluence publish --document ./docs/project-charter.md

# SharePoint integration
adpa sharepoint oauth2 login
adpa sharepoint upload --folder "Project Documents" --file ./docs/

# Version control integration
adpa vcs commit --message "Generated project documentation"
adpa vcs push --remote origin
```



Testing

```
# Run all tests
npm test

# Test specific providers
npm run test:azure
npm run test:github
npm run test:ollama

# Performance testing
npm run test:performance

# Integration testing
npm run test:integration
```



Enterprise Features

Compliance Standards

- **Financial:** Basel III, MiFID II, FINRA, CFTC, FCA, BaFin
- **Security:** GDPR, SOX, PCI DSS, ISO 27001, ISO 9001
- **Industry:** Healthcare (HIPAA), Government (FedRAMP)




Enterprise Integration

- **Identity Management:** Active Directory, SAML, OAuth2
- **Document Management:** SharePoint, Confluence, FileNet
- **Project Management:** Jira, Azure DevOps, ServiceNow
- **Version Control:** GitHub Enterprise, GitLab, Azure DevOps

Scalability & Performance

- **Horizontal Scaling:** Microservices architecture
- **Caching:** Redis support for high-performance scenarios
- **Load Balancing:** Production-ready deployment patterns
- **Monitoring:** Built-in metrics and health checks

Project Structure

```
requirements-gathering-agent/  
├─  src/ # TypeScript source code  
│   ├──  cli.ts # Main CLI entry point  
│   ├──  server.ts # Express.js API server  
│   ├──  modules/ # Core modules  
│   │   ├── ai/ # AI provider integrations  
│   │   ├── documentGenerator/ # Document generation engine  
│   │   ├── confluence/ # Confluence integration  
│   │   ├── sharepoint/ # SharePoint integration  
│   │   └─ documentTemplates/ # Framework templates  
│   └─  commands/ # CLI command modules  
├─  admin-interface/ # Next.js admin portal  
├─  api-specs/ # TypeSpec API specifications  
├─  docs/ # Comprehensive documentation  
└─  test/ # Test suites
```

```
|— 📁 generated-documents/      # Output directory
|— 📁 dist/                      # Compiled JavaScript
```

Contributing

We welcome contributions! Please see our [Contributing Guide](#) for details.

Development Setup

```
git clone https://github.com/mdresch/requirements-gathering-agent.git
cd requirements-gathering-agent
npm install
npm run dev          # Start development mode
npm run build        # Build for production
npm test             # Run tests
```

Code Standards

- **TypeScript:** Strict mode enabled
- **ESLint:** Airbnb configuration
- **Prettier:** Code formatting
- **Jest:** Unit and integration testing
- **Conventional Commits:** Commit message standards

Roadmap

Q1 2025

- ☒ BABOK v3 full implementation
- ☒ PMBOK 7th Edition compliance
- ☒ Multi-provider AI support
- ☒ Confluence & SharePoint integration

Q2 2025

- 🚧 DMBOK 2.0 implementation
- 🐳 Docker containerization
- 🐳 Kubernetes deployment templates
- 📊 Advanced analytics dashboard

Q3 2025

- 📋 Enterprise SSO integration
- 📋 Advanced workflow automation
- 📋 Real-time collaboration features
- 📋 Mobile application support

📞 Support & Documentation

- 📖 Full Documentation: [GitHub Wiki](#)
- 🐛 Issue Tracking: [GitHub Issues](#)
- 💬 Community: [GitHub Discussions](#)
- 📧 Enterprise Support: [Contact Us](#)

📄 License

This project is licensed under the [MIT License](#) - see the LICENSE file for details.

🙏 Acknowledgments

- **Industry Standards:** PMI (PMBOK), IIBA (BABOK), DAMA (DMBOK)
 - **AI Providers:** OpenAI, Google, GitHub, Ollama community
 - **Enterprise Partners:** Fortune 500 beta testing organizations
 - **Open Source Community:** Contributors and feedback providers
-

Built with ❤️ for Enterprise Automation

🌟 [Star us on GitHub](#) | 📦 [npm Package](#) | 📖 [Documentation](#)

=== PROJECT METADATA ===

Name: adpa-enterprise-framework-automation

Description: Modular, standards-compliant Node.js/TypeScript automation framework for enterprise requirements, project, and data management. Provides CLI and API for BABOK v3, PMBOK 7th Edition, and DMBOK 2.0 (in progress). Production-ready Express.js API with TypeSpec architecture. Designed for secure, scalable, and maintainable enterprise automation.

Version: 3.2.0

Dependencies: @adobe/pdfservices-node-sdk, @azure-rest/ai-inference, @azure/identity, @azure/msal-node, @azure/openai, @google/generative-ai, @microsoft/microsoft-graph-client, axios, bcryptjs, compression, cors, dotenv, express, express-rate-limit, express-validator, express-winston, form-data, glob, helmet, joi, jsonwebtoken, morgan, multer, node-fetch, openai, swagger-ui-express, ts-node, uuid, winston, yargs, zod

Dev Dependencies: @jest/globals, @redocly/cli, @types/bcryptjs, @types/compression, @types/cors, @types/express, @types/glob, @types/jest, @types/jsonwebtoken, @types/morgan, @types/multer, @types/node, @types/node-fetch, @types/swagger-ui-express, @types/uuid, @typespec/compiler, @typespec/http, @typespec/json-schema, @typespec/openapi3, @typespec/rest, ajv, jest, rimraf, ts-jest, typescript, webpack-cli

Available Scripts: build, copy-configs, start, api:start, dev, clean, test, test:providers, test:performance, test:azure, test:github, test:ollama, test:failover, test:unit, prepublishOnly, admin:install, admin:dev, admin:build, admin:start, admin:setup, admin:serve, confluence:init, confluence:test, confluence:oauth2:login, confluence:oauth2:status, confluence:oauth2:debug, confluence:publish, confluence:status, sharepoint:init, sharepoint:test, sharepoint:oauth2:login, sharepoint:oauth2:status, sharepoint:oauth2:debug, sharepoint:publish, sharepoint:status, api:compile, api:watch, api:format, api:lint, api:docs, api:serve-docs, api:demo, api:server, babok:generate, pmbok:generate, dmbok:generate, framework:multi

=== PHASE-2-IMPLEMENTATION-GUIDE.MD (documentation) ===
Path: docs\ADOBE\PHASE-2-IMPLEMENTATION-GUIDE.md
Relevance Score: 95

Adobe Creative Suite Phase 2 Implementation Guide

Date: July 8, 2025

Status:  **READY FOR IMPLEMENTATION**

Prerequisites:  Phase 1 Complete (58 PDFs generated successfully)

Phase 2 Objectives

Transform our successful PDF generation pipeline into a premium Adobe Creative Suite presentation layer that delivers:

- **Professional InDesign layouts** with custom branding
- **Automated data visualizations** using Illustrator API
- **Enhanced image processing** with Photoshop API
- **Template-driven document generation** with consistent branding

Technical Architecture for Phase 2

Current State (Phase 1)

Markdown → Puppeteer → Professional PDF

- Professional styling
- Corporate typography
- Metadata and attribution
- Print-ready output

Target State (Phase 2)

```
Markdown → Content Analysis → Template Selection → Adobe Creative API
├─ InDesign Server (Layout & Typography)
├─ Illustrator API (Charts & Infographics)
├─ Photoshop API (Image Enhancement)
└─ Document Generation (Template Processing)
```



Implementation Milestones

Milestone 1: Adobe Creative SDK Setup (Priority 1)

1.1 Authentication & Credentials

Files to Create:

- `src/adobe/creative-suite/authenticator.ts`
- `src/adobe/creative-suite/config.ts`
- `.env.adobe.creative`

Implementation Steps:

1. Adobe Creative SDK Registration

```
# Register for Adobe Creative SDK
# Obtain API keys for:
# - InDesign Server API
# - Illustrator API
# - Photoshop API
# - Document Generation API
```

2. Authentication Setup

```
// src/adobe/creative-suite/authenticator.ts
export class CreativeSuiteAuthenticator {
  private clientId: string;
  private clientSecret: string;
}
```

```
    async authenticate(): Promise<string> {  
        // Implement OAuth 2.0 flow for Creative Suite APIs  
    }  
}
```

... [truncated]

=== ARCHITECTURE.MD (development) ===

Path: docs\ARCHITECTURE.md

Relevance Score: 95

Requirements Gathering Agent - Architecture Documentation

Overview

The Requirements Gathering Agent is an AI-driven system designed to automate and enhance the requirements gathering process for software projects. It leverages multiple AI providers and context management techniques to generate comprehensive project documentation, user stories, and strategic planning artifacts.

System Architecture

Core Components

1. Context Management System

- **Context Manager:** Central component for managing project context and AI interactions
- **Provider Abstraction:** Support for multiple AI providers (OpenAI, Google AI, GitHub Copilot, Ollama)
- **Context Injection:** Direct context injection capabilities for efficient AI processing

2. AI Provider Integration

- **Multi-Provider Support:** Flexible architecture supporting various AI services
- **Provider Synchronization:** Coordinated AI provider management
- **Fallback Mechanisms:** Robust handling of provider failures

3. Document Generation Engine

- **Template-Based Generation:** Structured document creation using predefined templates
- **PMBOK Compliance:** Project management artifacts following PMBOK guidelines
- **Automated Workflows:** End-to-end document generation pipelines

4. CLI Interface

- **Command-Line Tools:** `cli.ts` and `cli-main.ts` for system interaction
- **Batch Processing:** Support for bulk document generation
- **Configuration Management:** Flexible configuration options

Technology Stack

Core Technologies

- **TypeScript:** Primary development language for type safety and maintainability
- **Node.js:** Runtime environment for server-side execution
- **Jest:** Testing framework for unit and integration tests

AI Integration

- **OpenAI API:** GPT models for text generation and analysis
- **Google AI:** Gemini models for alternative AI processing
- **GitHub Copilot:** Code generation and assistance

- **Ollama:**
... [truncated]

=== API-TESTING-COMPREHENSIVE-SUMMARY.MD (development) ===

Path: docs\AZURE\API-TESTING-COMPREHENSIVE-SUMMARY.md

Relevance Score: 95

ADPA API Testing Comprehensive Summary

Test Session Report - June 22, 2025

TESTING OVERVIEW

Duration: 1 hour testing session

API Server: Express.js with TypeScript






Port: 3001

Environment: Development

Authentication: API Key & JWT Support

SUCCESSFUL TESTS

1. Health Endpoints - ALL PASSED ✓

- **Main Health Check:** `GET /api/v1/health`
 -  Returns comprehensive system status
 -  Includes memory usage, uptime, version info
 -  Proper JSON formatting
- **Readiness Check:** `GET /api/v1/health/ready`
 -  Returns ready status with timestamp
 -  Quick response time

2. Authentication & Security - ALL PASSED ✓

- **API Key Authentication:** `X-API-Key: dev-api-key-123`
 - ✓ Valid API key grants access
 - ✓ Invalid API key rejected with proper error
 - ✓ Missing API key prompts authentication required
- **Security Headers & Middleware:**
 - ✓ Helmet security middleware active
 - ✓ CORS properly configured
 - ✓ Rate limiting configured (no issues during testing)

3. Templates API - ALL PASSED ✓

- **Template Listing:** `GET /api/v1/templates`
 - ✓ Returns empty list initially (expected)
 - ✓ Proper pagination structure
- **Template Creation:** `POST /api/v1/templates`
 - ✓ **MAJOR SUCCESS:** Created comprehensive BABOK Requirements Elicitation Template
 - ✓ Template ID: `ca8d4758-03c5-4110-84a7-2f5bcd318539`
 - ✓ Validation working correctly
 - ✓ Rich template with variables and layout configuration
- **Template Retrieval:** `GET /api/v1/templates/{id}`
 - ✓ Proper GUID validation
 - ✓ Returns 404 for non-existent templates (expected)

4. Documents API - ALL PASSED ✓

- **Document Jobs Listing:** `GET /api/v1/documents/jobs`
 - ✓ Returns proper pagination structure
 - ✓ Authentication required and working

- **Document Conversion:** POST /api/v1/documents/convert

-  **MAJOR SUCCESS:** Ge
... [truncated]

=== AZURE-PORTAL-API-CENTER-SETUP-GUIDE.MD (primary) ===

Path: docs\AZURE\AZURE-PORTAL-API-CENTER-SETUP-GUIDE.md

Relevance Score: 95

Azure Portal API Center Setup Guide

Standards Compliance & Deviation Analysis API



Portal-Based Deployment Strategy

Using the Azure Portal will help resolve subscription ID issues and provide a visual approach to API Center setup.

Step 1: Access Azure Portal

Navigate to Azure API Center

1. **Open:** [Azure Portal](#)
2. **Search:** "API Center" in the top search bar
3. **Select:** "API Centers" from the results

Verify Subscription Access

- **Check:** Which subscriptions you can see in the portal
- **Confirm:** The correct subscription containing your resources

- **Note:** The actual subscription ID for CLI alignment

Step 2: Create/Verify API Center Instance

Option A: Create New API Center

If `svc-api-center` doesn't exist:

1. **Click:** "Create API Center"
2. **Subscription:** Select the correct active subscription
3. **Resource Group:**
 - **Existing:** `rg-api-center` (if exists)
 - **New:** Create `rg-api-center`
4. **API Center Name:** `svc-api-center`
5. **Region:** **West Europe** (`westeu`)
6. **Pricing Tier:** Start with Standard
7. **Click:** "Review + Create" → "Create"

Option B: Use Existing API Center

If it already exists:

1. **Navigate:** to existing `svc-api-center`
2. **Note:** Subscription ID and Resource Group (`rg-api-center`)
3. **Verify:** Access and permissions

Step 3: Create APIs via Portal

3.1 Create Echo API

1. **Navigate:** to your `svc-api-center` API Center instance
2. **Click:** "APIs" in the left menu
3. **Click:** "Create API"
4. **Fill Details:**
 - **API ID:** `echo-api`

- **Title:** Echo API
 - **Type:** REST
 - **Description:** Simple echo API for testing
5. **Click:** "Create"

3.2 Create Standards Compliance API

1. **Click:** "Create API" again
2. **Fill Details:**
 - **API ID:** standards-compliance-api
 - **Title:** `Standards Compliance & Devia
... [truncated]

=== AZURE-PORTAL-API-REGISTRATION-GUIDE.MD (development) ===
Path: docs\AZURE\AZURE-PORTAL-API-REGISTRATION-GUIDE.md
Relevance Score: 95

Azure Portal API Registration Guide

Manual API Center Setup - No CLI Required

Why Portal Registration is Perfect for You

The Azure Portal approach bypasses all CLI subscription issues and gives you immediate visual results - perfect for demonstrating to PMI leadership!

Step 1: Access Azure Portal

Navigate to API Centers

1. **Open:** [Azure Portal](#)
2. **Sign in** with your Azure account
3. **Search:** "API Center" in the top search bar
4. **Select:** "API Centers" from the dropdown

Find Your API Center

- **Look for:** `svc-api-center` in `rg-api-center`
- **Or:** Create new if it doesn't exist

Step 2: Register Your APIs in Portal

2.1 Register Echo API

1. **Navigate:** to your API Center (`svc-api-center`)
2. **Click:** "APIs" in the left navigation menu
3. **Click:** "Register API" or "Add API" button
4. **Fill in the form:**

```
API Name: Echo API
API ID: echo-api
Type: REST
Description: Simple echo API for testing Azure API Center function
Version: 1.0
```

5. **Click:** "Register" or "Create"

2.2 Register Standards Compliance API

1. **Click:** "Register API" again
2. **Fill in the form:**

```
API Name: Standards Compliance & Deviation Analysis API
API ID: standards-compliance-api
```

Type: REST

Description: PMI PMBOK and BABOK standards compliance analysis w:

Version: 1.0

Tags: pmi, pmbok, babok, compliance, governance, standards

3. **Click:** "Register" or "Create"

Step 3: Add API Specifications

Upload OpenAPI Specification

1. **Select:** your `standards-compliance-api` from the list
2. **Click:** "API definitions" or "Specifications" tab
3. **Click:** "Add definition" or "Upload specification"
4. **Choose:** "OpenAPI" as the specification type
5. **Upload method options:**

****Option**

... [truncated]

=== BABOK-ENTERPRISE-DEMONSTRATION-GUIDE.MD (documentation)

===

Path: docs\BABOK\BABOK-ENTERPRISE-DEMONSTRATION-GUIDE.md

Relevance Score: 95



BABOK Enterprise Consulting Demonstration

Step-by-Step Guide to Professional Business Analysis Automation



DEMONSTRATION OVERVIEW

This guide demonstrates how the ADPA API delivers enterprise-grade BABOK v3 compliant business analysis consulting capabilities, suitable for Fortune 500 digital transformation projects.



STEP 1: API SERVER INITIALIZATION

1.1 Start the Enterprise API Server

```
# Navigate to project directory
cd C:\Users\menno\Source\Repos\requirements-gathering-agent

# Build the production-ready API
npm run api:build

# Start the enterprise API server
npm run api:server
```

Expected Output:

```
🚀 ADPA API Server running in development mode
📡 Server listening on port 3001
📖 API Documentation available at http://localhost:3001/api-docs
🔍 Health check available at http://localhost:3001/api/v1/health
🔧 Development mode - enhanced logging and debugging enabled
```

1.2 Verify API Health & Capabilities

```
curl http://localhost:3001/api/v1/health
```

Enterprise-Grade Response:


```
{
  "status": "healthy",
  "timestamp": "2025-06-22T13:30:00.000Z",
  "version": "2.2.0",
  "environment": "development",
  "uptime": 45.2,
  "memory": {"used": 12, "total": 14, "external": 2},
  "node": "v20.18.2"
}
```



STEP 2: ENTERPRISE TEMPLATE CREATION

2.1 Create BABOK v3 Requirements Elicitation Template

File: enterprise-babok-template.json

```
{
  "name": "BABOK v3 Enterprise Requirements Elicitation Framework",
  "description": "Comprehensive BABOK v3 compliant template for enterp",
  "category": "enterprise-business-analysis",
  "tags": ["babok-v3", "requirements-elicitation", "enterprise", "stak",
  "templateData": {
    "content": "# BABOK v3 Enterpri
... [truncated]

=== COLLABORATION-TOOLS-ROADMAP.MD (planning) ===
Path: docs\COLLABORATION-TOOLS-ROADMAP.md
Relevance Score: 95

# Collaboration Tools Development Roadmap

## Overview
This document outlines the roadmap for implementing multi-user collabo

## Current Capabilities
```

- ☒ ****Single-user CLI interface****: Full functionality for individual
- ☒ ****RESTful API****: Multi-client architecture ready
- ☒ ****Authentication****: Bearer token system implemented
- ☒ ****Document Management****: Template and output management
- ☒ ****Standards Compliance****: Individual project analysis

Collaboration Features Architecture

Multi-User Management System

User Roles & Permissions

```
``typescript
interface UserRole {
  id: string;
  name: 'admin' | 'project_manager' | 'business_analyst' | 'stakeholder';
  permissions: Permission[];
}

interface Permission {
  resource: 'projects' | 'documents' | 'standards' | 'adobe' | 'users';
  actions: ('create' | 'read' | 'update' | 'delete' | 'approve')[];
}
```

Team Management

```
interface Team {
  id: string;
  name: string;
  description: string;
  members: TeamMember[];
  projects: string[];
  createdAt: Date;
  updatedAt: Date;
}

interface TeamMember {
  userId: string;
  role: UserRole;
  joinedAt: Date;
}
```

```
permissions: Permission[];  
}
```

Real-time Collaboration Features

1. Concurrent Document Editing

- **Real-time Updates:** WebSocket-based live collaboration
- **Conflict Resolution:** Operational transformation for concurrent edits
- **Version Control:** Document versioning with merge capabilities
- **Change Tracking:** Author attribution and change history

2. Project Sharing & Permissions

- **Project Access Control:** Role-based access to projects
- **Sharing Mechanisms:** Invite links and email notifications
- **Permission Management:** Granular control over project actions
- **Audit Trail:** Complete history of project access and changes

3. Approval Workflows

``

... [truncated]

=== IMPLEMENTATION-GUIDE-PROVIDER-CHOICE-MENU.MD

(documentation) ===

Path: docs\implementation-guide-provider-choice-menu.md

Relevance Score: 95

Interactive AI Provider Selection Menu - Implementation Guide

Document Version: 1.0

Created: December 2024

Last Updated: December 2024

Target Audience: Developers, Technical Leads, Product Managers



Table of Contents

1. [Overview](#)
 2. [Current System Analysis](#)
 3. [Implementation Strategy](#)
 4. [Interactive Choice Menu Design](#)
 5. [Code Implementation](#)
 6. [Integration with Existing System](#)
 7. [User Experience Flow](#)
 8. [Error Handling & Validation](#)
 9. [Testing Strategy](#)
 10. [Migration Guide](#)
 11. [Best Practices](#)
 12. [Troubleshooting](#)
-



Overview

This guide provides comprehensive documentation for implementing an interactive choice menu that allows users to select an AI provider before running the Requirements Gathering Agent. The feature enhances user experience by providing a visual selection interface instead of requiring manual environment configuration.



Objectives

- **Simplify Provider Selection:** Replace manual `.env` configuration with an interactive menu
- **Improve User Experience:** Provide clear provider options with descriptions and setup guidance
- **Maintain Existing Functionality:** Preserve current provider detection and fallback mechanisms

- **Enable Dynamic Switching:** Allow users to change providers without restarting the application

Key Features

- Interactive CLI-based provider selection menu
- Real-time provider availability detection
- Configuration validation before selection
- Automatic `.env` file generation/update
- Provider-specific setup guidance
- Fallback to current behavior if no interaction desired

Current System Analysis

Existing Provi

... [truncated]

=== SHAREPOINT-USAGE-GUIDE.MD (documentation) ===

Path: docs\SHAREPOINT-USAGE-GUIDE.md

Relevance Score: 95

SharePoint Integration Usage Guide

Overview

The SharePoint integration in Requirements Gathering Agent v2.1.3 enables you to automatically publish generated documents to SharePoint Online document libraries. This feature provides enterprise-grade document management with Azure authentication, metadata tagging, and version control.

Features

- **Microsoft Graph API Integration:** Secure, enterprise-grade authentication
- **OAuth2 Authentication:** Azure AD integration with device code flow
- **Automatic Folder Creation:** Creates organized folder structures
- **Metadata Management:** Adds custom metadata to published documents
- **Batch Publishing:** Efficiently publish multiple documents
- **Version Control:** SharePoint's built-in versioning support
- **Enterprise Security:** Follows Azure security best practices

Quick Start

1. Prerequisites

Before using SharePoint integration, ensure you have:

- SharePoint Online subscription
- Azure AD tenant
- Azure App Registration with appropriate permissions
- SharePoint site and document library ready

2. Azure App Registration Setup

1. Create App Registration in Azure Portal:

- Go to Azure Portal → Azure Active Directory → App registrations
- Click "New registration"
- Name: "Requirements Gathering Agent"
- Supported account types: "Accounts in this organizational directory only"
- Redirect URI: `http://localhost:3000/auth/callback`

2. Configure API Permissions:

- Go to API permissions
- Add permissions:
 - Microsoft Graph → Application permissions:
 - Sites.ReadWrite.All
 - Files.ReadWrite.All
 - User.Read

3. Grant Admin Consent:

- Click "Grant admin consent for [Your Tenant]"

4. Note Configuration Details:

- Application (client) ID
- Directory (tenant) ID

3. Initialize SharePoint Configuration

```
# Initialize SharePoint configuration
npm run sharepoint:in
... [truncated]

=== PHASE-2-IMPLEMENTATION-GUIDE.MD (documentation) ===
Path: docs\ADOBE\PHASE-2-IMPLEMENTATION-GUIDE.md
Relevance Score: 95

# Adobe Creative Suite Phase 2 Implementation Guide

**Date:** July 8, 2025
**Status:** 📄 **READY FOR IMPLEMENTATION**
**Prerequisites:** ✅ Phase 1 Complete (58 PDFs generated successfully)

---

## 🎯 Phase 2 Objectives

Transform our successful PDF generation pipeline into a premium Adobe
- **Professional InDesign layouts** with custom branding
```

- **Automated data visualizations** using Illustrator API
- **Enhanced image processing** with Photoshop API
- **Template-driven document generation** with consistent branding

📄 Technical Architecture for Phase 2

Current State (Phase 1) ✅

Markdown → Puppeteer → Professional PDF

- └ Professional styling
- └ Corporate typography
- └ Metadata and attribution
- └ Print-ready output

Target State (Phase 2) 🎯

Markdown → Content Analysis → Template Selection → Adobe Creative APIs → Premium Output

- └ InDesign Server (Layout & Typography)
- └ Illustrator API (Charts & Infographics)
- └ Photoshop API (Image Enhancement)
- └ Document Generation (Template Processing)

📋 Implementation Milestones

Milestone 1: Adobe Creative SDK Setup (Priority 1)

1.1 Authentication & Credentials

Files to Create:

- `src/adobe/creative-suite/authenticator.ts`
- `src/adobe/creative-suite/config.ts`
- `.env.adobe.creative`

Implementation Steps:

1. **Adobe Creative SDK Registration**

```
```bash
```



```
Register for Adobe Creative SDK
Obtain API keys for:
- InDesign Server API
- Illustrator API
- Photoshop API
- Document Generation API
```

## 2. Authentication Setup

```
// src/adobe/creative-suite/authenticator.ts
export class CreativeSuiteAuthenticator {
 private clientId: string;
 private clientSecret: string;

 async authenticate(): Promise<string> {
 // Implement OAuth 2.0 flow for Creative Suite APIs
 }
}
```

... [truncated]

## Document Information

- **Project:** === PROJECT README ===

# ADPA - Advanced Document Processing & Automation Framework

npm package 3.2.0

node >=18.0.0

TypeScript 5.7.2

License MIT

API-First TypeSpec

*Previously known as Requirements Gathering Agent (RGA)*

**ADPA** is a modular, standards-compliant enterprise automation framework for AI-powered document generation, project management, and business analysis. Built with TypeScript and Node.js, it provides both CLI and REST API interfaces for generating professional documentation following industry standards including BABOK v3, PMBOK 7th Edition, and DMBOK 2.0.



## Key Features






### Enterprise Standards Compliance

- **BABOK v3** - Business Analysis Body of Knowledge automation
- **PMBOK 7th Edition** - Project Management documentation generation
- **DMBOK 2.0** - Data Management frameworks (in progress)
- **Multi-Framework Integration** - Cross-reference and unified reporting

### AI-Powered Generation

- **Multi-Provider AI Support** - OpenAI, Google AI, GitHub Copilot, Ollama
- **Intelligent Context Management** - Smart context injection and processing
- **Professional Document Generation** - Standards-compliant business documents
- **Automated Workflows** - End-to-end document generation pipelines

### Enterprise Integration

-  **Production-Ready REST API** - TypeSpec-generated OpenAPI specifications
-  **Confluence Integration** - Direct publishing to Atlassian Confluence
-  **SharePoint Integration** - Microsoft SharePoint document management
-  **Adobe Document Services** - Professional PDF generation and document intelligence
-  **CLI & Web Interface** - Multiple interaction modes

## Compliance & Security

-  **Enterprise-Grade Security** - Production-ready authentication and authorization
-  **Regulatory Compliance** - Basel III, MiFID II, GDPR, SOX, FINRA, PCI DSS
-  **Fortune 500 Ready** - Designed for large-scale enterprise deployments
-  **API-First Architecture** - Scalable microservices design

## Installation

### NPM Package (Recommended)

```
npm install -g adpa-enterprise-framework-automation
```

### From Source

```
git clone https://github.com/mdresch/requirements-gathering-agent.git
cd requirements-gathering-agent
npm install
npm run build
```

## Docker (Coming Soon)

```
docker pull adpa/enterprise-framework:latest
```

## Quick Start

---

### 1. CLI Usage

```
Generate project documentation
adpa generate --key project-charter --output ./docs

Start the API server
adpa-api

Initialize Confluence integration
adpa confluence init

Initialize SharePoint integration
adpa sharepoint init
```

### 2. API Server

```
Start the Express.js API server
npm run api:start

Access API documentation
open http://localhost:3000/api-docs
```

### 3. Admin Web Interface

```
Install and start the admin interface
npm run admin:setup
npm run admin:serve
```

```
Access at http://localhost:3001
```

## Configuration

---

### Environment Setup

```
Copy environment template
cp .env.example .env

Configure your AI providers
OPENAI_API_KEY=your_openai_key
GOOGLE_AI_API_KEY=your_google_ai_key
AZURE_OPENAI_ENDPOINT=your_azure_endpoint
```

### AI Provider Configuration

ADPA supports multiple AI providers with automatic failover:

```
// Supported providers
- OpenAI (GPT-4, GPT-3.5)
- Google AI (Gemini Pro, Gemini Pro Vision)
- GitHub Copilot
- Ollama (Local models)
- Azure OpenAI
```

## Framework Support

---

### BABOK v3 (Business Analysis)

#### Production Ready

- Requirements Elicitation & Analysis
- Stakeholder Analysis & Management

- Business Analysis Planning
- Solution Assessment & Validation
- Enterprise Analysis

## PMBOK 7th Edition (Project Management)

### ✅ Implemented

- Project Charter & Scope Management
- Stakeholder Management Plans
- Risk & Quality Management
- Resource & Schedule Management
- Cost Management & Control

## DMBOK 2.0 (Data Management)

### 🚧 In Progress

- Data Governance Frameworks
- Data Architecture & Quality
- Master Data Management
- Data Security & Privacy

## 🏗️ Architecture

### Core Components

ADPA/

— 🗨️	AI Processing Engine	# Multi-provider AI orchestration
— 📄	Document Generator	# Template-based document creation
— 🌐	REST API Server	# Express.js with TypeSpec specs
— 💻	CLI Interface	# Yargs-based command line tools
— 🔌	Integration Layer	# Adobe, Confluence, SharePoint, VCS
— 👤	Admin Interface	# Next.js web management portal
— 📊	Analytics & Reporting	# Usage metrics and insights

## Technology Stack

- **Backend:** Node.js 18+, TypeScript 5.7+, Express.js
- **AI Integration:** OpenAI, Google AI, GitHub Copilot, Ollama
- **API:** TypeSpec, OpenAPI 3.0, Swagger UI
- **Frontend:** Next.js 14, React 18, Tailwind CSS
- **Database:** JSON-based configuration, extensible to SQL/NoSQL
- **Testing:** Jest, TypeScript, comprehensive test coverage

## Usage Examples

### Document Generation

```
Generate business case document
adpa generate --key business-case --format markdown

Generate complete project charter
adpa generate --category project-charter --output ./project-docs

Generate stakeholder analysis
adpa generate --key stakeholder-analysis --format json
```

### API Usage

```
// REST API endpoints
POST /api/v1/generate # Generate documents
GET /api/v1/templates # List available templates
POST /api/v1/confluence/publish # Publish to Confluence
POST /api/v1/sharepoint/upload # Upload to SharePoint
GET /api/v1/frameworks # List supported frameworks
```

### Integration Examples

```
Adobe Document Services integration
npm run adobe:setup # Configure Adobe credentials
```

```
npm run adobe:demo-generation # Run document generation demo
npm run adobe:example-basic # Basic PDF generation example

Confluence integration
adpa confluence oauth2 login
adpa confluence publish --document ./docs/project-charter.md

SharePoint integration
adpa sharepoint oauth2 login
adpa sharepoint upload --folder "Project Documents" --file ./docs/

Version control integration
adpa vcs commit --message "Generated project documentation"
adpa vcs push --remote origin
```

## Testing

```
Run all tests
npm test

Test specific providers
npm run test:azure
npm run test:github
npm run test:ollama

Performance testing
npm run test:performance

Integration testing
npm run test:integration
```

## Enterprise Features

### Compliance Standards

- **Financial:** Basel III, MiFID II, FINRA, CFTC, FCA, BaFin
- **Security:** GDPR, SOX, PCI DSS, ISO 27001, ISO 9001



- **Industry:** Healthcare (HIPAA), Government (FedRAMP)

## Enterprise Integration

- **Identity Management:** Active Directory, SAML, OAuth2
- **Document Management:** SharePoint, Confluence, FileNet
- **Project Management:** Jira, Azure DevOps, ServiceNow
- **Version Control:** GitHub Enterprise, GitLab, Azure DevOps

## Scalability & Performance

- **Horizontal Scaling:** Microservices architecture
- **Caching:** Redis support for high-performance scenarios
- **Load Balancing:** Production-ready deployment patterns
- **Monitoring:** Built-in metrics and health checks

## Project Structure

```
requirements-gathering-agent/
├──  src/ # TypeScript source code
│ ├──  cli.ts # Main CLI entry point
│ ├──  server.ts # Express.js API server
│ ├──  modules/ # Core modules
│ │ ├── ai/ # AI provider integrations
│ │ ├── documentGenerator/ # Document generation engine
│ │ ├── confluence/ # Confluence integration
│ │ ├── sharepoint/ # SharePoint integration
│ │ └── documentTemplates/ # Framework templates
│ └──  commands/ # CLI command modules
├──  admin-interface/ # Next.js admin portal
├──  api-specs/ # TypeSpec API specifications
├──  docs/ # Comprehensive documentation
├──  test/ # Test suites
├──  generated-documents/ # Output directory
└──  dist/ # Compiled JavaScript
```

## Contributing

---

We welcome contributions! Please see our [Contributing Guide](#) for details.

## Development Setup

```
git clone https://github.com/mdresch/requirements-gathering-agent.git
cd requirements-gathering-agent
npm install
npm run dev # Start development mode
npm run build # Build for production
npm test # Run tests
```





## Code Standards

- **TypeScript:** Strict mode enabled
- **ESLint:** Airbnb configuration
- **Prettier:** Code formatting
- **Jest:** Unit and integration testing
- **Conventional Commits:** Commit message standards




## Roadmap

---

### Q1 2025





-  BABOK v3 full implementation
-  PMBOK 7th Edition compliance
-  Multi-provider AI support
-  Confluence & SharePoint integration

### Q2 2025

-  DMBOK 2.0 implementation
-  Docker containerization
-  Kubernetes deployment templates





-  Advanced analytics dashboard

## Q3 2025

-  Enterprise SSO integration
-  Advanced workflow automation
-  Real-time collaboration features
-  Mobile application support

## Support & Documentation

---

-  Full Documentation: [GitHub Wiki](#)
-  Issue Tracking: [GitHub Issues](#)
-  Community: [GitHub Discussions](#)
-  Enterprise Support: [Contact Us](#)

## License

---

This project is licensed under the [MIT License](#) - see the LICENSE file for details.

## Acknowledgments

---

- **Industry Standards:** PMI (PMBOK), IIBA (BABOK), DAMA (DMBOK)
  - **AI Providers:** OpenAI, Google, GitHub, Ollama community
  - **Enterprise Partners:** Fortune 500 beta testing organizations
  - **Open Source Community:** Contributors and feedback providers
- 

Built with  for Enterprise Automation

 [Star us on GitHub](#) |  [npm Package](#) |  [Documentation](#)

=== PROJECT METADATA ===

Name: adpa-enterprise-framework-automation

Description:     Modular,     standards-compliant     Node.js/TypeScript

automation framework for enterprise requirements, project, and data management. Provides CLI and API for BABOK v3, PMBOK 7th Edition, and DMBOK 2.0 (in progress). Production-ready Express.js API with TypeSpec architecture. Designed for secure, scalable, and maintainable enterprise automation.

Version: 3.2.0

Dependencies: @adobe/pdfservices-node-sdk, @azure-rest/ai-inference, @azure/identity, @azure/msal-node, @azure/openai, @google/generative-ai, @microsoft/microsoft-graph-client, axios, bcryptjs, compression, cors, dotenv, express, express-rate-limit, express-validator, express-winston, form-data, glob, helmet, joi, jsonwebtoken, morgan, multer, node-fetch, openai, swagger-ui-express, ts-node, uuid, winston, yargs, zod

Dev Dependencies: @jest/globals, @redocly/cli, @types/bcryptjs, @types/compression, @types/cors, @types/express, @types/glob, @types/jest, @types/jsonwebtoken, @types/morgan, @types/multer, @types/node, @types/node-fetch, @types/swagger-ui-express, @types/uuid, @typespec/compiler, @typespec/http, @typespec/json-schema, @typespec/openapi3, @typespec/rest, ajv, jest, rimraf, ts-jest, typescript, webpack-cli

Available Scripts: build, copy-configs, start, api:start, dev, clean, test, test:providers, test:performance, test:azure, test:github, test:ollama, test:failover, test:unit, prepublishOnly, admin:install, admin:dev, admin:build, admin:start, admin:setup, admin:serve, confluence:init, confluence:test, confluence:oauth2:login, confluence:oauth2:status, confluence:oauth2:debug, confluence:publish, confluence:status, sharepoint:init, sharepoint:test, sharepoint:oauth2:login, sharepoint:oauth2:status, sharepoint:oauth2:debug, sharepoint:publish, sharepoint:status, api:compile, api:watch, api:format, api:lint, api:docs, api:serve-docs, api:demo, api:server, babok:generate, pmbok:generate, dmbok:generate, framework:multi

=== PHASE-2-IMPLEMENTATION-GUIDE.MD (documentation) ===

Path: docs\ADOBE\PHASE-2-IMPLEMENTATION-GUIDE.md

Relevance Score: 95

# Adobe Creative Suite Phase 2 Implementation Guide

**Date:** July 8, 2025

**Status:**  **READY FOR IMPLEMENTATION**

**Prerequisites:**  Phase 1 Complete (58 PDFs generated successfully)

## Phase 2 Objectives

Transform our successful PDF generation pipeline into a premium Adobe Creative Suite presentation layer that delivers:

- **Professional InDesign layouts** with custom branding
- **Automated data visualizations** using Illustrator API
- **Enhanced image processing** with Photoshop API
- **Template-driven document generation** with consistent branding

## Technical Architecture for Phase 2

### Current State (Phase 1)

Markdown → Puppeteer → Professional PDF

- └ Professional styling
- └ Corporate typography
- └ Metadata and attribution
- └ Print-ready output

### Target State (Phase 2)

Markdown → Content Analysis → Template Selection → Adobe Creative API

- └ InDesign Server (Layout & Typography)
- └ Illustrator API (Charts & Infographics)

- └─ Photoshop API (Image Enhancement)
- └─ Document Generation (Template Processing)

## Implementation Milestones

### Milestone 1: Adobe Creative SDK Setup (Priority 1)

#### 1.1 Authentication & Credentials

##### Files to Create:

- `src/adobe/creative-suite/authenticator.ts`
- `src/adobe/creative-suite/config.ts`
- `.env.adobe.creative`

##### Implementation Steps:


#### 1. Adobe Creative SDK Registration

```
Register for Adobe Creative SDK
Obtain API keys for:
- InDesign Server API
- Illustrator API
- Photoshop API
- Document Generation API
```

#### 2. Authentication Setup

```
// src/adobe/creative-suite/authenticator.ts
export class CreativeSuiteAuthenticator {
 private clientId: string;
 private clientSecret: string;

 async authenticate(): Promise<string> {
 // Implement OAuth 2.0 flow for Creative Suite APIs
 }
}
```



... [truncated]

=== ARCHITECTURE.MD (development) ===

Path: docs\ARCHITECTURE.md

Relevance Score: 95

# Requirements Gathering Agent - Architecture Documentation

---

## Overview

---

The Requirements Gathering Agent is an AI-driven system designed to automate and enhance the requirements gathering process for software projects. It leverages multiple AI providers and context management techniques to generate comprehensive project documentation, user stories, and strategic planning artifacts.

## System Architecture

---

### Core Components

#### 1. Context Management System

- **Context Manager:** Central component for managing project context and AI interactions
- **Provider Abstraction:** Support for multiple AI providers (OpenAI, Google AI, GitHub Copilot, Ollama)
- **Context Injection:** Direct context injection capabilities for efficient AI processing

## 2. AI Provider Integration

- **Multi-Provider Support:** Flexible architecture supporting various AI services
- **Provider Synchronization:** Coordinated AI provider management
- **Fallback Mechanisms:** Robust handling of provider failures

## 3. Document Generation Engine

- **Template-Based Generation:** Structured document creation using predefined templates
- **PMBOK Compliance:** Project management artifacts following PMBOK guidelines
- **Automated Workflows:** End-to-end document generation pipelines

## 4. CLI Interface

- **Command-Line Tools:** `cli.ts` and `cli-main.ts` for system interaction
- **Batch Processing:** Support for bulk document generation
- **Configuration Management:** Flexible configuration options

# Technology Stack

## Core Technologies

- **TypeScript:** Primary development language for type safety and maintainability
- **Node.js:** Runtime environment for server-side execution
- **Jest:** Testing framework for unit and integration tests

## AI Integration

- **OpenAI API:** GPT models for text generation and analysis
- **Google AI:** Gemini models for alternative AI processing
- **GitHub Copilot:** Code generation and assistance



- **Ollama:**  
... [truncated]

=== API-TESTING-COMPREHENSIVE-SUMMARY.MD (development) ===

Path: docs\AZURE\API-TESTING-COMPREHENSIVE-SUMMARY.md

Relevance Score: 95

# ADPA API Testing Comprehensive Summary

---

## Test Session Report - June 22, 2025

---

### **TESTING OVERVIEW**

**Duration:** 1 hour testing session

**API Server:** Express.js with TypeScript

**Port:** 3001






**Environment:** Development

**Authentication:** API Key & JWT Support

---

### **SUCCESSFUL TESTS**

#### 1. Health Endpoints - ALL PASSED ✓

- **Main Health Check:** GET /api/v1/health
  -  Returns comprehensive system status
  -  Includes memory usage, uptime, version info
  -  Proper JSON formatting
- **Readiness Check:** GET /api/v1/health/ready
  -  Returns ready status with timestamp
  -  Quick response time

## 2. Authentication & Security - ALL PASSED ✓

- **API Key Authentication:** `X-API-Key: dev-api-key-123`
  - ✓ Valid API key grants access
  - ✓ Invalid API key rejected with proper error
  - ✓ Missing API key prompts authentication required
- **Security Headers & Middleware:**
  - ✓ Helmet security middleware active
  - ✓ CORS properly configured
  - ✓ Rate limiting configured (no issues during testing)


## 3. Templates API - ALL PASSED ✓

- **Template Listing:** `GET /api/v1/templates`
  - ✓ Returns empty list initially (expected)
  - ✓ Proper pagination structure
- **Template Creation:** `POST /api/v1/templates`
  - ✓ **MAJOR SUCCESS:** Created comprehensive BABOK Requirements Elicitation Template
  - ✓ Template ID: `ca8d4758-03c5-4110-84a7-2f5bcd318539`
  - ✓ Validation working correctly
  - ✓ Rich template with variables and layout configuration
- **Template Retrieval:** `GET /api/v1/templates/{id}`
  - ✓ Proper GUID validation
  - ✓ Returns 404 for non-existent templates (expected)

## 4. Documents API - ALL PASSED ✓

- **Document Jobs Listing:** `GET /api/v1/documents/jobs`
  - ✓ Returns proper pagination structure
  - ✓ Authentication required and working

- **Document Conversion:** POST /api/v1/documents/convert

-  **MAJOR SUCCESS:** Ge  
... [truncated]

=== AZURE-PORTAL-API-CENTER-SETUP-GUIDE.MD (primary) ===

Path: docs\AZURE\AZURE-PORTAL-API-CENTER-SETUP-GUIDE.md

Relevance Score: 95

## Azure Portal API Center Setup Guide

---

## Standards Compliance & Deviation Analysis API

---



### Portal-Based Deployment Strategy

---

Using the Azure Portal will help resolve subscription ID issues and provide a visual approach to API Center setup.

### Step 1: Access Azure Portal

---

#### Navigate to Azure API Center

1. **Open:** [Azure Portal](#)
2. **Search:** "API Center" in the top search bar
3. **Select:** "API Centers" from the results

#### Verify Subscription Access

- **Check:** Which subscriptions you can see in the portal
- **Confirm:** The correct subscription containing your resources

- **Note:** The actual subscription ID for CLI alignment

## Step 2: Create/Verify API Center Instance

---

### Option A: Create New API Center

If `svc-api-center` doesn't exist:

1. **Click:** "Create API Center"
2. **Subscription:** Select the correct active subscription
3. **Resource Group:**
  - **Existing:** `rg-api-center` (if exists)
  - **New:** Create `rg-api-center`
4. **API Center Name:** `svc-api-center`
5. **Region:** **West Europe** ( `westeu` )
6. **Pricing Tier:** Start with Standard
7. **Click:** "Review + Create" → "Create"

### Option B: Use Existing API Center

If it already exists:

1. **Navigate:** to existing `svc-api-center`
2. **Note:** Subscription ID and Resource Group ( `rg-api-center` )
3. **Verify:** Access and permissions

## Step 3: Create APIs via Portal

---

### 3.1 Create Echo API

1. **Navigate:** to your `svc-api-center` API Center instance
2. **Click:** "APIs" in the left menu
3. **Click:** "Create API"
4. **Fill Details:**
  - **API ID:** `echo-api`

- **Title:** Echo API
  - **Type:** REST
  - **Description:** Simple echo API for testing
5. **Click:** "Create"

### 3.2 Create Standards Compliance API

1. **Click:** "Create API" again
2. **Fill Details:**
  - **API ID:** standards-compliance-api
  - **Title:** `Standards Compliance & Devia  
... [truncated]

=== AZURE-PORTAL-API-REGISTRATION-GUIDE.MD (development) ===  
Path: docs\AZURE\AZURE-PORTAL-API-REGISTRATION-GUIDE.md  
Relevance Score: 95

## Azure Portal API Registration Guide

---

## Manual API Center Setup - No CLI Required

---

### Why Portal Registration is Perfect for You

---

The Azure Portal approach bypasses all CLI subscription issues and gives you immediate visual results - perfect for demonstrating to PMI leadership!

### Step 1: Access Azure Portal

---

## Navigate to API Centers

1. **Open:** [Azure Portal](#)
2. **Sign in** with your Azure account
3. **Search:** "API Center" in the top search bar
4. **Select:** "API Centers" from the dropdown

## Find Your API Center

- **Look for:** `svc-api-center` in `rg-api-center`
- **Or:** Create new if it doesn't exist

## Step 2: Register Your APIs in Portal

---

### 2.1 Register Echo API

1. **Navigate:** to your API Center ( `svc-api-center` )
2. **Click:** "APIs" in the left navigation menu
3. **Click:** "Register API" or "Add API" button
4. **Fill in the form:**

```
API Name: Echo API
API ID: echo-api
Type: REST
Description: Simple echo API for testing Azure API Center function
Version: 1.0
```

5. **Click:** "Register" or "Create"

### 2.2 Register Standards Compliance API

1. **Click:** "Register API" again
2. **Fill in the form:**

```
API Name: Standards Compliance & Deviation Analysis API
API ID: standards-compliance-api
```

Type: REST

Description: PMI PMBOK and BABOK standards compliance analysis w:

Version: 1.0

Tags: pmi, pmbok, babok, compliance, governance, standards

3. **Click:** "Register" or "Create"

## Step 3: Add API Specifications

### Upload OpenAPI Specification

1. **Select:** your `standards-compliance-api` from the list
2. **Click:** "API definitions" or "Specifications" tab
3. **Click:** "Add definition" or "Upload specification"
4. **Choose:** "OpenAPI" as the specification type
5. **Upload method options:**

#### **\*\*Option**

... [truncated]

=== BABOK-ENTERPRISE-DEMONSTRATION-GUIDE.MD (documentation)

===

Path: docs\BABOK\BABOK-ENTERPRISE-DEMONSTRATION-GUIDE.md

Relevance Score: 95



## BABOK Enterprise Consulting Demonstration

### Step-by-Step Guide to Professional Business Analysis Automation

## **DEMONSTRATION OVERVIEW**

This guide demonstrates how the ADPA API delivers enterprise-grade BABOK v3 compliant business analysis consulting capabilities, suitable for Fortune 500 digital transformation projects.

---

## **STEP 1: API SERVER INITIALIZATION**

---






### **1.1 Start the Enterprise API Server**

```
Navigate to project directory
cd C:\Users\menno\Source\Repos\requirements-gathering-agent

Build the production-ready API
npm run api:build

Start the enterprise API server
npm run api:server
```

#### **Expected Output:**

```
 ADPA API Server running in development mode
 Server listening on port 3001
 API Documentation available at http://localhost:3001/api-docs
 Health check available at http://localhost:3001/api/v1/health
 Development mode - enhanced logging and debugging enabled
```

### **1.2 Verify API Health & Capabilities**

```
curl http://localhost:3001/api/v1/health
```

#### **Enterprise-Grade Response:**



```
{
 "status": "healthy",
 "timestamp": "2025-06-22T13:30:00.000Z",
 "version": "2.2.0",
 "environment": "development",
 "uptime": 45.2,
 "memory": {"used": 12, "total": 14, "external": 2},
 "node": "v20.18.2"
}
```

## STEP 2: ENTERPRISE TEMPLATE CREATION

### 2.1 Create BABOK v3 Requirements Elicitation Template

File: `enterprise-babok-template.json`

```
{
 "name": "BABOK v3 Enterprise Requirements Elicitation Framework",
 "description": "Comprehensive BABOK v3 compliant template for enterp",
 "category": "enterprise-business-analysis",
 "tags": ["babok-v3", "requirements-elicitation", "enterprise", "stak",
 "templateData": {
 "content": "# BABOK v3 Enterpri
... [truncated]

=== COLLABORATION-TOOLS-ROADMAP.MD (planning) ===
Path: docs\COLLABORATION-TOOLS-ROADMAP.md
Relevance Score: 95

Collaboration Tools Development Roadmap

Overview
This document outlines the roadmap for implementing multi-user collabo

Current Capabilities
```

- ☒ **\*\*Single-user CLI interface\*\***: Full functionality for individual
- ☒ **\*\*RESTful API\*\***: Multi-client architecture ready
- ☒ **\*\*Authentication\*\***: Bearer token system implemented
- ☒ **\*\*Document Management\*\***: Template and output management
- ☒ **\*\*Standards Compliance\*\***: Individual project analysis

## ## Collaboration Features Architecture

### ### Multi-User Management System

#### #### User Roles & Permissions

```
``typescript
interface UserRole {
 id: string;
 name: 'admin' | 'project_manager' | 'business_analyst' | 'stakeholder';
 permissions: Permission[];
}

interface Permission {
 resource: 'projects' | 'documents' | 'standards' | 'adobe' | 'users';
 actions: ('create' | 'read' | 'update' | 'delete' | 'approve')[];
}
```

## Team Management

```
interface Team {
 id: string;
 name: string;
 description: string;
 members: TeamMember[];
 projects: string[];
 createdAt: Date;
 updatedAt: Date;
}

interface TeamMember {
 userId: string;
 role: UserRole;
 joinedAt: Date;
}
```

```
permissions: Permission[];
}
```

## Real-time Collaboration Features

### 1. Concurrent Document Editing

- **Real-time Updates:** WebSocket-based live collaboration
- **Conflict Resolution:** Operational transformation for concurrent edits
- **Version Control:** Document versioning with merge capabilities
- **Change Tracking:** Author attribution and change history

### 2. Project Sharing & Permissions

- **Project Access Control:** Role-based access to projects
- **Sharing Mechanisms:** Invite links and email notifications
- **Permission Management:** Granular control over project actions
- **Audit Trail:** Complete history of project access and changes

### 3. Approval Workflows

``

... [truncated]

=== IMPLEMENTATION-GUIDE-PROVIDER-CHOICE-MENU.MD

(documentation) ===

Path: docs\implementation-guide-provider-choice-menu.md

Relevance Score: 95

# Interactive AI Provider Selection Menu - Implementation Guide

**Document Version:** 1.0

**Created:** December 2024

**Last Updated:** December 2024

**Target Audience:** Developers, Technical Leads, Product Managers

---



## Table of Contents

---

1. [Overview](#)
  2. [Current System Analysis](#)
  3. [Implementation Strategy](#)
  4. [Interactive Choice Menu Design](#)
  5. [Code Implementation](#)
  6. [Integration with Existing System](#)
  7. [User Experience Flow](#)
  8. [Error Handling & Validation](#)
  9. [Testing Strategy](#)
  10. [Migration Guide](#)
  11. [Best Practices](#)
  12. [Troubleshooting](#)
- 



## Overview

---

This guide provides comprehensive documentation for implementing an interactive choice menu that allows users to select an AI provider before running the Requirements Gathering Agent. The feature enhances user experience by providing a visual selection interface instead of requiring manual environment configuration.



## Objectives

- **Simplify Provider Selection:** Replace manual `.env` configuration with an interactive menu
- **Improve User Experience:** Provide clear provider options with descriptions and setup guidance
- **Maintain Existing Functionality:** Preserve current provider detection and fallback mechanisms

- **Enable Dynamic Switching:** Allow users to change providers without restarting the application

## Key Features

- Interactive CLI-based provider selection menu
- Real-time provider availability detection
- Configuration validation before selection
- Automatic `.env` file generation/update
- Provider-specific setup guidance
- Fallback to current behavior if no interaction desired

---

## Current System Analysis

### Existing Provi

... [truncated]

=== SHAREPOINT-USAGE-GUIDE.MD (documentation) ===

Path: docs\SHAREPOINT-USAGE-GUIDE.md

Relevance Score: 95

# SharePoint Integration Usage Guide

---

## Overview

---

The SharePoint integration in Requirements Gathering Agent v2.1.3 enables you to automatically publish generated documents to SharePoint Online document libraries. This feature provides enterprise-grade document management with Azure authentication, metadata tagging, and version control.

## Features

---

- **Microsoft Graph API Integration:** Secure, enterprise-grade authentication
- **OAuth2 Authentication:** Azure AD integration with device code flow
- **Automatic Folder Creation:** Creates organized folder structures
- **Metadata Management:** Adds custom metadata to published documents
- **Batch Publishing:** Efficiently publish multiple documents
- **Version Control:** SharePoint's built-in versioning support
- **Enterprise Security:** Follows Azure security best practices

## Quick Start

---

### 1. Prerequisites

Before using SharePoint integration, ensure you have:

- SharePoint Online subscription
- Azure AD tenant
- Azure App Registration with appropriate permissions
- SharePoint site and document library ready

### 2. Azure App Registration Setup

#### 1. Create App Registration in Azure Portal:

- Go to Azure Portal → Azure Active Directory → App registrations
- Click "New registration"
- Name: "Requirements Gathering Agent"
- Supported account types: "Accounts in this organizational directory only"
- Redirect URI: `http://localhost:3000/auth/callback`

## 2. Configure API Permissions:

- Go to API permissions
- Add permissions:
  - Microsoft Graph → Application permissions:
    - Sites.ReadWrite.All
    - Files.ReadWrite.All
    - User.Read

## 3. Grant Admin Consent:

- Click "Grant admin consent for [Your Tenant]"

## 4. Note Configuration Details:

- Application (client) ID
- Directory (tenant) ID

# 3. Initialize SharePoint Configuration

```
Initialize SharePoint configuration
npm run sharepoint:in
... [truncated]

=== PHASE-2-IMPLEMENTATION-GUIDE.MD (documentation) ===
Path: docs\ADOBE\PHASE-2-IMPLEMENTATION-GUIDE.md
Relevance Score: 95

Adobe Creative Suite Phase 2 Implementation Guide

Date: July 8, 2025
Status: 📄 **READY FOR IMPLEMENTATION**
Prerequisites: ✅ Phase 1 Complete (58 PDFs generated successfully)

🎯 Phase 2 Objectives

Transform our successful PDF generation pipeline into a premium Adobe
- **Professional InDesign layouts** with custom branding
```

- **Automated data visualizations** using Illustrator API
- **Enhanced image processing** with Photoshop API
- **Template-driven document generation** with consistent branding

## ## 📄 Technical Architecture for Phase 2

### ### Current State (Phase 1) ✅

Markdown → Puppeteer → Professional PDF

- └ Professional styling
- └ Corporate typography
- └ Metadata and attribution
- └ Print-ready output

### ### Target State (Phase 2) 🎯

Markdown → Content Analysis → Template Selection → Adobe Creative APIs → Premium Output

- └ InDesign Server (Layout & Typography)
- └ Illustrator API (Charts & Infographics)
- └ Photoshop API (Image Enhancement)
- └ Document Generation (Template Processing)

## ## 📋 Implementation Milestones

### ### Milestone 1: Adobe Creative SDK Setup (Priority 1)

#### #### 1.1 Authentication & Credentials

##### **Files to Create:**

- `src/adobe/creative-suite/authenticator.ts`
- `src/adobe/creative-suite/config.ts`
- `.env.adobe.creative`

##### **Implementation Steps:**

##### 1. **Adobe Creative SDK Registration**

```
```bash
```



```
# Register for Adobe Creative SDK
# Obtain API keys for:
# - InDesign Server API
# - Illustrator API
# - Photoshop API
# - Document Generation API
```

2. Authentication Setup

```
// src/adobe/creative-suite/authenticator.ts
export class CreativeSuiteAuthenticator {
  private clientId: string;
  private clientSecret: string;

  async authenticate(): Promise<string> {
    // Implement OAuth 2.0 flow for Creative Suite APIs
  }
}
```

... [truncated]

- **Document Type:** Bug Reporting Process and Guidelines
- **Generated:** 14/07/2025
- **Version:** 1.0

1. Executive Summary

This document establishes a comprehensive bug reporting process for
=== PROJECT README ===

ADPA - Advanced Document Processing & Automation Framework

npm package 3.2.0

node >=18.0.0

TypeScript 5.7.2

License MIT





API-First TypeSpec

Previously known as Requirements Gathering Agent (RGA)




ADPA is a modular, standards-compliant enterprise automation framework for AI-powered document generation, project management, and business analysis. Built with TypeScript and Node.js, it provides both CLI and REST API interfaces for generating professional documentation following industry standards including BABOK v3, PMBOK 7th Edition, and DMBOK 2.0.


Key Features

Enterprise Standards Compliance






-  **BABOK v3** - Business Analysis Body of Knowledge automation
-  **PMBOK 7th Edition** - Project Management documentation generation
-  **DMBOK 2.0** - Data Management frameworks (in progress)
-  **Multi-Framework Integration** - Cross-reference and unified reporting

AI-Powered Generation

-  **Multi-Provider AI Support** - OpenAI, Google AI, GitHub Copilot, Ollama
-  **Intelligent Context Management** - Smart context injection and processing
-  **Professional Document Generation** - Standards-compliant business documents

-  **Automated Workflows** - End-to-end document generation pipelines

Enterprise Integration

-  **Production-Ready REST API** - TypeSpec-generated OpenAPI specifications
-  **Confluence Integration** - Direct publishing to Atlassian Confluence
-  **SharePoint Integration** - Microsoft SharePoint document management
-  **Adobe Document Services** - Professional PDF generation and document intelligence
-  **CLI & Web Interface** - Multiple interaction modes

Compliance & Security

-  **Enterprise-Grade Security** - Production-ready authentication and authorization
-  **Regulatory Compliance** - Basel III, MiFID II, GDPR, SOX, FINRA, PCI DSS
-  **Fortune 500 Ready** - Designed for large-scale enterprise deployments
-  **API-First Architecture** - Scalable microservices design

Installation

NPM Package (Recommended)

```
npm install -g adpa-enterprise-framework-automation
```

From Source

```
git clone https://github.com/mdresch/requirements-gathering-agent.git
cd requirements-gathering-agent
npm install
npm run build
```

Docker (Coming Soon)

```
docker pull adpa/enterprise-framework:latest
```

Quick Start

1. CLI Usage

```
# Generate project documentation
adpa generate --key project-charter --output ./docs

# Start the API server
adpa-api

# Initialize Confluence integration
adpa confluence init

# Initialize SharePoint integration
adpa sharepoint init
```

2. API Server

```
# Start the Express.js API server
npm run api:start

# Access API documentation
open http://localhost:3000/api-docs
```

3. Admin Web Interface

```
# Install and start the admin interface
npm run admin:setup
npm run admin:serve

# Access at http://localhost:3001
```

Configuration

Environment Setup

```
# Copy environment template
cp .env.example .env

# Configure your AI providers
OPENAI_API_KEY=your_openai_key
GOOGLE_AI_API_KEY=your_google_ai_key
AZURE_OPENAI_ENDPOINT=your_azure_endpoint
```

AI Provider Configuration

ADPA supports multiple AI providers with automatic failover:

```
// Supported providers
- OpenAI (GPT-4, GPT-3.5)
- Google AI (Gemini Pro, Gemini Pro Vision)
- GitHub Copilot
- Ollama (Local models)
- Azure OpenAI
```

Framework Support

BABOK v3 (Business Analysis)

✓ Production Ready

- Requirements Elicitation & Analysis
- Stakeholder Analysis & Management
- Business Analysis Planning
- Solution Assessment & Validation
- Enterprise Analysis

PMBOK 7th Edition (Project Management)

✓ Implemented

- Project Charter & Scope Management
- Stakeholder Management Plans
- Risk & Quality Management
- Resource & Schedule Management
- Cost Management & Control

DMBOK 2.0 (Data Management)

🚧 In Progress

- Data Governance Frameworks
- Data Architecture & Quality
- Master Data Management
- Data Security & Privacy







Architecture

Core Components

ADPA/

- | | | |
|---|-------------------------|------------------------------------|
| — | 🗨️ AI Processing Engine | # Multi-provider AI orchestration |
| — | 📄 Document Generator | # Template-based document creation |
| — | 🌐 REST API Server | # Express.js with TypeSpec specs |

└─  CLI Interface	# Yargs-based command line tools
└─  Integration Layer	# Adobe, Confluence, SharePoint, VCS
└─  Admin Interface	# Next.js web management portal
└─  Analytics & Reporting	# Usage metrics and insights

Technology Stack

- **Backend:** Node.js 18+, TypeScript 5.7+, Express.js
- **AI Integration:** OpenAI, Google AI, GitHub Copilot, Ollama
- **API:** TypeSpec, OpenAPI 3.0, Swagger UI
- **Frontend:** Next.js 14, React 18, Tailwind CSS
- **Database:** JSON-based configuration, extensible to SQL/NoSQL
- **Testing:** Jest, TypeScript, comprehensive test coverage

Usage Examples

Document Generation

```
# Generate business case document
adpa generate --key business-case --format markdown

# Generate complete project charter
adpa generate --category project-charter --output ./project-docs

# Generate stakeholder analysis
adpa generate --key stakeholder-analysis --format json
```

API Usage

```
// REST API endpoints
POST /api/v1/generate           # Generate documents
GET  /api/v1/templates         # List available templates
POST /api/v1/confluence/publish # Publish to Confluence
POST /api/v1/sharepoint/upload  # Upload to SharePoint
GET  /api/v1/frameworks        # List supported frameworks
```

Integration Examples

```
# Adobe Document Services integration
npm run adobe:setup                    # Configure Adobe credentials
npm run adobe:demo-generation          # Run document generation demo
npm run adobe:example-basic            # Basic PDF generation example

# Confluence integration
adpa confluence oauth2 login
adpa confluence publish --document ./docs/project-charter.md

# SharePoint integration
adpa sharepoint oauth2 login
adpa sharepoint upload --folder "Project Documents" --file ./docs/

# Version control integration
adpa vcs commit --message "Generated project documentation"
adpa vcs push --remote origin
```



Testing

```
# Run all tests
npm test

# Test specific providers
npm run test:azure
npm run test:github
npm run test:ollama

# Performance testing
npm run test:performance

# Integration testing
npm run test:integration
```



Enterprise Features

Compliance Standards

- **Financial:** Basel III, MiFID II, FINRA, CFTC, FCA, BaFin
- **Security:** GDPR, SOX, PCI DSS, ISO 27001, ISO 9001
- **Industry:** Healthcare (HIPAA), Government (FedRAMP)

Enterprise Integration

- **Identity Management:** Active Directory, SAML, OAuth2
- **Document Management:** SharePoint, Confluence, FileNet
- **Project Management:** Jira, Azure DevOps, ServiceNow
- **Version Control:** GitHub Enterprise, GitLab, Azure DevOps

Scalability & Performance

- **Horizontal Scaling:** Microservices architecture
- **Caching:** Redis support for high-performance scenarios
- **Load Balancing:** Production-ready deployment patterns
- **Monitoring:** Built-in metrics and health checks



Project Structure

```
requirements-gathering-agent/  
├── src/                                # TypeScript source code  
│   ├── cli.ts                         # Main CLI entry point  
│   ├── server.ts                     # Express.js API server  
│   └── modules/                      # Core modules  
│       ├── ai/                      # AI provider integrations  
│       ├── documentGenerator/        # Document generation engine  
│       ├── confluence/               # Confluence integration  
│       ├── sharepoint/               # SharePoint integration  
│       └── documentTemplates/        # Framework templates  
└── commands/                        # CLI command modules  
├── admin-interface/                  # Next.js admin portal  
├── api-specs/                        # TypeSpec API specifications  
├── docs/                             # Comprehensive documentation  
└── test/                             # Test suites
```

```
|— 📁 generated-documents/      # Output directory
|— 📁 dist/                     # Compiled JavaScript
```

Contributing

We welcome contributions! Please see our [Contributing Guide](#) for details.

Development Setup

```
git clone https://github.com/mdresch/requirements-gathering-agent.git
cd requirements-gathering-agent
npm install
npm run dev          # Start development mode
npm run build        # Build for production
npm test             # Run tests
```

Code Standards

- **TypeScript:** Strict mode enabled
- **ESLint:** Airbnb configuration
- **Prettier:** Code formatting
- **Jest:** Unit and integration testing
- **Conventional Commits:** Commit message standards

Roadmap

Q1 2025

- ☒ BABOK v3 full implementation
- ☒ PMBOK 7th Edition compliance
- ☒ Multi-provider AI support
- ☒ Confluence & SharePoint integration

Q2 2025

- 🚧 DMBOK 2.0 implementation
- 🐳 Docker containerization
- 🐳 Kubernetes deployment templates
- 📊 Advanced analytics dashboard

Q3 2025

- 📋 Enterprise SSO integration
- 📋 Advanced workflow automation
- 📋 Real-time collaboration features
- 📋 Mobile application support

📞 Support & Documentation

- 📖 **Full Documentation:** [GitHub Wiki](#)
- 🐛 **Issue Tracking:** [GitHub Issues](#)
- 💬 **Community:** [GitHub Discussions](#)
- 📧 **Enterprise Support:** [Contact Us](#)

📄 License

This project is licensed under the [MIT License](#) - see the LICENSE file for details.

🙏 Acknowledgments

- **Industry Standards:** PMI (PMBOK), IIBA (BABOK), DAMA (DMBOK)
 - **AI Providers:** OpenAI, Google, GitHub, Ollama community
 - **Enterprise Partners:** Fortune 500 beta testing organizations
 - **Open Source Community:** Contributors and feedback providers
-

Built with ❤️ for Enterprise Automation

🌟 [Star us on GitHub](#) | 📦 [npm Package](#) | 📖 [Documentation](#)

=== PROJECT METADATA ===

Name: adpa-enterprise-framework-automation

Description: Modular, standards-compliant Node.js/TypeScript automation framework for enterprise requirements, project, and data management. Provides CLI and API for BABOK v3, PMBOK 7th Edition, and DMBOK 2.0 (in progress). Production-ready Express.js API with TypeSpec architecture. Designed for secure, scalable, and maintainable enterprise automation.

Version: 3.2.0

Dependencies: @adobe/pdfservices-node-sdk, @azure-rest/ai-inference, @azure/identity, @azure/msal-node, @azure/openai, @google/generative-ai, @microsoft/microsoft-graph-client, axios, bcryptjs, compression, cors, dotenv, express, express-rate-limit, express-validator, express-winston, form-data, glob, helmet, joi, jsonwebtoken, morgan, multer, node-fetch, openai, swagger-ui-express, ts-node, uuid, winston, yargs, zod

Dev Dependencies: @jest/globals, @redocly/cli, @types/bcryptjs, @types/compression, @types/cors, @types/express, @types/glob, @types/jest, @types/jsonwebtoken, @types/morgan, @types/multer, @types/node, @types/node-fetch, @types/swagger-ui-express, @types/uuid, @typespec/compiler, @typespec/http, @typespec/json-schema, @typespec/openapi3, @typespec/rest, ajv, jest, rimraf, ts-jest, typescript, webpack-cli

Available Scripts: build, copy-configs, start, api:start, dev, clean, test, test:providers, test:performance, test:azure, test:github, test:ollama, test:failover, test:unit, prepublishOnly, admin:install, admin:dev, admin:build, admin:start, admin:setup, admin:serve, confluence:init, confluence:test, confluence:oauth2:login, confluence:oauth2:status, confluence:oauth2:debug, confluence:publish, confluence:status, sharepoint:init, sharepoint:test, sharepoint:oauth2:login, sharepoint:oauth2:status, sharepoint:oauth2:debug, sharepoint:publish, sharepoint:status, api:compile, api:watch, api:format, api:lint, api:docs, api:serve-docs, api:demo, api:server, babok:generate, pmbok:generate, dmbok:generate, framework:multi

=== PHASE-2-IMPLEMENTATION-GUIDE.MD (documentation) ===
Path: docs\ADOBE\PHASE-2-IMPLEMENTATION-GUIDE.md
Relevance Score: 95

Adobe Creative Suite Phase 2 Implementation Guide

Date: July 8, 2025

Status:  **READY FOR IMPLEMENTATION**

Prerequisites:  Phase 1 Complete (58 PDFs generated successfully)

Phase 2 Objectives

Transform our successful PDF generation pipeline into a premium Adobe Creative Suite presentation layer that delivers:

- **Professional InDesign layouts** with custom branding
- **Automated data visualizations** using Illustrator API
- **Enhanced image processing** with Photoshop API
- **Template-driven document generation** with consistent branding

Technical Architecture for Phase 2

Current State (Phase 1)

Markdown → Puppeteer → Professional PDF

- Professional styling
- Corporate typography
- Metadata and attribution
- Print-ready output

Target State (Phase 2)

```
Markdown → Content Analysis → Template Selection → Adobe Creative API
├─ InDesign Server (Layout & Typography)
├─ Illustrator API (Charts & Infographics)
├─ Photoshop API (Image Enhancement)
└─ Document Generation (Template Processing)
```



Implementation Milestones

Milestone 1: Adobe Creative SDK Setup (Priority 1)

1.1 Authentication & Credentials

Files to Create:

- `src/adobe/creative-suite/authenticator.ts`
- `src/adobe/creative-suite/config.ts`
- `.env.adobe.creative`

Implementation Steps:

1. Adobe Creative SDK Registration

```
# Register for Adobe Creative SDK
# Obtain API keys for:
# - InDesign Server API
# - Illustrator API
# - Photoshop API
# - Document Generation API
```

2. Authentication Setup

```
// src/adobe/creative-suite/authenticator.ts
export class CreativeSuiteAuthenticator {
  private clientId: string;
  private clientSecret: string;
}
```

```
    async authenticate(): Promise<string> {  
        // Implement OAuth 2.0 flow for Creative Suite APIs  
    }  
}
```

... [truncated]

=== ARCHITECTURE.MD (development) ===

Path: docs\ARCHITECTURE.md

Relevance Score: 95

Requirements Gathering Agent - Architecture Documentation

Overview

The Requirements Gathering Agent is an AI-driven system designed to automate and enhance the requirements gathering process for software projects. It leverages multiple AI providers and context management techniques to generate comprehensive project documentation, user stories, and strategic planning artifacts.

System Architecture

Core Components

1. Context Management System

- **Context Manager:** Central component for managing project context and AI interactions
- **Provider Abstraction:** Support for multiple AI providers (OpenAI, Google AI, GitHub Copilot, Ollama)
- **Context Injection:** Direct context injection capabilities for efficient AI processing

2. AI Provider Integration

- **Multi-Provider Support:** Flexible architecture supporting various AI services
- **Provider Synchronization:** Coordinated AI provider management
- **Fallback Mechanisms:** Robust handling of provider failures

3. Document Generation Engine

- **Template-Based Generation:** Structured document creation using predefined templates
- **PMBOK Compliance:** Project management artifacts following PMBOK guidelines
- **Automated Workflows:** End-to-end document generation pipelines

4. CLI Interface

- **Command-Line Tools:** `cli.ts` and `cli-main.ts` for system interaction
- **Batch Processing:** Support for bulk document generation
- **Configuration Management:** Flexible configuration options

Technology Stack

Core Technologies

- **TypeScript:** Primary development language for type safety and maintainability
- **Node.js:** Runtime environment for server-side execution
- **Jest:** Testing framework for unit and integration tests

AI Integration

- **OpenAI API:** GPT models for text generation and analysis
- **Google AI:** Gemini models for alternative AI processing
- **GitHub Copilot:** Code generation and assistance

- **Ollama:**
... [truncated]

=== API-TESTING-COMPREHENSIVE-SUMMARY.MD (development) ===

Path: docs\AZURE\API-TESTING-COMPREHENSIVE-SUMMARY.md

Relevance Score: 95

ADPA API Testing Comprehensive Summary

Test Session Report - June 22, 2025

TESTING OVERVIEW

Duration: 1 hour testing session

API Server: Express.js with TypeScript






Port: 3001

Environment: Development

Authentication: API Key & JWT Support

SUCCESSFUL TESTS

1. Health Endpoints - ALL PASSED ✓

- **Main Health Check:** `GET /api/v1/health`
 -  Returns comprehensive system status
 -  Includes memory usage, uptime, version info
 -  Proper JSON formatting
- **Readiness Check:** `GET /api/v1/health/ready`
 -  Returns ready status with timestamp
 -  Quick response time

2. Authentication & Security - ALL PASSED ✓


- **API Key Authentication:** `X-API-Key: dev-api-key-123`
 - ✓ Valid API key grants access
 - ✓ Invalid API key rejected with proper error
 - ✓ Missing API key prompts authentication required
- **Security Headers & Middleware:**
 - ✓ Helmet security middleware active
 - ✓ CORS properly configured
 - ✓ Rate limiting configured (no issues during testing)

3. Templates API - ALL PASSED ✓

- **Template Listing:** `GET /api/v1/templates`
 - ✓ Returns empty list initially (expected)
 - ✓ Proper pagination structure
- **Template Creation:** `POST /api/v1/templates`
 - ✓ **MAJOR SUCCESS:** Created comprehensive BABOK Requirements Elicitation Template
 - ✓ Template ID: `ca8d4758-03c5-4110-84a7-2f5bcd318539`
 - ✓ Validation working correctly
 - ✓ Rich template with variables and layout configuration
- **Template Retrieval:** `GET /api/v1/templates/{id}`
 - ✓ Proper GUID validation
 - ✓ Returns 404 for non-existent templates (expected)

4. Documents API - ALL PASSED ✓

- **Document Jobs Listing:** `GET /api/v1/documents/jobs`
 - ✓ Returns proper pagination structure
 - ✓ Authentication required and working

- **Document Conversion:** POST /api/v1/documents/convert
 -  **MAJOR SUCCESS:** Ge
... [truncated]

=== AZURE-PORTAL-API-CENTER-SETUP-GUIDE.MD (primary) ===
Path: docs\AZURE\AZURE-PORTAL-API-CENTER-SETUP-GUIDE.md
Relevance Score: 95

Azure Portal API Center Setup Guide

Standards Compliance & Deviation Analysis API



Portal-Based Deployment Strategy

Using the Azure Portal will help resolve subscription ID issues and provide a visual approach to API Center setup.

Step 1: Access Azure Portal

Navigate to Azure API Center

1. **Open:** [Azure Portal](#)
2. **Search:** "API Center" in the top search bar
3. **Select:** "API Centers" from the results

Verify Subscription Access

- **Check:** Which subscriptions you can see in the portal
- **Confirm:** The correct subscription containing your resources

- **Note:** The actual subscription ID for CLI alignment

Step 2: Create/Verify API Center Instance

Option A: Create New API Center

If `svc-api-center` doesn't exist:

1. **Click:** "Create API Center"
2. **Subscription:** Select the correct active subscription
3. **Resource Group:**
 - **Existing:** `rg-api-center` (if exists)
 - **New:** Create `rg-api-center`
4. **API Center Name:** `svc-api-center`
5. **Region:** **West Europe** (`westeu`)
6. **Pricing Tier:** Start with Standard
7. **Click:** "Review + Create" → "Create"

Option B: Use Existing API Center

If it already exists:

1. **Navigate:** to existing `svc-api-center`
2. **Note:** Subscription ID and Resource Group (`rg-api-center`)
3. **Verify:** Access and permissions

Step 3: Create APIs via Portal

3.1 Create Echo API

1. **Navigate:** to your `svc-api-center` API Center instance
2. **Click:** "APIs" in the left menu
3. **Click:** "Create API"
4. **Fill Details:**
 - **API ID:** `echo-api`

- **Title:** Echo API
 - **Type:** REST
 - **Description:** Simple echo API for testing
5. **Click:** "Create"

3.2 Create Standards Compliance API

1. **Click:** "Create API" again
2. **Fill Details:**
 - **API ID:** standards-compliance-api
 - **Title:** `Standards Compliance & Devia
... [truncated]

=== AZURE-PORTAL-API-REGISTRATION-GUIDE.MD (development) ===
Path: docs\AZURE\AZURE-PORTAL-API-REGISTRATION-GUIDE.md
Relevance Score: 95

Azure Portal API Registration Guide

Manual API Center Setup - No CLI Required

Why Portal Registration is Perfect for You

The Azure Portal approach bypasses all CLI subscription issues and gives you immediate visual results - perfect for demonstrating to PMI leadership!

Step 1: Access Azure Portal

Navigate to API Centers

1. **Open:** [Azure Portal](#)
2. **Sign in** with your Azure account
3. **Search:** "API Center" in the top search bar
4. **Select:** "API Centers" from the dropdown

Find Your API Center

- **Look for:** `svc-api-center` in `rg-api-center`
- **Or:** Create new if it doesn't exist

Step 2: Register Your APIs in Portal

2.1 Register Echo API

1. **Navigate:** to your API Center (`svc-api-center`)
2. **Click:** "APIs" in the left navigation menu
3. **Click:** "Register API" or "Add API" button
4. **Fill in the form:**

```
API Name: Echo API
API ID: echo-api
Type: REST
Description: Simple echo API for testing Azure API Center function
Version: 1.0
```

5. **Click:** "Register" or "Create"

2.2 Register Standards Compliance API

1. **Click:** "Register API" again
2. **Fill in the form:**

```
API Name: Standards Compliance & Deviation Analysis API
API ID: standards-compliance-api
```

Type: REST

Description: PMI PMBOK and BABOK standards compliance analysis w:

Version: 1.0

Tags: pmi, pmbok, babok, compliance, governance, standards

3. **Click:** "Register" or "Create"

Step 3: Add API Specifications

Upload OpenAPI Specification

1. **Select:** your `standards-compliance-api` from the list
2. **Click:** "API definitions" or "Specifications" tab
3. **Click:** "Add definition" or "Upload specification"
4. **Choose:** "OpenAPI" as the specification type
5. **Upload method options:**

****Option**

... [truncated]

=== BABOK-ENTERPRISE-DEMONSTRATION-GUIDE.MD (documentation)

===

Path: docs\BABOK\BABOK-ENTERPRISE-DEMONSTRATION-GUIDE.md

Relevance Score: 95



BABOK Enterprise Consulting Demonstration

Step-by-Step Guide to Professional Business Analysis Automation

DEMONSTRATION OVERVIEW

This guide demonstrates how the ADPA API delivers enterprise-grade BABOK v3 compliant business analysis consulting capabilities, suitable for Fortune 500 digital transformation projects.

STEP 1: API SERVER INITIALIZATION






1.1 Start the Enterprise API Server

```
# Navigate to project directory
cd C:\Users\menno\Source\Repos\requirements-gathering-agent

# Build the production-ready API
npm run api:build

# Start the enterprise API server
npm run api:server
```

Expected Output:

```
 ADPA API Server running in development mode
 Server listening on port 3001
 API Documentation available at http://localhost:3001/api-docs
 Health check available at http://localhost:3001/api/v1/health
 Development mode - enhanced logging and debugging enabled
```

1.2 Verify API Health & Capabilities

```
curl http://localhost:3001/api/v1/health
```

Enterprise-Grade Response:


```
{
  "status": "healthy",
  "timestamp": "2025-06-22T13:30:00.000Z",
  "version": "2.2.0",
  "environment": "development",
  "uptime": 45.2,
  "memory": {"used": 12, "total": 14, "external": 2},
  "node": "v20.18.2"
}
```



STEP 2: ENTERPRISE TEMPLATE CREATION

2.1 Create BABOK v3 Requirements Elicitation Template

File: enterprise-babok-template.json

```
{
  "name": "BABOK v3 Enterprise Requirements Elicitation Framework",
  "description": "Comprehensive BABOK v3 compliant template for enterp",
  "category": "enterprise-business-analysis",
  "tags": ["babok-v3", "requirements-elicitation", "enterprise", "stak",
  "templateData": {
    "content": "# BABOK v3 Enterpri
... [truncated]

=== COLLABORATION-TOOLS-ROADMAP.MD (planning) ===
Path: docs\COLLABORATION-TOOLS-ROADMAP.md
Relevance Score: 95

# Collaboration Tools Development Roadmap

## Overview
This document outlines the roadmap for implementing multi-user collabo

## Current Capabilities
```

- ☒ ****Single-user CLI interface****: Full functionality for individual
- ☒ ****RESTful API****: Multi-client architecture ready
- ☒ ****Authentication****: Bearer token system implemented
- ☒ ****Document Management****: Template and output management
- ☒ ****Standards Compliance****: Individual project analysis

Collaboration Features Architecture

Multi-User Management System

User Roles & Permissions

```
``typescript
interface UserRole {
  id: string;
  name: 'admin' | 'project_manager' | 'business_analyst' | 'stakeholder';
  permissions: Permission[];
}

interface Permission {
  resource: 'projects' | 'documents' | 'standards' | 'adobe' | 'users';
  actions: ('create' | 'read' | 'update' | 'delete' | 'approve')[];
}
```

Team Management

```
interface Team {
  id: string;
  name: string;
  description: string;
  members: TeamMember[];
  projects: string[];
  createdAt: Date;
  updatedAt: Date;
}

interface TeamMember {
  userId: string;
  role: UserRole;
  joinedAt: Date;
}
```

```
permissions: Permission[];  
}
```

Real-time Collaboration Features

1. Concurrent Document Editing

- **Real-time Updates:** WebSocket-based live collaboration
- **Conflict Resolution:** Operational transformation for concurrent edits
- **Version Control:** Document versioning with merge capabilities
- **Change Tracking:** Author attribution and change history

2. Project Sharing & Permissions

- **Project Access Control:** Role-based access to projects
- **Sharing Mechanisms:** Invite links and email notifications
- **Permission Management:** Granular control over project actions
- **Audit Trail:** Complete history of project access and changes

3. Approval Workflows

``

... [truncated]

=== IMPLEMENTATION-GUIDE-PROVIDER-CHOICE-MENU.MD

(documentation) ===

Path: docs\implementation-guide-provider-choice-menu.md

Relevance Score: 95

Interactive AI Provider Selection Menu - Implementation Guide

Document Version: 1.0

Created: December 2024

Last Updated: December 2024

Target Audience: Developers, Technical Leads, Product Managers



Table of Contents

1. [Overview](#)
 2. [Current System Analysis](#)
 3. [Implementation Strategy](#)
 4. [Interactive Choice Menu Design](#)
 5. [Code Implementation](#)
 6. [Integration with Existing System](#)
 7. [User Experience Flow](#)
 8. [Error Handling & Validation](#)
 9. [Testing Strategy](#)
 10. [Migration Guide](#)
 11. [Best Practices](#)
 12. [Troubleshooting](#)
-



Overview

This guide provides comprehensive documentation for implementing an interactive choice menu that allows users to select an AI provider before running the Requirements Gathering Agent. The feature enhances user experience by providing a visual selection interface instead of requiring manual environment configuration.



Objectives

- **Simplify Provider Selection:** Replace manual `.env` configuration with an interactive menu
- **Improve User Experience:** Provide clear provider options with descriptions and setup guidance
- **Maintain Existing Functionality:** Preserve current provider detection and fallback mechanisms

- **Enable Dynamic Switching:** Allow users to change providers without restarting the application

Key Features

- Interactive CLI-based provider selection menu
- Real-time provider availability detection
- Configuration validation before selection
- Automatic `.env` file generation/update
- Provider-specific setup guidance
- Fallback to current behavior if no interaction desired

Current System Analysis

Existing Provi

... [truncated]

=== SHAREPOINT-USAGE-GUIDE.MD (documentation) ===

Path: docs\SHAREPOINT-USAGE-GUIDE.md

Relevance Score: 95

SharePoint Integration Usage Guide

Overview

The SharePoint integration in Requirements Gathering Agent v2.1.3 enables you to automatically publish generated documents to SharePoint Online document libraries. This feature provides enterprise-grade document management with Azure authentication, metadata tagging, and version control.

Features

- **Microsoft Graph API Integration:** Secure, enterprise-grade authentication
- **OAuth2 Authentication:** Azure AD integration with device code flow
- **Automatic Folder Creation:** Creates organized folder structures
- **Metadata Management:** Adds custom metadata to published documents
- **Batch Publishing:** Efficiently publish multiple documents
- **Version Control:** SharePoint's built-in versioning support
- **Enterprise Security:** Follows Azure security best practices

Quick Start

1. Prerequisites

Before using SharePoint integration, ensure you have:

- SharePoint Online subscription
- Azure AD tenant
- Azure App Registration with appropriate permissions
- SharePoint site and document library ready

2. Azure App Registration Setup

1. Create App Registration in Azure Portal:

- Go to Azure Portal → Azure Active Directory → App registrations
- Click "New registration"
- Name: "Requirements Gathering Agent"
- Supported account types: "Accounts in this organizational directory only"
- Redirect URI: `http://localhost:3000/auth/callback`

2. Configure API Permissions:

- Go to API permissions
- Add permissions:
 - Microsoft Graph → Application permissions:
 - Sites.ReadWrite.All
 - Files.ReadWrite.All
 - User.Read

3. Grant Admin Consent:

- Click "Grant admin consent for [Your Tenant]"

4. Note Configuration Details:

- Application (client) ID
- Directory (tenant) ID

3. Initialize SharePoint Configuration

```
# Initialize SharePoint configuration
npm run sharepoint:in
... [truncated]

=== PHASE-2-IMPLEMENTATION-GUIDE.MD (documentation) ===
Path: docs\ADOBE\PHASE-2-IMPLEMENTATION-GUIDE.md
Relevance Score: 95

# Adobe Creative Suite Phase 2 Implementation Guide

**Date:** July 8, 2025
**Status:** 📄 **READY FOR IMPLEMENTATION**
**Prerequisites:** ✅ Phase 1 Complete (58 PDFs generated successfully)

---

## 🎯 Phase 2 Objectives

Transform our successful PDF generation pipeline into a premium Adobe
- **Professional InDesign layouts** with custom branding
```

- ****Automated data visualizations**** using Illustrator API
- ****Enhanced image processing**** with Photoshop API
- ****Template-driven document generation**** with consistent branding

📄 Technical Architecture for Phase 2

Current State (Phase 1) ✅

Markdown → Puppeteer → Professional PDF

- └ Professional styling
- └ Corporate typography
- └ Metadata and attribution
- └ Print-ready output

Target State (Phase 2) 🎯

Markdown → Content Analysis → Template Selection → Adobe Creative APIs → Premium Output

- └ InDesign Server (Layout & Typography)
- └ Illustrator API (Charts & Infographics)
- └ Photoshop API (Image Enhancement)
- └ Document Generation (Template Processing)

📋 Implementation Milestones

Milestone 1: Adobe Creative SDK Setup (Priority 1)

1.1 Authentication & Credentials

****Files to Create:****

- `src/adobe/creative-suite/authenticator.ts`
- `src/adobe/creative-suite/config.ts`
- `.env.adobe.creative`

****Implementation Steps:****

1. ****Adobe Creative SDK Registration****

```
```bash
```



```
Register for Adobe Creative SDK
Obtain API keys for:
- InDesign Server API
- Illustrator API
- Photoshop API
- Document Generation API
```

## 2. Authentication Setup

```
// src/adobe/creative-suite/authenticator.ts
export class CreativeSuiteAuthenticator {
 private clientId: string;
 private clientSecret: string;

 async authenticate(): Promise<string> {
 // Implement OAuth 2.0 flow for Creative Suite APIs
 }
}
```

... [truncated]

.

A systematic approach to identifying, documenting, tracking, and resolving defects to ensure high software quality and reliability.

## 2. Bug Reporting Objectives

---

### Primary Objectives

- Ensure consistent and comprehensive bug documentation
- Facilitate efficient bug triage and prioritization
- Enable effective communication between teams
- Support rapid resolution of critical issues
- Maintain quality metrics and improvement tracking

### Success Criteria

- All bugs properly documented and classified
- Bug resolution time meets SLA requirements
- Clear communication channels established
- Quality metrics show continuous improvement
- Stakeholder satisfaction with bug resolution process

## 3. Bug Reporting Process

---

### 3.1 Bug Discovery

- **Testing Activities:** Formal testing phases (unit, integration, system, acceptance)
- **User Reports:** End-user identified issues in production or UAT
- **Monitoring:** Automated monitoring and alerting systems
- **Code Reviews:** Issues identified during peer review process
- **Production Issues:** Live system errors and performance problems

### 3.2 Bug Verification

Before creating a bug report, verify:

1. **Reproducibility:** Can the issue be consistently reproduced?
2. **Environment:** Is the issue environment-specific?
3. **Scope:** How widespread is the impact?
4. **Existing Reports:** Has this bug already been reported?
5. **Documentation:** Are there clear steps to reproduce?

### 3.3 Bug Reporting Workflow

1. **Initial Report** → Reporter creates bug with basic information
2. **Triage** → QA team reviews and classifies the bug
3. **Assignment** → Bug assigned to appropriate developer/team
4. **Investigation** → Developer investigates and confirms issue
5. **Resolution** → Bug fixed and code changes implemented
6. **Verification** → QA verifies the fix resolves the issue
7. **Closure** → Bug marked resolved and closed

## 4. Bug Classification System

---

### 4.1 Severity Levels

#### General Severity Classification

##### Critical (S1)

- System crashes or becomes unusable
- Data loss or corruption occurs
- Security vulnerabilities exposed
- Complete feature failure in production
- Financial impact or legal compliance issues

##### High (S2)

- Major functionality affected
- Significant performance degradation
- Workaround exists but difficult to implement
- Affects multiple users or key features
- Production stability concerns

##### Medium (S3)

- Minor functionality affected
- Reasonable workaround available
- Cosmetic issues with functional impact
- Performance issues with acceptable workarounds
- Isolated feature problems

##### Low (S4)

- Cosmetic issues without functional impact
- Minor inconveniences
- Documentation errors
- Enhancement requests
- Future improvement suggestions

## 4.2 Priority Levels

### P1 - Urgent

- Must be fixed immediately
- Blocking release or deployment
- Critical business impact
- No acceptable workaround

### P2 - High

- Should be fixed in current release
- Significant business impact
- Workaround available but not ideal
- Important feature affected

### P3 - Medium

- Can be fixed in next release
- Moderate business impact
- Acceptable workaround exists
- Normal priority feature

### P4 - Low

- Nice to fix when time permits
- Minimal business impact
- Easy workaround available
- Enhancement or improvement

## 5. Bug Report Template

---

### 5.1 Standard Bug Report Format

**Bug ID:** [Auto-generated]

**Title:** [Clear, concise description of the issue]

**Reporter:** [Name and contact information]

**Date Reported:** [Date and time]

**Environment:** [Test/Staging/Production]

## Basic Information

- **Product/Component:** [Specific area affected]
- **Version:** [Software version or build number]
- **Platform:** [OS, browser, device details]
- **Severity:** [Critical/High/Medium/Low]
- **Priority:** [P1/P2/P3/P4]

## Issue Description

### Summary:

[Brief description of what went wrong]

### Expected Behavior:

[What should have happened]

### Actual Behavior:

[What actually happened]

### Business Impact:

[How this affects users/business]

## Reproduction Steps

### Prerequisites:

[Any setup or conditions needed]

### Steps to Reproduce:

1. [First step]
2. [Second step]
3. [Continue with detailed steps]
4. [Final step that triggers the issue]

### Reproducibility:

- ☐ Always (100%)

- ☐ Sometimes (% occurrence)
- ☐ Rarely (< 10%)
- ☐ Unable to reproduce

## Environment Details

### System Information:

- Operating System: [Version and details]
- Browser/Client: [Name and version]
- Database: [Type and version if applicable]
- Network: [Connection type/speed if relevant]

### Test Data:

[Sample data used to reproduce issue]

### Evidence and Attachments

- ☐ Screenshots attached
- ☐ Video recording included
- ☐ Log files attached
- ☐ Error messages captured
- ☐ Network traces included

### Additional Information

#### Workaround:

[If any workaround exists, describe it]

#### Related Issues:

[Links to related bugs or tickets]

#### Notes:

[Any additional context or observations]

## 5.2 Critical Bug Report Template

For Critical (S1) and Urgent (P1) bugs, include additional information:

### Business Impact Assessment:

- Users affected: [Number/percentage]
- Revenue impact: [If applicable]
- Customer complaints: [If applicable]
- SLA impact: [Service level implications]

### Immediate Actions Taken:

- ☐ Stakeholders notified
- ☐ Incident response activated
- ☐ Rollback considerations evaluated
- ☐ Communication plan initiated

### Resolution Timeline:

- Required fix time: [Based on SLA]
- Estimated effort: [Development hours]
- Dependencies: [What needs to be coordinated]

## 6. Bug Lifecycle Management

---

### 6.1 Bug States

1. **New** - Newly reported, awaiting triage
2. **Open** - Confirmed and assigned for investigation
3. **In Progress** - Developer actively working on fix
4. **Resolved** - Fix implemented, awaiting verification
5. **Verified** - Fix confirmed working by QA
6. **Closed** - Issue completely resolved
7. **Rejected** - Not a valid bug (duplicate, by design, etc.)
8. **Deferred** - Valid bug but postponed to future release

### 6.2 State Transitions

- **New → Open:** After triage and assignment
- **Open → In Progress:** Developer starts work

- **In Progress** → **Resolved**: Fix implemented
- **Resolved** → **Verified**: QA confirms fix
- **Verified** → **Closed**: Final closure
- **Any State** → **Rejected**: If determined invalid
- **Any State** → **Deferred**: If postponed

## 6.3 Resolution Types

- **Fixed**: Issue resolved with code changes
- **Duplicate**: Same issue already reported
- **By Design**: Behavior is intentional
- **Cannot Reproduce**: Unable to replicate issue
- **Won't Fix**: Valid issue but won't be addressed
- **Deferred**: Will be addressed in future release

## 7. Roles and Responsibilities

---

### 7.1 Bug Reporter

- **Responsibilities:**
  - Provide clear, complete bug reports
  - Respond to requests for additional information
  - Verify bug fixes when possible
  - Follow up on status updates
- **Best Practices:**
  - Use descriptive titles
  - Include all relevant details
  - Attach supporting evidence
  - Check for duplicates first

### 7.2 QA Team

- **Responsibilities:**



- Triage incoming bug reports
  - Verify and reproduce issues
  - Classify severity and priority
  - Assign to appropriate teams
  - Verify fixes before closure
- **SLA Commitments:**
    - Critical bugs: 2 hours response
    - High priority: 8 hours response
    - Medium priority: 24 hours response
    - Low priority: 48 hours response

## 7.3 Development Team

- **Responsibilities:**
  - Investigate assigned bugs
  - Implement fixes efficiently
  - Update bug status regularly
  - Provide ETA for resolution
  - Coordinate with QA for verification

## 7.4 Product Owner

- **Responsibilities:**
  - Prioritize bugs based on business impact
  - Make decisions on feature vs. bug trade-offs
  - Approve bug deferral decisions
  - Communicate with stakeholders

# 8. Bug Tracking Tools

---

## 8.1 Primary Bug Tracking System

- **Tool:** [Jira/Azure DevOps/GitHub Issues]
- **Access:** All team members have appropriate permissions

- **Integration:** Connected to development and deployment tools
- **Reporting:** Automated metrics and dashboards available

## 8.2 Supporting Tools

- **Screen Capture:** [Tool for screenshots and video]
- **Log Analysis:** [Centralized logging system]
- **Performance Monitoring:** [APM tools for performance issues]
- **Communication:** [Slack/Teams integration for notifications]

## 9. Bug Metrics and KPIs

---

### 9.1 Process Metrics

- **Bug Discovery Rate:** New bugs found per time period
- **Resolution Time:** Average time to fix by severity
- **First Response Time:** Time to initial triage
- **Reopen Rate:** Percentage of bugs reopened after fix

### 9.2 Quality Metrics

- **Defect Density:** Bugs per feature/component
- **Escape Rate:** Production bugs vs. pre-production
- **Fix Quality:** Percentage of fixes that work correctly
- **Customer Satisfaction:** User feedback on bug resolution

### 9.3 Team Performance

- **Triage Efficiency:** Time to classify and assign
- **Developer Velocity:** Bugs fixed per developer per period
- **QA Verification:** Time to verify fixes
- **Process Compliance:** Adherence to reporting standards

## 10. Best Practices

---

## 10.1 For Bug Reporters

- **Be Specific:** Clear, detailed descriptions
- **Be Timely:** Report issues as soon as discovered
- **Be Complete:** Include all relevant information
- **Be Responsive:** Answer follow-up questions quickly
- **Be Patient:** Allow time for proper investigation

## 10.2 For Developers

- **Acknowledge Quickly:** Confirm receipt of bug assignments
- **Investigate Thoroughly:** Understand root cause fully
- **Fix Completely:** Address the underlying issue, not just symptoms
- **Test Thoroughly:** Verify fix doesn't introduce new issues
- **Document Changes:** Clear commit messages and change notes

## 10.3 For QA Team

- **Triage Consistently:** Apply standards uniformly
- **Verify Completely:** Test all aspects of the fix
- **Communicate Clearly:** Keep all parties informed
- **Track Metrics:** Monitor process effectiveness
- **Continuous Improvement:** Regular process refinement

# 11. Common Bug Types

---

## 11.1 Functional Bugs

- **Logic Errors:** Incorrect business rule implementation
- **Data Validation:** Improper input validation
- **Integration Issues:** API or service communication problems
- **User Interface:** UI element behavior or display issues
- **Workflow Problems:** Incorrect process flow implementation

## 11.2 Non-Functional Bugs

- **Performance:** Slow response times or resource usage
- **Security:** Authentication, authorization, or data protection issues
- **Usability:** Poor user experience or confusing interfaces
- **Compatibility:** Browser, OS, or device-specific problems
- **Reliability:** System crashes, hangs, or instability

## 11.3 Environment-Specific Issues

- **Configuration:** Environment setup or configuration problems
- **Data Issues:** Test data or production data inconsistencies
- **Infrastructure:** Network, server, or deployment issues
- **Third-Party:** External service or dependency problems

## 12. Escalation Procedures

---

### 12.1 Standard Escalation Path

1. **Level 1:** Assigned developer
2. **Level 2:** Team lead or senior developer
3. **Level 3:** Technical architect or engineering manager
4. **Level 4:** Product owner and stakeholders

### 12.2 Critical Bug Escalation

- **Immediate:** Technical lead and product owner
- **Within 1 hour:** Engineering manager and stakeholders
- **Communication:** Regular updates every 2 hours
- **Resolution:** All hands on deck until resolved

### 12.3 Escalation Triggers

- Bug remains unresolved past SLA
- Critical bug affects production
- Customer escalation received
- Multiple related bugs indicate systemic issue

## 13. Continuous Improvement

---

### 13.1 Process Review

- **Monthly Metrics Review:** Analyze bug trends and metrics
- **Quarterly Process Assessment:** Evaluate process effectiveness
- **Annual Training:** Update team on best practices
- **Tool Evaluation:** Assess and upgrade bug tracking tools

### 13.2 Root Cause Analysis

- **Pattern Recognition:** Identify recurring bug types
- **Process Gaps:** Address systematic issues
- **Training Needs:** Improve team skills and knowledge
- **Preventive Measures:** Implement measures to prevent similar bugs

---

*This Bug Reporting Process and Guidelines document should be regularly updated based on team feedback and process improvements.*

---