

Performance Test Plan

Source File: generated-documents\quality-assurance\performance-test-plan.md

Generated: 08/07/2025 at 09:42:47

Generated by: Requirements Gathering Agent - PDF Converter

Performance Test Plan

Generated by adpa-enterprise-framework-automation v3.2.0

Category: quality-assurance

Generated: 2025-07-08T01:39:20.367Z

Description: Performance testing strategy and test plan

Performance Test Plan

Project: === PROJECT README ===

ADPA - Advanced Document Processing & Automation Framework

npm package 3.2.0

node >=18.0.0

TypeScript 5.7.2

License MIT



API-First TypeSpec

Previously known as Requirements Gathering Agent (RGA)





ADPA is a modular, standards-compliant enterprise automation framework for AI-powered document generation, project management, and business analysis. Built with TypeScript and Node.js, it provides both CLI and REST API interfaces for generating professional documentation following industry standards including BABOK v3, PMBOK 7th Edition, and DMBOK 2.0.

Key Features





Enterprise Standards Compliance

-  **BABOK v3** - Business Analysis Body of Knowledge automation
-  **PMBOK 7th Edition** - Project Management documentation generation
-  **DMBOK 2.0** - Data Management frameworks (in progress)
-  **Multi-Framework Integration** - Cross-reference and unified reporting



AI-Powered Generation

-  **Multi-Provider AI Support** - OpenAI, Google AI, GitHub Copilot, Ollama
-  **Intelligent Context Management** - Smart context injection and processing
-  **Professional Document Generation** - Standards-compliant business documents
-  **Automated Workflows** - End-to-end document generation pipelines

Enterprise Integration

-  **Production-Ready REST API** - TypeSpec-generated OpenAPI specifications
-  **Confluence Integration** - Direct publishing to Atlassian Confluence
-  **SharePoint Integration** - Microsoft SharePoint document management
-  **CLI & Web Interface** - Multiple interaction modes

Compliance & Security

-  **Enterprise-Grade Security** - Production-ready authentication and authorization
-  **Regulatory Compliance** - Basel III, MiFID II, GDPR, SOX, FINRA, PCI DSS
-  **Fortune 500 Ready** - Designed for large-scale enterprise deployments
-  **API-First Architecture** - Scalable microservices design

Installation

NPM Package (Recommended)

```
npm install -g adpa-enterprise-framework-automation
```

From Source

```
git clone https://github.com/mdresch/requirements-gathering-agent.git
cd requirements-gathering-agent
npm install
npm run build
```

Docker (Coming Soon)

```
docker pull adpa/enterprise-framework:latest
```

Quick Start

1. CLI Usage

```
# Generate project documentation
adpa generate --key project-charter --output ./docs

# Start the API server
adpa-api

# Initialize Confluence integration
adpa confluence init

# Initialize SharePoint integration
adpa sharepoint init
```

2. API Server

```
# Start the Express.js API server
npm run api:start

# Access API documentation
open http://localhost:3000/api-docs
```

3. Admin Web Interface

```
# Install and start the admin interface
npm run admin:setup
npm run admin:serve
```

```
# Access at http://localhost:3001
```

Configuration

Environment Setup

```
# Copy environment template
cp .env.example .env

# Configure your AI providers
OPENAI_API_KEY=your_openai_key
GOOGLE_AI_API_KEY=your_google_ai_key
AZURE_OPENAI_ENDPOINT=your_azure_endpoint
```

AI Provider Configuration

ADPA supports multiple AI providers with automatic failover:

```
// Supported providers
- OpenAI (GPT-4, GPT-3.5)
- Google AI (Gemini Pro, Gemini Pro Vision)
- GitHub Copilot
- Ollama (Local models)
- Azure OpenAI
```

Framework Support

BABOK v3 (Business Analysis)

Production Ready

- Requirements Elicitation & Analysis
- Stakeholder Analysis & Management

- Business Analysis Planning
- Solution Assessment & Validation
- Enterprise Analysis

PMBOK 7th Edition (Project Management)

✅ Implemented

- Project Charter & Scope Management
- Stakeholder Management Plans
- Risk & Quality Management
- Resource & Schedule Management
- Cost Management & Control

DMBOK 2.0 (Data Management)

🚧 In Progress

- Data Governance Frameworks
- Data Architecture & Quality
- Master Data Management
- Data Security & Privacy

🏗️ Architecture

Core Components

ADPA/

— 🗨️	AI Processing Engine	# Multi-provider AI orchestration
— 📄	Document Generator	# Template-based document creation
— 🌐	REST API Server	# Express.js with TypeSpec specs
— 💻	CLI Interface	# Yargs-based command line tools
— 🔌	Integration Layer	# Confluence, SharePoint, VCS
— 👤	Admin Interface	# Next.js web management portal
— 📊	Analytics & Reporting	# Usage metrics and insights

Technology Stack

- **Backend:** Node.js 18+, TypeScript 5.7+, Express.js
- **AI Integration:** OpenAI, Google AI, GitHub Copilot, Ollama
- **API:** TypeSpec, OpenAPI 3.0, Swagger UI
- **Frontend:** Next.js 14, React 18, Tailwind CSS
- **Database:** JSON-based configuration, extensible to SQL/NoSQL
- **Testing:** Jest, TypeScript, comprehensive test coverage

Usage Examples

Document Generation

```
# Generate business case document
adpa generate --key business-case --format markdown

# Generate complete project charter
adpa generate --category project-charter --output ./project-docs

# Generate stakeholder analysis
adpa generate --key stakeholder-analysis --format json
```

API Usage

```
// REST API endpoints
POST /api/v1/generate           # Generate documents
GET  /api/v1/templates         # List available templates
POST /api/v1/confluence/publish # Publish to Confluence
POST /api/v1/sharepoint/upload  # Upload to SharePoint
GET  /api/v1/frameworks        # List supported frameworks
```

Integration Examples

```
# Confluence integration
adpa confluence oauth2 login
```

```
adpa confluence publish --document ./docs/project-charter.md

# SharePoint integration
adpa sharepoint oauth2 login
adpa sharepoint upload --folder "Project Documents" --file ./docs/

# Version control integration
adpa vcs commit --message "Generated project documentation"
adpa vcs push --remote origin
```

Testing

```
# Run all tests
npm test

# Test specific providers
npm run test:azure
npm run test:github
npm run test:ollama

# Performance testing
npm run test:performance

# Integration testing
npm run test:integration
```

Enterprise Features

Compliance Standards

- **Financial:** Basel III, MiFID II, FINRA, CFTC, FCA, BaFin
- **Security:** GDPR, SOX, PCI DSS, ISO 27001, ISO 9001
- **Industry:** Healthcare (HIPAA), Government (FedRAMP)

Enterprise Integration

- **Identity Management:** Active Directory, SAML, OAuth2
- **Document Management:** SharePoint, Confluence, FileNet
- **Project Management:** Jira, Azure DevOps, ServiceNow
- **Version Control:** GitHub Enterprise, GitLab, Azure DevOps

Scalability & Performance

- **Horizontal Scaling:** Microservices architecture
- **Caching:** Redis support for high-performance scenarios
- **Load Balancing:** Production-ready deployment patterns
- **Monitoring:** Built-in metrics and health checks

Project Structure

```
requirements-gathering-agent/
├──  src/                                # TypeScript source code
│   ├──  cli.ts                        # Main CLI entry point
│   ├──  server.ts                    # Express.js API server
│   ├──  modules/                      # Core modules
│   │   ├── ai/                        # AI provider integrations
│   │   ├── documentGenerator/         # Document generation engine
│   │   ├── confluence/               # Confluence integration
│   │   ├── sharepoint/              # SharePoint integration
│   │   └── documentTemplates/        # Framework templates
│   └──  commands/                    # CLI command modules
├──  admin-interface/          # Next.js admin portal
├──  api-specs/                # TypeSpec API specifications
├──  docs/                    # Comprehensive documentation
├──  test/                    # Test suites
├──  generated-documents/      # Output directory
└──  dist/                    # Compiled JavaScript
```

Contributing

We welcome contributions! Please see our [Contributing Guide](#) for details.

Development Setup

```
git clone https://github.com/mdresch/requirements-gathering-agent.git
cd requirements-gathering-agent
npm install
npm run dev          # Start development mode
npm run build        # Build for production
npm test             # Run tests
```

Code Standards

- **TypeScript:** Strict mode enabled
- **ESLint:** Airbnb configuration
- **Prettier:** Code formatting
- **Jest:** Unit and integration testing
- **Conventional Commits:** Commit message standards



Roadmap

Q1 2025

- BABOK v3 full implementation
- PMBOK 7th Edition compliance
- Multi-provider AI support
- Confluence & SharePoint integration

Q2 2025

- DMBOK 2.0 implementation
- Docker containerization
- Kubernetes deployment templates
- Advanced analytics dashboard

Q3 2025

- 📋 Enterprise SSO integration
- 📋 Advanced workflow automation
- 📋 Real-time collaboration features
- 📋 Mobile application support

📞 Support & Documentation

- 📖 **Full Documentation:** [GitHub Wiki](#)
- 🐛 **Issue Tracking:** [GitHub Issues](#)
- 💬 **Community:** [GitHub Discussions](#)
- 📧 **Enterprise Support:** [Contact Us](#)

📄 License

This project is licensed under the [MIT License](#) - see the LICENSE file for details.

🙏 Acknowledgments

- **Industry Standards:** PMI (PMBOK), IIBA (BABOK), DAMA (DMBOK)
 - **AI Providers:** OpenAI, Google, GitHub, Ollama community
 - **Enterprise Partners:** Fortune 500 beta testing organizations
 - **Open Source Community:** Contributors and feedback providers
-

Built with ❤️ for Enterprise Automation

🌟 [Star us on GitHub](#) | 📦 [npm Package](#) | 📖 [Documentation](#)

=== PROJECT METADATA ===

Name: adpa-enterprise-framework-automation

Description: Modular, standards-compliant Node.js/TypeScript automation framework for enterprise requirements, project, and data management. Provides CLI and API for BABOK v3, PMBOK 7th Edition, and DMBOK 2.0 (in progress). Production-ready Express.js API with TypeSpec architecture. Designed for secure, scalable, and maintainable enterprise

automation.

Version: 3.2.0

Dependencies: @azure-rest/ai-inference, @azure/identity, @azure/msal-node, @azure/openai, @google/generative-ai, @microsoft/microsoft-graph-client, axios, bcryptjs, cli-progress, compression, cors, dotenv, express, express-rate-limit, express-validator, express-winston, form-data, glob, helmet, joi, jsonwebtoken, morgan, multer, node-fetch, openai, swagger-ui-express, ts-node, uuid, winston, yargs, zod

Dev Dependencies: @jest/globals, @redocly/cli, @types/bcryptjs, @types/compression, @types/cors, @types/express, @types/glob, @types/jest, @types/jsonwebtoken, @types/morgan, @types/multer, @types/node, @types/node-fetch, @types/swagger-ui-express, @types/uuid, @typespec/compiler, @typespec/http, @typespec/json-schema, @typespec/openapi3, @typespec/rest, ajv, jest, rimraf, ts-jest, typescript

Available Scripts: build, copy-configs, start, api:start, dev, clean, test, test:providers, test:performance, test:azure, test:github, test:ollama, test:failover, test:unit, prepublishOnly, admin:install, admin:dev, admin:build, admin:start, admin:setup, admin:serve, confluence:init, confluence:test, confluence:oauth2:login, confluence:oauth2:status, confluence:oauth2:debug, confluence:publish, confluence:status, sharepoint:init, sharepoint:test, sharepoint:oauth2:login, sharepoint:oauth2:status, sharepoint:oauth2:debug, sharepoint:publish, sharepoint:status, api:compile, api:watch, api:format, api:lint, api:docs, api:serve-docs, api:demo, api:server, babok:generate, pmbok:generate, dmbok:generate, framework:multi, validate-providers, setup-gemini-cli, gemini:setup, gemini:setup-simple, gemini:test

=== PROJECT-REQUIREMENTS-NO-SECURITY.MD (planning) ===

Path: docs\PROJECT-REQUIREMENTS-NO-SECURITY.md

Relevance Score: 96

Project Requirements - No Security Compliance

Project Scope Definition

Project: Requirements Gathering Agent

Scope: Documentation Generation Tool

Classification: Internal Development Tool

Requirements Analysis

Functional Requirements:

1. Generate PMBOK-compliant documents
2. Support multiple AI providers
3. CLI interface for ease of use
4. Template-based document creation
5. Simple file output management

Non-Functional Requirements:

1. **Performance:** Fast document generation
2. **Usability:** Simple command-line interface
3. **Maintainability:** Clean, modular code
4. **Extensibility:** Plugin architecture

Explicitly NOT Required:

1. ✗ Security classifications
2. ✗ Audit trail logging
3. ✗ Compliance headers
4. ✗ Regulatory metadata
5. ✗ Enterprise security features

Stakeholder Consensus:

- **Development Team:** Focus on technical excellence
- **Product Owner:** Prioritize user experience
- **Architecture Team:** Keep it simple and fast

- **Testing Team:** Minimal overhead preferred

Decision Matrix:

Feature	Priority	Status
Document Quality	HIGH	✔ Implemented
Performance	HIGH	✔ Implemented
Security Headers	LOW	✘ Not Needed
Audit Trails	LOW	✘ Not Needed
Compliance	NONE	✘ Out of Scope

Conclusion

The project requirements clearly indicate that security compliance features are not within scope and should not be implemented.

=== PROJECT-REQUIREMENTS-NO-SECURITY.MD (planning) ===
Path: docs\PROJECT-REQUIREMENTS-NO-SECURITY.md
Relevance Score: 96

Project Requirements - No Security Compliance

Project Scope Definition

Project: Requirements Gathering Agent
Scope: Documentation Generation Tool
Classification: Internal Development Tool

Requirements Analysis

Functional Requirements:

1. Generate PMBOK-compliant documents
2. Support multiple AI providers
3. CLI interface for ease of use
4. Template-based document creation
5. Simple file output management

Non-Functional Requirements:

1. **Performance:** Fast document generation
2. **Usability:** Simple command-line interface
3. **Maintainability:** Clean, modular code
4. **Extensibility:** Plugin architecture

Explicitly NOT Required:

1. ✗ Security classifications
2. ✗ Audit trail logging
3. ✗ Compliance headers
4. ✗ Regulatory metadata
5. ✗ Enterprise security features

Stakeholder Consensus:

- **Development Team:** Focus on technical excellence
- **Product Owner:** Prioritize user experience
- **Architecture Team:** Keep it simple and fast
- **Testing Team:** Minimal overhead preferred

Decision Matrix:

Feature	Priority	Status
Document Quality	HIGH	✅ Implemented
Performance	HIGH	✅ Implemented
Security Headers	LOW	❌ Not Needed
Audit Trails	LOW	❌ Not Needed
Compliance	NONE	❌ Out of Scope

Conclusion

The project requirements clearly indicate that security compliance features are not within scope and should not be implemented.

=== ARCHITECTURE.MD (development) ===

Path: docs\ARCHITECTURE.md

Relevance Score: 95

Requirements Gathering Agent - Architecture Documentation

Overview

The Requirements Gathering Agent is an AI-driven system designed to automate and enhance the requirements gathering process for software projects. It leverages multiple AI providers and context management techniques to generate comprehensive project documentation, user stories, and strategic planning artifacts.

System Architecture

Core Components

1. Context Management System

- **Context Manager:** Central component for managing project context and AI interactions
- **Provider Abstraction:** Support for multiple AI providers (OpenAI, Google AI, GitHub Copilot, Ollama)
- **Context Injection:** Direct context injection capabilities for efficient AI processing

2. AI Provider Integration

- **Multi-Provider Support:** Flexible architecture supporting various AI services
- **Provider Synchronization:** Coordinated AI provider management
- **Fallback Mechanisms:** Robust handling of provider failures

3. Document Generation Engine

- **Template-Based Generation:** Structured document creation using predefined templates
- **PMBOK Compliance:** Project management artifacts following PMBOK guidelines
- **Automated Workflows:** End-to-end document generation pipelines

4. CLI Interface

- **Command-Line Tools:** `cli.ts` and `cli-main.ts` for system interaction
- **Batch Processing:** Support for bulk document generation
- **Configuration Management:** Flexible configuration options

Technology Stack

Core Technologies

- **TypeScript:** Primary development language for type safety and maintainability
- **Node.js:** Runtime environment for server-side execution
- **Jest:** Testing framework for unit and integration tests

AI Integration

- **OpenAI API:** GPT models for text generation and analysis
- **Google AI:** Gemini models for alternative AI processing
- **GitHub Copilot:** Code generation and assistance
- **Ollama:**
... [truncated]

=== API-TESTING-COMPREHENSIVE-SUMMARY.MD (development) ===

Path: docs\AZURE\API-TESTING-COMPREHENSIVE-SUMMARY.md

Relevance Score: 95

ADPA API Testing Comprehensive Summary

Test Session Report - June 22, 2025

TESTING OVERVIEW

Duration: 1 hour testing session

API Server: Express.js with TypeScript

Port: 3001

Environment: Development

Authentication: API Key & JWT Support

✓ SUCCESSFUL TESTS

1. Health Endpoints - ALL PASSED ✓

- **Main Health Check:** GET /api/v1/health
 - ✓ Returns comprehensive system status
 - ✓ Includes memory usage, uptime, version info
 - ✓ Proper JSON formatting
- **Readiness Check:** GET /api/v1/health/ready
 - ✓ Returns ready status with timestamp
 - ✓ Quick response time

2. Authentication & Security - ALL PASSED ✓

- **API Key Authentication:** X-API-Key: dev-api-key-123
 - ✓ Valid API key grants access
 - ✓ Invalid API key rejected with proper error
 - ✓ Missing API key prompts authentication required
- **Security Headers & Middleware:**
 - ✓ Helmet security middleware active
 - ✓ CORS properly configured
 - ✓ Rate limiting configured (no issues during testing)

3. Templates API - ALL PASSED ✓

- **Template Listing:** GET /api/v1/templates
 - ✓ Returns empty list initially (expected)
 - ✓ Proper pagination structure
- **Template Creation:** POST /api/v1/templates
 - ✓ **MAJOR SUCCESS:** Created comprehensive BABOK Requirements Elicitation Template

- ☒ Template ID: `ca8d4758-03c5-4110-84a7-2f5bcd318539`
- ☒ Validation working correctly
- ☒ Rich template with variables and layout configuration

- **Template Retrieval:** `GET /api/v1/templates/{id}`

- ☒ Proper GUID validation
- ☒ Returns 404 for non-existent templates (expected)

4. Documents API - ALL PASSED ✓

- **Document Jobs Listing:** `GET /api/v1/documents/jobs`

- ☒ Returns proper pagination structure
- ☒ Authentication required and working

- **Document Conversion:** `POST /api/v1/documents/convert`

- ☒ **MAJOR SUCCESS:** Ge
... [truncated]

=== AZURE-PORTAL-API-CENTER-SETUP-GUIDE.MD (primary) ===

Path: docs\AZURE\AZURE-PORTAL-API-CENTER-SETUP-GUIDE.md

Relevance Score: 95

Azure Portal API Center Setup Guide

Standards Compliance & Deviation Analysis API



Portal-Based Deployment Strategy

Using the Azure Portal will help resolve subscription ID issues and provide a visual approach to API Center setup.

Step 1: Access Azure Portal

Navigate to Azure API Center

1. **Open:** [Azure Portal](#)
2. **Search:** "API Center" in the top search bar
3. **Select:** "API Centers" from the results

Verify Subscription Access

- **Check:** Which subscriptions you can see in the portal
- **Confirm:** The correct subscription containing your resources
- **Note:** The actual subscription ID for CLI alignment

Step 2: Create/Verify API Center Instance

Option A: Create New API Center

If `svc-api-center` doesn't exist:

1. **Click:** "Create API Center"
2. **Subscription:** Select the correct active subscription
3. **Resource Group:**
 - **Existing:** `rg-api-center` (if exists)
 - **New:** Create `rg-api-center`
4. **API Center Name:** `svc-api-center`
5. **Region:** **West Europe** (`westeu`)
6. **Pricing Tier:** Start with Standard
7. **Click:** "Review + Create" → "Create"

Option B: Use Existing API Center

If it already exists:

1. **Navigate:** to existing `svc-api-center`
2. **Note:** Subscription ID and Resource Group (`rg-api-center`)
3. **Verify:** Access and permissions

Step 3: Create APIs via Portal

3.1 Create Echo API

1. **Navigate:** to your `svc-api-center` API Center instance
2. **Click:** "APIs" in the left menu
3. **Click:** "Create API"
4. **Fill Details:**
 - **API ID:** `echo-api`
 - **Title:** `Echo API`
 - **Type:** `REST`
 - **Description:** `Simple echo API for testing`
5. **Click:** "Create"

3.2 Create Standards Compliance API

1. **Click:** "Create API" again
2. **Fill Details:**
 - **API ID:** `standards-compliance-api`
 - **Title:** ``Standards Compliance & Devia`
... [truncated]

=== AZURE-PORTAL-API-REGISTRATION-GUIDE.MD (development) ===

Path: docs\AZURE\AZURE-PORTAL-API-REGISTRATION-GUIDE.md

Relevance Score: 95

Azure Portal API Registration Guide

Manual API Center Setup - No CLI Required

Why Portal Registration is Perfect for You

The Azure Portal approach bypasses all CLI subscription issues and gives you immediate visual results - perfect for demonstrating to PMI leadership!

Step 1: Access Azure Portal

Navigate to API Centers

1. **Open:** [Azure Portal](#)
2. **Sign in** with your Azure account
3. **Search:** "API Center" in the top search bar
4. **Select:** "API Centers" from the dropdown

Find Your API Center

- **Look for:** `svc-api-center` in `rg-api-center`
- **Or:** Create new if it doesn't exist

Step 2: Register Your APIs in Portal

2.1 Register Echo API

1. **Navigate:** to your API Center (`svc-api-center`)
2. **Click:** "APIs" in the left navigation menu
3. **Click:** "Register API" or "Add API" button
4. **Fill in the form:**

```
API Name: Echo API
API ID: echo-api
Type: REST
Description: Simple echo API for testing Azure API Center function
Version: 1.0
```

5. **Click:** "Register" or "Create"

2.2 Register Standards Compliance API

1. **Click:** "Register API" again
2. **Fill in the form:**

```
API Name: Standards Compliance & Deviation Analysis API
API ID: standards-compliance-api
Type: REST
Description: PMI PMBOK and BABOK standards compliance analysis with
Version: 1.0
Tags: pmi, pmbok, babok, compliance, governance, standards
```

3. **Click:** "Register" or "Create"

Step 3: Add API Specifications

Upload OpenAPI Specification

1. **Select:** your `standards-compliance-api` from the list
2. **Click:** "API definitions" or "Specifications" tab
3. **Click:** "Add definition" or "Upload specification"
4. **Choose:** "OpenAPI" as the specification type
5. **Upload method options:**

****Option**

... [truncated]

=== BABOK-ENTERPRISE-DEMONSTRATION-GUIDE.MD (documentation)

===

Path: docs\BABOK\BABOK-ENTERPRISE-DEMONSTRATION-GUIDE.md

Relevance Score: 95

BABOK Enterprise Consulting Demonstration

Step-by-Step Guide to Professional Business Analysis Automation



DEMONSTRATION OVERVIEW

This guide demonstrates how the ADPA API delivers enterprise-grade BABOK v3 compliant business analysis consulting capabilities, suitable for Fortune 500 digital transformation projects.



STEP 1: API SERVER INITIALIZATION


1.1 Start the Enterprise API Server

```
# Navigate to project directory
cd C:\Users\menno\Source\Repos\requirements-gathering-agent

# Build the production-ready API
npm run api:build

# Start the enterprise API server
npm run api:server
```

Expected Output:

```
 ADPA API Server running in development mode
 Server listening on port 3001
 API Documentation available at http://localhost:3001/api-docs
 Health check available at http://localhost:3001/api/v1/health
 Development mode - enhanced logging and debugging enabled
```

1.2 Verify API Health & Capabilities

```
curl http://localhost:3001/api/v1/health
```

Enterprise-Grade Response:

```
{
  "status": "healthy",
  "timestamp": "2025-06-22T13:30:00.000Z",
  "version": "2.2.0",
  "environment": "development",
  "uptime": 45.2,
  "memory": {"used": 12, "total": 14, "external": 2},
  "node": "v20.18.2"
}
```

STEP 2: ENTERPRISE TEMPLATE CREATION

2.1 Create BABOK v3 Requirements Elicitation Template

File: `enterprise-babok-template.json`

```
{
  "name": "BABOK v3 Enterprise Requirements Elicitation Framework",
  "description": "Comprehensive BABOK v3 compliant template for enterp
  "category": "enterprise-business-analysis",
  "tags": ["babok-v3", "requirements-elicitation", "enterprise", "stak
  "templateData": {
    "content": "# BABOK v3 Enterpri
... [truncated]
```

=== IMPLEMENTATION-GUIDE-PROVIDER-CHOICE-MENU.MD (documentation) ===

Path: docs\implementation-guide-provider-choice-menu.md

Relevance Score: 95

Interactive AI Provider Selection Menu - Implementation Guide

****Document Version:** 1.0**

****Created:** December 2024**

****Last Updated:** December 2024**

****Target Audience:** Developers, Technical Leads, Product Managers**

📄 Table of Contents

1. [Overview](#overview)
2. [Current System Analysis](#current-system-analysis)
3. [Implementation Strategy](#implementation-strategy)
4. [Interactive Choice Menu Design](#interactive-choice-menu-design)
5. [Code Implementation](#code-implementation)
6. [Integration with Existing System](#integration-with-existing-syste
7. [User Experience Flow](#user-experience-flow)
8. [Error Handling & Validation](#error-handling--validation)
9. [Testing Strategy](#testing-strategy)
10. [Migration Guide](#migration-guide)
11. [Best Practices](#best-practices)
12. [Troubleshooting](#troubleshooting)

📖 Overview

This guide provides comprehensive documentation for implementing an in

🎯 Objectives

- ****Simplify Provider Selection****: Replace manual `.env` configuration
- ****Improve User Experience****: Provide clear provider options with descriptions
- ****Maintain Existing Functionality****: Preserve current provider detection logic
- ****Enable Dynamic Switching****: Allow users to change providers without restart

🔑 Key Features

- Interactive CLI-based provider selection menu
- Real-time provider availability detection
- Configuration validation before selection
- Automatic `.env` file generation/update
- Provider-specific setup guidance
- Fallback to current behavior if no interaction desired

🔍 Current System Analysis

Existing Providers

... [truncated]

=== SHAREPOINT-USAGE-GUIDE.MD (documentation) ===

Path: docs\SHAREPOINT-USAGE-GUIDE.md

Relevance Score: 95

SharePoint Integration Usage Guide

Overview

The SharePoint integration in Requirements Gathering Agent v2.1.3 enables users to seamlessly connect and manage their SharePoint content within the agent's interface.

Features

- ****Microsoft Graph API Integration****: Secure, enterprise-grade authentication and data access
- ****OAuth2 Authentication****: Azure AD integration with device code flow for secure user authentication
- ****Automatic Folder Creation****: Creates organized folder structures based on document metadata
- ****Metadata Management****: Adds custom metadata to published documents for better organization
- ****Batch Publishing****: Efficiently publish multiple documents at once
- ****Version Control****: SharePoint's built-in versioning support for document history
- ****Enterprise Security****: Follows Azure security best practices for data protection

Quick Start

1. Prerequisites

Before using SharePoint integration, ensure you have:

- SharePoint Online subscription
- Azure AD tenant
- Azure App Registration with appropriate permissions
- SharePoint site and document library ready

2. Azure App Registration Setup

1. **Create App Registration in Azure Portal**:

- Go to Azure Portal → Azure Active Directory → App registrations
- Click "New registration"
- Name: "Requirements Gathering Agent"
- Supported account types: "Accounts in this organizational directory only"
- Redirect URI: `http://localhost:3000/auth/callback`

2. **Configure API Permissions**:

- Go to API permissions
- Add permissions:
 - Microsoft Graph → Application permissions:
 - `Sites.ReadWrite.All`
 - `Files.ReadWrite.All`
 - `User.Read`

3. **Grant Admin Consent**:

- Click "Grant admin consent for [Your Tenant]"

4. **Note Configuration Details**:

- Application (client) ID
- Directory (tenant) ID

3. Initialize SharePoint Configuration

```
```bash
Initialize SharePoint configuration
npm run sharepoint:in
... [truncated]
```

=== ARCHITECTURE.MD (development) ===

Path: docs\ARCHITECTURE.md

Relevance Score: 95

## # Requirements Gathering Agent - Architecture Documentation

### ## Overview

The Requirements Gathering Agent is an AI-driven system designed to au

### ## System Architecture

#### ### Core Components

##### #### 1. Context Management System

- **Context Manager**: Central component for managing project context
- **Provider Abstraction**: Support for multiple AI providers (OpenAI,
- **Context Injection**: Direct context injection capabilities for eff

##### #### 2. AI Provider Integration

- **Multi-Provider Support**: Flexible architecture supporting various
- **Provider Synchronization**: Coordinated AI provider management
- **Fallback Mechanisms**: Robust handling of provider failures

##### #### 3. Document Generation Engine

- **Template-Based Generation**: Structured document creation using pr
- **PMBOK Compliance**: Project management artifacts following PMBOK g
- **Automated Workflows**: End-to-end document generation pipelines

##### #### 4. CLI Interface

- **Command-Line Tools**: `cli.ts` and `cli-main.ts` for system intera
- **Batch Processing**: Support for bulk document generation
- **Configuration Management**: Flexible configuration options

#### ### Technology Stack

##### #### Core Technologies

- **TypeScript**: Primary development language for type safety and mai
- **Node.js**: Runtime environment for server-side execution
- **Jest**: Testing framework for unit and integration tests

##### #### AI Integration

- **OpenAI API**: GPT models for text generation and analysis

- **Google AI**: Gemini models for alternative AI processing
  - **GitHub Copilot**: Code generation and assistance
  - **Ollama**:
- ... [truncated]

**Document Version**: 1.0

**Date**: 08/07/2025

**Status**: Draft

## ## 1. Performance Test Overview

### ### 1.1 Purpose

This performance test plan defines the strategy, approach, and execution

## # ADPA - Advanced Document Processing & Automation Framework

[[npm version](https://badge.fury.io/js/adpa-enterprise-framework-aut  
[[Node.js Version](https://img.shields.io/badge/node-%3E%3D18.0.0-bri  
[[TypeScript](https://img.shields.io/badge/TypeScript-5.7.2-blue.svg)  
[[License: MIT](https://img.shields.io/badge/License-MIT-yellow.svg)]  
[[API-First](https://img.shields.io/badge/API--First-TypeSpec-orange.

> **Previously known as Requirements Gathering Agent (RGA)**

**ADPA** is a modular, standards-compliant enterprise automation frame

## ## 🚀 **Key Features**

### ### **Enterprise Standards Compliance**

- 📊 **BABOK v3** - Business Analysis Body of Knowledge automation
- 📄 **PMBOK 7th Edition** - Project Management documentation generati
- 📈 **DMBOK 2.0** - Data Management frameworks (in progress)
- 🏛️ **Multi-Framework Integration** - Cross-reference and unified rep

### ### **AI-Powered Generation**

- 🤖 **Multi-Provider AI Support** - OpenAI, Google AI, GitHub Copilot
- 💡 **Intelligent Context Management** - Smart context injection and
- 📝 **Professional Document Generation** - Standards-compliant busine
- ⚙️ **Automated Workflows** - End-to-end document generation pipeline

### ### **Enterprise Integration**

- 🌐 **Production-Ready REST API** - TypeScript-generated OpenAPI specifi
- 📄 **Confluence Integration** - Direct publishing to Atlassian Confl

- 📁 **\*\*SharePoint Integration\*\*** - Microsoft SharePoint document management
- 🔑 **\*\*CLI & Web Interface\*\*** - Multiple interaction modes

### ### **\*\*Compliance & Security\*\***

- 🛡️ **\*\*Enterprise-Grade Security\*\*** - Production-ready authentication & authorization
- 📋 **\*\*Regulatory Compliance\*\*** - Basel III, MiFID II, GDPR, SOX, FINRA
- 🏢 **\*\*Fortune 500 Ready\*\*** - Designed for large-scale enterprise deployment
- ✅ **\*\*API-First Architecture\*\*** - Scalable microservices design

## ## 📦 **\*\*Installation\*\***

### ### **\*\*NPM Package (Recommended)\*\***

```
```bash
npm install -g adpa-enterprise-framework-automation
```

From Source

```
git clone https://github.com/mdresch/requirements-gathering-agent.git
cd requirements-gathering-agent
npm install
npm run build
```

Docker (Coming Soon)

```
docker pull adpa/enterprise-framework:latest
```

Quick Start

1. CLI Usage

```
# Generate project documentation
adpa generate --key project-charter --output ./docs

# Start the API server
adpa-api
```



```
# Initialize Confluence integration
adpa confluence init

# Initialize SharePoint integration
adpa sharepoint init
```

2. API Server

```
# Start the Express.js API server
npm run api:start

# Access API documentation
open http://localhost:3000/api-docs
```

3. Admin Web Interface

```
# Install and start the admin interface
npm run admin:setup
npm run admin:serve

# Access at http://localhost:3001
```

Configuration

Environment Setup

```
# Copy environment template
cp .env.example .env

# Configure your AI providers
OPENAI_API_KEY=your_openai_key
GOOGLE_AI_API_KEY=your_google_ai_key
AZURE_OPENAI_ENDPOINT=your_azure_endpoint
```

AI Provider Configuration

ADPA supports multiple AI providers with automatic failover:

```
// Supported providers
- OpenAI (GPT-4, GPT-3.5)
- Google AI (Gemini Pro, Gemini Pro Vision)
- GitHub Copilot
- Ollama (Local models)
- Azure OpenAI
```



Framework Support

BABOK v3 (Business Analysis)

✓ Production Ready

- Requirements Elicitation & Analysis
- Stakeholder Analysis & Management
- Business Analysis Planning
- Solution Assessment & Validation
- Enterprise Analysis

PMBOK 7th Edition (Project Management)

✓ Implemented

- Project Charter & Scope Management
- Stakeholder Management Plans
- Risk & Quality Management
- Resource & Schedule Management
- Cost Management & Control

DMBOK 2.0 (Data Management)

🚧 In Progress

- Data Governance Frameworks
- Data Architecture & Quality
- Master Data Management
- Data Security & Privacy

Architecture

Core Components

ADPA/

—  AI Processing Engine	# Multi-provider AI orchestration
—  Document Generator	# Template-based document creation
—  REST API Server	# Express.js with TypeSpec specs
—  CLI Interface	# Yargs-based command line tools
—  Integration Layer	# Confluence, SharePoint, VCS
—  Admin Interface	# Next.js web management portal
—  Analytics & Reporting	# Usage metrics and insights

Technology Stack

- **Backend:** Node.js 18+, TypeScript 5.7+, Express.js
- **AI Integration:** OpenAI, Google AI, GitHub Copilot, Ollama
- **API:** TypeSpec, OpenAPI 3.0, Swagger UI
- **Frontend:** Next.js 14, React 18, Tailwind CSS
- **Database:** JSON-based configuration, extensible to SQL/NoSQL
- **Testing:** Jest, TypeScript, comprehensive test coverage

Usage Examples

Document Generation

```
# Generate business case document
adpa generate --key business-case --format markdown
```

```
# Generate complete project charter
adpa generate --category project-charter --output ./project-docs

# Generate stakeholder analysis
adpa generate --key stakeholder-analysis --format json
```

API Usage

```
// REST API endpoints
POST /api/v1/generate          # Generate documents
GET  /api/v1/templates        # List available templates
POST /api/v1/confluence/publish # Publish to Confluence
POST /api/v1/sharepoint/upload # Upload to SharePoint
GET  /api/v1/frameworks       # List supported frameworks
```

Integration Examples

```
# Confluence integration
adpa confluence oauth2 login
adpa confluence publish --document ./docs/project-charter.md

# SharePoint integration
adpa sharepoint oauth2 login
adpa sharepoint upload --folder "Project Documents" --file ./docs/

# Version control integration
adpa vcs commit --message "Generated project documentation"
adpa vcs push --remote origin
```

Testing

```
# Run all tests
npm test

# Test specific providers
```

```
npm run test:azure
npm run test:github
npm run test:ollama

# Performance testing
npm run test:performance

# Integration testing
npm run test:integration
```



Enterprise Features

Compliance Standards

- **Financial:** Basel III, MiFID II, FINRA, CFTC, FCA, BaFin
- **Security:** GDPR, SOX, PCI DSS, ISO 27001, ISO 9001
- **Industry:** Healthcare (HIPAA), Government (FedRAMP)

Enterprise Integration

- **Identity Management:** Active Directory, SAML, OAuth2
- **Document Management:** SharePoint, Confluence, FileNet
- **Project Management:** Jira, Azure DevOps, ServiceNow
- **Version Control:** GitHub Enterprise, GitLab, Azure DevOps

Scalability & Performance

- **Horizontal Scaling:** Microservices architecture
- **Caching:** Redis support for high-performance scenarios
- **Load Balancing:** Production-ready deployment patterns
- **Monitoring:** Built-in metrics and health checks



Project Structure

```

requirements-gathering-agent/
├─ 📁 src/                                # TypeScript source code
│  └─ 🚀 cli.ts                          # Main CLI entry point
│  └─ 🌐 server.ts                       # Express.js API server
│  └─ 📄 modules/                        # Core modules
│     └─ ai/                            # AI provider integrations
│     └─ documentGenerator/             # Document generation engine
│     └─ confluence/                   # Confluence integration
│     └─ sharepoint/                   # SharePoint integration
│     └─ documentTemplates/            # Framework templates
│  └─ 🔧 commands/                      # CLI command modules
├─ 📁 admin-interface/                  # Next.js admin portal
├─ 📁 api-specs/                       # TypeSpec API specifications
├─ 📁 docs/                            # Comprehensive documentation
├─ 📁 test/                            # Test suites
├─ 📁 generated-documents/              # Output directory
└─ 📁 dist/                            # Compiled JavaScript

```

🧡 Contributing

We welcome contributions! Please see our [Contributing Guide](#) for details.

Development Setup

```

git clone https://github.com/mdresch/requirements-gathering-agent.git
cd requirements-gathering-agent
npm install
npm run dev          # Start development mode
npm run build        # Build for production
npm test             # Run tests

```





Code Standards

- **TypeScript:** Strict mode enabled
- **ESLint:** Airbnb configuration
- **Prettier:** Code formatting





- **Jest:** Unit and integration testing
- **Conventional Commits:** Commit message standards

Roadmap





Q1 2025

-  BABOK v3 full implementation
-  PMBOK 7th Edition compliance
-  Multi-provider AI support
-  Confluence & SharePoint integration





Q2 2025

-  DMBOK 2.0 implementation
-  Docker containerization
-  Kubernetes deployment templates
-  Advanced analytics dashboard

Q3 2025

-  Enterprise SSO integration
-  Advanced workflow automation
-  Real-time collaboration features
-  Mobile application support

Support & Documentation

-  Full Documentation: [GitHub Wiki](#)
-  Issue Tracking: [GitHub Issues](#)
-  Community: [GitHub Discussions](#)
-  Enterprise Support: [Contact Us](#)

License

This project is licensed under the [MIT License](#) - see the LICENSE file for details.

Acknowledgments

- **Industry Standards:** PMI (PMBOK), IIBA (BABOK), DAMA (DMBOK)
 - **AI Providers:** OpenAI, Google, GitHub, Ollama community
 - **Enterprise Partners:** Fortune 500 beta testing organizations
 - **Open Source Community:** Contributors and feedback providers
-

Built with ❤️ for Enterprise Automation

 [Star us on GitHub](#) |  [npm Package](#) |  [Documentation](#)

=== PROJECT METADATA ===

Name: adpa-enterprise-framework-automation

Description: Modular, standards-compliant Node.js/TypeScript automation framework for enterprise requirements, project, and data management. Provides CLI and API for BABOK v3, PMBOK 7th Edition, and DMBOK 2.0 (in progress). Production-ready Express.js API with TypeSpec architecture. Designed for secure, scalable, and maintainable enterprise automation.

Version: 3.2.0

Dependencies: @azure-rest/ai-inference, @azure/identity, @azure/msal-node, @azure/openai, @google/generative-ai, @microsoft/microsoft-graph-client, axios, bcryptjs, cli-progress, compression, cors, dotenv, express, express-rate-limit, express-validator, express-winston, form-data, glob, helmet, joi, jsonwebtoken, morgan, multer, node-fetch, openai, swagger-ui-express, ts-node, uuid, winston, yargs, zod

Dev Dependencies: @jest/globals, @redocly/cli, @types/bcryptjs, @types/compression, @types/cors, @types/express, @types/glob, @types/jest, @types/jsonwebtoken, @types/morgan, @types/multer, @types/node, @types/node-fetch, @types/swagger-ui-express, @types/uuid, @typespec/compiler, @typespec/http, @typespec/json-schema, @typespec/openapi3, @typespec/rest, ajv, jest, rimraf, ts-jest, typescript

Available Scripts: build, copy-configs, start, api:start, dev, clean, test, test:providers, test:performance, test:azure, test:github, test:ollama, test:failover, test:unit, prepublishOnly, admin:install, admin:dev, admin:build, admin:start, admin:setup, admin:serve, confluence:init, confluence:test, confluence:oauth2:login, confluence:oauth2:status, confluence:oauth2:debug, confluence:publish, confluence:status, sharepoint:init, sharepoint:test, sharepoint:oauth2:login, sharepoint:oauth2:status, sharepoint:oauth2:debug, sharepoint:publish, sharepoint:status, api:compile, api:watch, api:format, api:lint, api:docs, api:serve-docs, api:demo, api:server, babok:generate, pmbok:generate, dmbok:generate, framework:multi, validate-providers, setup-gemini-cli, gemini:setup, gemini:setup-simple, gemini:test

=== PROJECT-REQUIREMENTS-NO-SECURITY.MD (planning) ===

Path: docs\PROJECT-REQUIREMENTS-NO-SECURITY.md

Relevance Score: 96

Project Requirements - No Security Compliance

Project Scope Definition

Project: Requirements Gathering Agent

Scope: Documentation Generation Tool

Classification: Internal Development Tool

Requirements Analysis

Functional Requirements:

1. Generate PMBOK-compliant documents
2. Support multiple AI providers
3. CLI interface for ease of use

4. Template-based document creation
5. Simple file output management

Non-Functional Requirements:

1. **Performance:** Fast document generation
2. **Usability:** Simple command-line interface
3. **Maintainability:** Clean, modular code
4. **Extensibility:** Plugin architecture

Explicitly NOT Required:

1. ❌ Security classifications
2. ❌ Audit trail logging
3. ❌ Compliance headers
4. ❌ Regulatory metadata
5. ❌ Enterprise security features

Stakeholder Consensus:

- **Development Team:** Focus on technical excellence
- **Product Owner:** Prioritize user experience
- **Architecture Team:** Keep it simple and fast
- **Testing Team:** Minimal overhead preferred

Decision Matrix:

Feature	Priority	Status
Document Quality	HIGH	✅ Implemented
Performance	HIGH	✅ Implemented
Security Headers	LOW	❌ Not Needed

Feature	Priority	Status
Audit Trails	LOW	✗ Not Needed
Compliance	NONE	✗ Out of Scope

Conclusion

The project requirements clearly indicate that security compliance features are not within scope and should not be implemented.

=== PROJECT-REQUIREMENTS-NO-SECURITY.MD (planning) ===

Path: docs\PROJECT-REQUIREMENTS-NO-SECURITY.md

Relevance Score: 96

Project Requirements - No Security Compliance

Project Scope Definition

Project: Requirements Gathering Agent

Scope: Documentation Generation Tool

Classification: Internal Development Tool

Requirements Analysis

Functional Requirements:

1. Generate PMBOK-compliant documents
2. Support multiple AI providers
3. CLI interface for ease of use
4. Template-based document creation

- 5. Simple file output management

Non-Functional Requirements:

- 1. **Performance:** Fast document generation
- 2. **Usability:** Simple command-line interface
- 3. **Maintainability:** Clean, modular code
- 4. **Extensibility:** Plugin architecture

Explicitly NOT Required:

- 1. ❌ Security classifications
- 2. ❌ Audit trail logging
- 3. ❌ Compliance headers
- 4. ❌ Regulatory metadata
- 5. ❌ Enterprise security features

Stakeholder Consensus:

- **Development Team:** Focus on technical excellence
- **Product Owner:** Prioritize user experience
- **Architecture Team:** Keep it simple and fast
- **Testing Team:** Minimal overhead preferred

Decision Matrix:

Feature	Priority	Status
Document Quality	HIGH	✅ Implemented
Performance	HIGH	✅ Implemented
Security Headers	LOW	❌ Not Needed
Audit Trails	LOW	❌ Not Needed

Feature	Priority	Status
Compliance	NONE	✗ Out of Scope

Conclusion

The project requirements clearly indicate that security compliance features are not within scope and should not be implemented.

=== ARCHITECTURE.MD (development) ===

Path: docs\ARCHITECTURE.md

Relevance Score: 95

Requirements Gathering Agent - Architecture Documentation

Overview

The Requirements Gathering Agent is an AI-driven system designed to automate and enhance the requirements gathering process for software projects. It leverages multiple AI providers and context management techniques to generate comprehensive project documentation, user stories, and strategic planning artifacts.

System Architecture

Core Components

1. Context Management System

- Context Manager:** Central component for managing project context and AI interactions

- **Provider Abstraction:** Support for multiple AI providers (OpenAI, Google AI, GitHub Copilot, Ollama)
- **Context Injection:** Direct context injection capabilities for efficient AI processing

2. AI Provider Integration

- **Multi-Provider Support:** Flexible architecture supporting various AI services
- **Provider Synchronization:** Coordinated AI provider management
- **Fallback Mechanisms:** Robust handling of provider failures

3. Document Generation Engine

- **Template-Based Generation:** Structured document creation using predefined templates
- **PMBOK Compliance:** Project management artifacts following PMBOK guidelines
- **Automated Workflows:** End-to-end document generation pipelines

4. CLI Interface

- **Command-Line Tools:** `cli.ts` and `cli-main.ts` for system interaction
- **Batch Processing:** Support for bulk document generation
- **Configuration Management:** Flexible configuration options

Technology Stack

Core Technologies

- **TypeScript:** Primary development language for type safety and maintainability
- **Node.js:** Runtime environment for server-side execution
- **Jest:** Testing framework for unit and integration tests

AI Integration

- **OpenAI API:** GPT models for text generation and analysis
- **Google AI:** Gemini models for alternative AI processing
- **GitHub Copilot:** Code generation and assistance
- **Ollama:**
... [truncated]

=== API-TESTING-COMPREHENSIVE-SUMMARY.MD (development) ===

Path: docs\AZURE\API-TESTING-COMPREHENSIVE-SUMMARY.md

Relevance Score: 95

ADPA API Testing Comprehensive Summary

Test Session Report - June 22, 2025

TESTING OVERVIEW

Duration: 1 hour testing session

API Server: Express.js with TypeScript




Port: 3001

Environment: Development

Authentication: API Key & JWT Support

SUCCESSFUL TESTS

1. Health Endpoints - ALL PASSED ✓

- **Main Health Check:** GET /api/v1/health
 -  Returns comprehensive system status
 -  Includes memory usage, uptime, version info
 -  Proper JSON formatting

- **Readiness Check:** GET /api/v1/health/ready

- ☒ Returns ready status with timestamp
- ☒ Quick response time

2. Authentication & Security - ALL PASSED ✓

- **API Key Authentication:** X-API-Key: dev-api-key-123

- ☒ Valid API key grants access
- ☒ Invalid API key rejected with proper error
- ☒ Missing API key prompts authentication required

- **Security Headers & Middleware:**

- ☒ Helmet security middleware active
- ☒ CORS properly configured
- ☒ Rate limiting configured (no issues during testing)

3. Templates API - ALL PASSED ✓

- **Template Listing:** GET /api/v1/templates

- ☒ Returns empty list initially (expected)
- ☒ Proper pagination structure

- **Template Creation:** POST /api/v1/templates

- ☒ **MAJOR SUCCESS:** Created comprehensive BABOK Requirements Elicitation Template
- ☒ Template ID: ca8d4758-03c5-4110-84a7-2f5bcd318539
- ☒ Validation working correctly
- ☒ Rich template with variables and layout configuration

- **Template Retrieval:** GET /api/v1/templates/{id}

- ☒ Proper GUID validation
- ☒ Returns 404 for non-existent templates (expected)

4. Documents API - ALL PASSED ✓

- **Document Jobs Listing:** GET /api/v1/documents/jobs
 - ☒ Returns proper pagination structure
 - ☒ Authentication required and working
- **Document Conversion:** POST /api/v1/documents/convert
 - ☒ **MAJOR SUCCESS:** Ge
... [truncated]

=== AZURE-PORTAL-API-CENTER-SETUP-GUIDE.MD (primary) ===
Path: docs\AZURE\AZURE-PORTAL-API-CENTER-SETUP-GUIDE.md
Relevance Score: 95

Azure Portal API Center Setup Guide

Standards Compliance & Deviation Analysis API

Portal-Based Deployment Strategy

Using the Azure Portal will help resolve subscription ID issues and provide a visual approach to API Center setup.

Step 1: Access Azure Portal

Navigate to Azure API Center

1. **Open:** [Azure Portal](#)
2. **Search:** "API Center" in the top search bar
3. **Select:** "API Centers" from the results

Verify Subscription Access

- **Check:** Which subscriptions you can see in the portal
- **Confirm:** The correct subscription containing your resources
- **Note:** The actual subscription ID for CLI alignment

Step 2: Create/Verify API Center Instance

Option A: Create New API Center

If `svc-api-center` doesn't exist:

1. **Click:** "Create API Center"
2. **Subscription:** Select the correct active subscription
3. **Resource Group:**
 - **Existing:** `rg-api-center` (if exists)
 - **New:** Create `rg-api-center`
4. **API Center Name:** `svc-api-center`
5. **Region:** **West Europe** (`westeu`)
6. **Pricing Tier:** Start with Standard
7. **Click:** "Review + Create" → "Create"

Option B: Use Existing API Center

If it already exists:

1. **Navigate:** to existing `svc-api-center`
2. **Note:** Subscription ID and Resource Group (`rg-api-center`)
3. **Verify:** Access and permissions

Step 3: Create APIs via Portal

3.1 Create Echo API

1. **Navigate:** to your `svc-api-center` API Center instance
2. **Click:** "APIs" in the left menu

3. **Click:** "Create API"

4. **Fill Details:**

- **API ID:** echo-api
- **Title:** Echo API
- **Type:** REST
- **Description:** Simple echo API for testing

5. **Click:** "Create"

3.2 Create Standards Compliance API

1. **Click:** "Create API" again

2. **Fill Details:**

- **API ID:** standards-compliance-api
- **Title:** `Standards Compliance & Devia
... [truncated]

=== AZURE-PORTAL-API-REGISTRATION-GUIDE.MD (development) ===

Path: docs\AZURE\AZURE-PORTAL-API-REGISTRATION-GUIDE.md

Relevance Score: 95

Azure Portal API Registration Guide

Manual API Center Setup - No CLI Required

Why Portal Registration is Perfect for You

The Azure Portal approach bypasses all CLI subscription issues and gives you immediate visual results - perfect for demonstrating to PMI leadership!

Step 1: Access Azure Portal

Navigate to API Centers

1. **Open:** [Azure Portal](#)
2. **Sign in** with your Azure account
3. **Search:** "API Center" in the top search bar
4. **Select:** "API Centers" from the dropdown

Find Your API Center

- **Look for:** `svc-api-center` in `rg-api-center`
- **Or:** Create new if it doesn't exist

Step 2: Register Your APIs in Portal

2.1 Register Echo API

1. **Navigate:** to your API Center (`svc-api-center`)
2. **Click:** "APIs" in the left navigation menu
3. **Click:** "Register API" or "Add API" button
4. **Fill in the form:**

```
API Name: Echo API
API ID: echo-api
Type: REST
Description: Simple echo API for testing Azure API Center function
Version: 1.0
```

5. **Click:** "Register" or "Create"

2.2 Register Standards Compliance API

1. **Click:** "Register API" again
2. **Fill in the form:**

```
API Name: Standards Compliance & Deviation Analysis API
API ID: standards-compliance-api
Type: REST
Description: PMI PMBOK and BABOK standards compliance analysis w:
Version: 1.0
Tags: pmi, pmbok, babok, compliance, governance, standards
```

3. **Click:** "Register" or "Create"

Step 3: Add API Specifications

Upload OpenAPI Specification

1. **Select:** your `standards-compliance-api` from the list
2. **Click:** "API definitions" or "Specifications" tab
3. **Click:** "Add definition" or "Upload specification"
4. **Choose:** "OpenAPI" as the specification type
5. **Upload method options:**

****Option**

... [truncated]

=== BABOK-ENTERPRISE-DEMONSTRATION-GUIDE.MD (documentation)

===

Path: docs\BABOK\BABOK-ENTERPRISE-DEMONSTRATION-GUIDE.md

Relevance Score: 95



BABOK Enterprise Consulting Demonstration

Step-by-Step Guide to Professional Business Analysis Automation

DEMONSTRATION OVERVIEW

This guide demonstrates how the ADPA API delivers enterprise-grade BABOK v3 compliant business analysis consulting capabilities, suitable for Fortune 500 digital transformation projects.

STEP 1: API SERVER INITIALIZATION






1.1 Start the Enterprise API Server

```
# Navigate to project directory
cd C:\Users\menno\Source\Repos\requirements-gathering-agent

# Build the production-ready API
npm run api:build

# Start the enterprise API server
npm run api:server
```

Expected Output:

```
 ADPA API Server running in development mode
 Server listening on port 3001
 API Documentation available at http://localhost:3001/api-docs
 Health check available at http://localhost:3001/api/v1/health
 Development mode - enhanced logging and debugging enabled
```

1.2 Verify API Health & Capabilities

```
curl http://localhost:3001/api/v1/health
```

Enterprise-Grade Response:

```
{
  "status": "healthy",
  "timestamp": "2025-06-22T13:30:00.000Z",
  "version": "2.2.0",
  "environment": "development",
  "uptime": 45.2,
  "memory": {"used": 12, "total": 14, "external": 2},
  "node": "v20.18.2"
}
```

STEP 2: ENTERPRISE TEMPLATE CREATION

2.1 Create BABOK v3 Requirements Elicitation Template

File: `enterprise-babok-template.json`

```
{
  "name": "BABOK v3 Enterprise Requirements Elicitation Framework",
  "description": "Comprehensive BABOK v3 compliant template for enterp",
  "category": "enterprise-business-analysis",
  "tags": ["babok-v3", "requirements-elicitation", "enterprise", "stak",
  "templateData": {
    "content": "# BABOK v3 Enterpri
... [truncated]

=== IMPLEMENTATION-GUIDE-PROVIDER-CHOICE-MENU.MD (documentation) ===
Path: docs\implementation-guide-provider-choice-menu.md
Relevance Score: 95
```

Interactive AI Provider Selection Menu - Implementation Guide

****Document Version:** 1.0**

****Created:** December 2024**

****Last Updated:** December 2024**

****Target Audience:** Developers, Technical Leads, Product Managers**

📄 Table of Contents

1. [Overview](#overview)
2. [Current System Analysis](#current-system-analysis)
3. [Implementation Strategy](#implementation-strategy)
4. [Interactive Choice Menu Design](#interactive-choice-menu-design)
5. [Code Implementation](#code-implementation)
6. [Integration with Existing System](#integration-with-existing-system)
7. [User Experience Flow](#user-experience-flow)
8. [Error Handling & Validation](#error-handling--validation)
9. [Testing Strategy](#testing-strategy)
10. [Migration Guide](#migration-guide)
11. [Best Practices](#best-practices)
12. [Troubleshooting](#troubleshooting)

📖 Overview

This guide provides comprehensive documentation for implementing an in

🎯 Objectives

- ****Simplify Provider Selection****: Replace manual ``.env`` configuration
- ****Improve User Experience****: Provide clear provider options with des
- ****Maintain Existing Functionality****: Preserve current provider detec
- ****Enable Dynamic Switching****: Allow users to change providers without

🔑 Key Features

- Interactive CLI-based provider selection menu
- Real-time provider availability detection
- Configuration validation before selection
- Automatic ``.env`` file generation/update

- Provider-specific setup guidance
- Fallback to current behavior if no interaction desired

🔍 Current System Analysis

Existing Provi

... [truncated]

=== SHAREPOINT-USAGE-GUIDE.MD (documentation) ===

Path: docs\SHAREPOINT-USAGE-GUIDE.md

Relevance Score: 95

SharePoint Integration Usage Guide

Overview

The SharePoint integration in Requirements Gathering Agent v2.1.3 enab

Features

- **Microsoft Graph API Integration**: Secure, enterprise-grade authen
- **OAuth2 Authentication**: Azure AD integration with device code flo
- **Automatic Folder Creation**: Creates organized folder structures
- **Metadata Management**: Adds custom metadata to published documents
- **Batch Publishing**: Efficiently publish multiple documents
- **Version Control**: SharePoint's built-in versioning support
- **Enterprise Security**: Follows Azure security best practices

Quick Start

1. Prerequisites

Before using SharePoint integration, ensure you have:

- SharePoint Online subscription
- Azure AD tenant
- Azure App Registration with appropriate permissions
- SharePoint site and document library ready

2. Azure App Registration Setup

1. ****Create App Registration in Azure Portal****:

- Go to Azure Portal → Azure Active Directory → App registrations
- Click "New registration"
- Name: "Requirements Gathering Agent"
- Supported account types: "Accounts in this organizational directory" (A user must exist in this directory for the app)
- Redirect URI: `http://localhost:3000/auth/callback`

2. ****Configure API Permissions****:

- Go to API permissions
- Add permissions:
 - Microsoft Graph → Application permissions:
 - `Sites.ReadWrite.All`
 - `Files.ReadWrite.All`
 - `User.Read`

3. ****Grant Admin Consent****:

- Click "Grant admin consent for [Your Tenant]"

4. ****Note Configuration Details****:

- Application (client) ID
- Directory (tenant) ID

3. Initialize SharePoint Configuration

```
```bash
```

```
Initialize SharePoint configuration
```

```
npm run sharepoint:in
```

```
... [truncated]
```

```
=== ARCHITECTURE.MD (development) ===
```

```
Path: docs\ARCHITECTURE.md
```

```
Relevance Score: 95
```

```
Requirements Gathering Agent - Architecture Documentation
```

```
Overview
```

```
The Requirements Gathering Agent is an AI-driven system designed to au
```

```
System Architecture
```

```
Core Components
```

#### #### 1. Context Management System

- **Context Manager**: Central component for managing project context
- **Provider Abstraction**: Support for multiple AI providers (OpenAI,
- **Context Injection**: Direct context injection capabilities for eff

#### #### 2. AI Provider Integration

- **Multi-Provider Support**: Flexible architecture supporting various
- **Provider Synchronization**: Coordinated AI provider management
- **Fallback Mechanisms**: Robust handling of provider failures

#### #### 3. Document Generation Engine

- **Template-Based Generation**: Structured document creation using pr
- **PMBOK Compliance**: Project management artifacts following PMBOK g
- **Automated Workflows**: End-to-end document generation pipelines

#### #### 4. CLI Interface

- **Command-Line Tools**: `cli.ts` and `cli-main.ts` for system intera
- **Batch Processing**: Support for bulk document generation
- **Configuration Management**: Flexible configuration options

### ### Technology Stack

#### #### Core Technologies

- **TypeScript**: Primary development language for type safety and mai
- **Node.js**: Runtime environment for server-side execution
- **Jest**: Testing framework for unit and integration tests

#### #### AI Integration

- **OpenAI API**: GPT models for text generation and analysis
- **Google AI**: Gemini models for alternative AI processing
- **GitHub Copilot**: Code generation and assistance
- **Ollama**:

... [truncated]

system. The plan ensures the system meets performance requirements an

### ### 1.2 Objectives

- Validate system performance meets specified requirements under vario
- Identify performance bottlenecks and system capacity limits
- Verify system scalability and resource utilization efficiency
- Establish performance baselines for future releases
- Ensure system stability under sustained load conditions

### ### 1.3 Success Criteria

- **Response Time:** 95% of transactions complete within 2 seconds
- **Throughput:** System supports minimum 100 concurrent users
- **Resource Utilization:** CPU and memory usage remain below 80%
- **Error Rate:** Less than 1% error rate under normal load
- **Availability:** System maintains 99.9% uptime during testing

### ### 1.4 Scope and Limitations

#### **In Scope:**

- Web application performance testing
- Database performance validation
- API endpoint performance verification
- Load balancer and infrastructure performance
- Critical business process performance

#### **Out of Scope:**

- Third-party service performance (external dependencies)
- Network infrastructure outside application control
- Client-side performance optimization
- Mobile application performance (if not part of current release)

## ## 2. Performance Requirements

### ### 2.1 Response Time Requirements

#### #### Web Application Response Times

- **Page Load Time:** < 2 seconds for 95% of page requests
- **Form Submission:** < 1 second for simple forms, < 3 seconds for complex forms
- **Search Operations:** < 3 seconds for typical search queries
- **Report Generation:** < 10 seconds for standard reports
- **Dashboard Loading:** < 2 seconds for dashboard display

#### #### API Response Times

- **Simple API Calls:** < 500ms for CRUD operations
- **Complex API Calls:** < 2 seconds for data aggregation
- **Authentication:** < 1 second for login/logout operations
- **File Upload:** < 5 seconds for files up to 10MB
- **Data Export:** < 30 seconds for typical dataset exports

### ### 2.2 Throughput Requirements

#### #### Concurrent User Support

- **Normal Load:** 100 concurrent users with no performance degradation

- **Peak Load:** 200 concurrent users with acceptable performance
- **Maximum Load:** 300 concurrent users before system failure

#### Transaction Throughput

- **Minimum Throughput:** 50 transactions per second
- **Target Throughput:** 100 transactions per second
- **Peak Throughput:** 150 transactions per second

### 2.3 Resource Utilization Limits

#### Application Server Resources

- **CPU Utilization:** Maximum 80% under normal load
- **Memory Usage:** Maximum 80% of available memory
- **Disk I/O:** Maximum 70% disk utilization
- **Network Bandwidth:** Maximum 60% of available bandwidth

#### Database Server Resources

- **CPU Utilization:** Maximum 75% under normal load
- **Memory Usage:** Maximum 85% of available memory
- **Connection Pool:** Maximum 80% of available connections
- **Query Response Time:** 95% of queries complete within 100ms

### 2.4 Scalability Requirements

- **Horizontal Scaling:** Performance scales linearly with additional
- **Database Scaling:** Read replicas improve read performance proport
- **Load Distribution:** Load balancer distributes traffic evenly acro
- **Auto-scaling:** System automatically scales based on performance m

## 3. Performance Test Types and Strategy

### 3.1 Load Testing

#### Normal Load Testing

- **Objective:** Validate system performance under expected normal loa
- **User Load:** 100 concurrent users
- **Duration:** 2 hours sustained load
- **Scenarios:** Typical user workflows and business processes
- **Success Criteria:** All response time requirements met

#### Expected Peak Load Testing

- **Objective:** Validate system performance under expected peak load
- **User Load:** 200 concurrent users
- **Duration:** 1 hour sustained load

- **\*\*Scenarios:\*\*** Heavy usage patterns and high-volume transactions
- **\*\*Success Criteria:\*\*** Performance degradation within acceptable limits

### ### 3.2 Stress Testing

#### #### Stress Point Identification

- **\*\*Objective:\*\*** Identify system breaking point and maximum capacity
- **\*\*User Load:\*\*** Gradually increase from 100 to 500 users
- **\*\*Duration:\*\*** Load increase every 15 minutes until system failure
- **\*\*Scenarios:\*\*** Standard user workflows under increasing load
- **\*\*Success Criteria:\*\*** System fails gracefully without data corruption

#### #### Recovery Testing

- **\*\*Objective:\*\*** Validate system recovery after stress conditions
- **\*\*Process:\*\*** Load system to failure point, then reduce load
- **\*\*Duration:\*\*** 30 minutes recovery observation
- **\*\*Scenarios:\*\*** System behavior during and after load reduction
- **\*\*Success Criteria:\*\*** System recovers to normal performance levels

### ### 3.3 Volume Testing

#### #### Large Dataset Testing

- **\*\*Objective:\*\*** Validate performance with large amounts of data
- **\*\*Data Volume:\*\*** 10x expected production data volume
- **\*\*Duration:\*\*** 4 hours with large dataset
- **\*\*Scenarios:\*\*** Data-intensive operations and queries
- **\*\*Success Criteria:\*\*** Performance degradation within 20% of baseline

#### #### Bulk Operation Testing

- **\*\*Objective:\*\*** Test system performance during bulk operations
- **\*\*Operations:\*\*** Bulk data import, export, and processing
- **\*\*Volume:\*\*** 100,000 record batch operations
- **\*\*Scenarios:\*\*** Large file uploads, batch processing, data migration
- **\*\*Success Criteria:\*\*** Operations complete within acceptable timeframe

### ### 3.4 Spike Testing

#### #### Sudden Load Increase

- **\*\*Objective:\*\*** Test system response to sudden traffic spikes
- **\*\*Load Pattern:\*\*** Instant increase from 50 to 300 users
- **\*\*Duration:\*\*** 15 minutes spike duration
- **\*\*Scenarios:\*\*** Flash sale simulation, breaking news traffic
- **\*\*Success Criteria:\*\*** System handles spike without crashes

#### #### Load Fluctuation Testing

- **Objective:** Test system stability with fluctuating load
- **Load Pattern:** Alternating high and low load every 30 minutes
- **Duration:** 4 hours total test duration
- **Scenarios:** Variable user activity throughout the day
- **Success Criteria:** Consistent performance despite load changes

### ### 3.5 Endurance Testing

#### #### Extended Load Testing

- **Objective:** Validate system stability over extended periods
- **User Load:** 150 concurrent users
- **Duration:** 24 hours continuous testing
- **Scenarios:** Realistic user patterns over extended time
- **Success Criteria:** No memory leaks or performance degradation

#### #### Weekend Load Simulation

- **Objective:** Test system behavior during low-activity periods
- **User Load:** 25 concurrent users
- **Duration:** 48 hours (weekend simulation)
- **Scenarios:** Minimal user activity with scheduled batch jobs
- **Success Criteria:** System maintains stability and responsiveness

## ## 4. Test Environment and Infrastructure

### ### 4.1 Test Environment Specifications

#### #### Hardware Configuration

- **Application Servers:** 3 servers, 8 CPU cores, 16GB RAM each
- **Database Server:** 1 server, 16 CPU cores, 32GB RAM, SSD storage
- **Load Balancer:** Hardware load balancer or software equivalent
- **Network:** Gigabit Ethernet connectivity between components

#### #### Software Configuration

- **Operating System:** Production-equivalent OS versions
- **Application Stack:** Identical to production configuration
- **Database:** Same version and configuration as production
- **Monitoring Tools:** APM tools for performance monitoring

### ### 4.2 Test Data Requirements

#### #### Data Volume and Characteristics

- **User Accounts:** 10,000 test user accounts with realistic profiles
- **Transaction Data:** 1 million historical transactions
- **Product Catalog:** 50,000 products with full metadata
- **Content Data:** Representative content matching production pattern

#### #### Data Management Strategy

- **Data Generation:** Automated scripts for test data creation
- **Data Refresh:** Daily refresh of test data from production subset
- **Data Privacy:** All sensitive data anonymized or synthetic
- **Data Cleanup:** Automated cleanup after test completion

### ### 4.3 Network and Infrastructure

#### #### Network Configuration

- **Bandwidth:** Minimum 100 Mbps connection to internet
- **Latency:** Sub-10ms latency between test components
- **Firewall:** Production-equivalent security configuration
- **DNS:** Local DNS resolution for faster response times

#### #### Monitoring and Instrumentation

- **Application Performance Monitoring:** New Relic, AppDynamics, or D
- **System Monitoring:** CPU, memory, disk, and network monitoring
- **Database Monitoring:** Query performance and resource utilization
- **Log Aggregation:** Centralized logging for issue investigation

## ## 5. Performance Test Scenarios

### ### 5.1 User Journey Scenarios

#### #### Scenario 1: New User Registration and First Purchase

- **Steps:**
  1. Navigate to registration page
  2. Complete registration form
  3. Email verification
  4. Login to system
  5. Browse product catalog
  6. Add items to cart
  7. Complete checkout process
- **Expected Users:** 20% of concurrent load
- **Duration:** 15 minutes average session
- **Success Criteria:** All steps complete within response time require

#### #### Scenario 2: Returning User Shopping Session



- **\*\*Steps:\*\***
  1. Login to existing account
  2. Search for specific products
  3. Compare product features
  4. Add multiple items to cart
  5. Apply discount codes
  6. Complete purchase
- **\*\*Expected Users:\*\*** 60% of concurrent load
- **\*\*Duration:\*\*** 10 minutes average session
- **\*\*Success Criteria:\*\*** Purchase completion rate > 95%

#### #### Scenario 3: Administrative User Management

- **\*\*Steps:\*\***
  1. Admin login
  2. Generate sales reports
  3. Manage user accounts
  4. Update product catalog
  5. Monitor system performance
- **\*\*Expected Users:\*\*** 5% of concurrent load
- **\*\*Duration:\*\*** 30 minutes average session
- **\*\*Success Criteria:\*\*** All admin functions responsive

### ### 5.2 Business Process Scenarios

#### #### High-Volume Transaction Processing

- **\*\*Process:\*\*** Peak hour transaction processing
- **\*\*Volume:\*\*** 200 transactions per minute
- **\*\*Duration:\*\*** 2 hours sustained processing
- **\*\*Validation:\*\*** All transactions processed accurately

#### #### Batch Job Performance

- **\*\*Process:\*\*** Daily report generation and data processing
- **\*\*Volume:\*\*** 1 million records processed
- **\*\*Duration:\*\*** Maximum 4 hours processing window
- **\*\*Validation:\*\*** All reports generated correctly

#### #### Real-time Data Synchronization

- **\*\*Process:\*\*** Live data updates and notifications
- **\*\*Volume:\*\*** 1000 updates per minute
- **\*\*Duration:\*\*** Continuous during business hours
- **\*\*Validation:\*\*** Real-time updates delivered within 1 second

## ## 6. Test Tools and Technologies

### ### 6.1 Performance Testing Tools

#### #### Primary Load Testing Tool: Apache JMeter

- **Capabilities:** HTTP/HTTPS protocol testing, distributed load generation
- **Configuration:** Master-slave setup for distributed testing
- **Scripts:** Parameterized test scripts for realistic user simulation
- **Reporting:** Real-time monitoring and comprehensive result reports

#### #### Alternative Tools

- **LoadRunner:** Enterprise-grade performance testing (if budget allows)
- **Gatling:** High-performance testing tool for advanced scenarios
- **Artillery:** Modern load testing toolkit for API testing
- **k6:** Developer-friendly performance testing tool

### ### 6.2 Monitoring and Analysis Tools

#### #### Application Performance Monitoring (APM)

- **New Relic:** Full-stack application monitoring
- **AppDynamics:** Business transaction monitoring
- **Dynatrace:** AI-powered performance monitoring
- **Custom Dashboards:** Real-time performance visualization

#### #### System Monitoring

- **Grafana + Prometheus:** Time-series monitoring and alerting
- **Datadog:** Cloud-scale monitoring and analytics
- **Nagios:** Infrastructure monitoring and alerting
- **ELK Stack:** Log analysis and performance investigation

### ### 6.3 Test Data and Environment Management

#### #### Test Data Generation

- **Faker Libraries:** Realistic test data generation
- **Database Scripts:** Automated test data population
- **API Mocking:** External service simulation for testing
- **Data Masking:** Production data anonymization tools

#### #### Environment Management

- **Docker/Kubernetes:** Containerized test environment deployment
- **Infrastructure as Code:** Terraform for environment provisioning
- **CI/CD Integration:** Automated performance testing in pipeline
- **Environment Monitoring:** Health checks and environment validation

## ## 7. Test Execution Strategy

### ### 7.1 Test Execution Schedule

#### #### Phase 1: Baseline Testing (Week 1)

- \*\*Day 1-2:\*\* Environment setup and validation
- \*\*Day 3-4:\*\* Baseline performance measurement
- \*\*Day 5:\*\* Initial load testing with small user base

#### #### Phase 2: Load Testing (Week 2)

- \*\*Day 1-2:\*\* Normal load testing scenarios
- \*\*Day 3-4:\*\* Peak load testing and validation
- \*\*Day 5:\*\* Load test result analysis and reporting

#### #### Phase 3: Stress and Volume Testing (Week 3)

- \*\*Day 1-2:\*\* Stress testing to identify breaking points
- \*\*Day 3-4:\*\* Volume testing with large datasets
- \*\*Day 5:\*\* Recovery testing and system validation

#### #### Phase 4: Specialized Testing (Week 4)

- \*\*Day 1-2:\*\* Spike testing and load fluctuation
- \*\*Day 3-4:\*\* Endurance testing setup and execution
- \*\*Day 5:\*\* Final validation and test closure

### ### 7.2 Resource Allocation

#### #### Performance Testing Team

- \*\*Performance Test Lead:\*\* Overall test strategy and coordination
- \*\*Performance Test Engineers:\*\* Test script development and execution
- \*\*System Administrators:\*\* Environment setup and monitoring
- \*\*Developers:\*\* Performance issue investigation and resolution

#### #### Infrastructure Resources

- \*\*Test Environment:\*\* Dedicated performance testing environment
- \*\*Load Generation:\*\* Multiple machines for distributed load generation
- \*\*Monitoring Infrastructure:\*\* APM tools and monitoring dashboards
- \*\*Data Storage:\*\* Adequate storage for test results and logs

### ### 7.3 Test Result Collection and Analysis

#### #### Metrics Collection

- \*\*Response Time Metrics:\*\* Min, max, average, percentile distribution
- \*\*Throughput Metrics:\*\* Transactions per second, requests per minute

- **Error Metrics:** Error rate, error distribution, error types
- **Resource Metrics:** CPU, memory, disk, network utilization

#### #### Data Analysis Process

- **Real-time Monitoring:** Live performance dashboard during testing
- **Post-test Analysis:** Detailed analysis of collected metrics
- **Trend Analysis:** Performance trends over time
- **Correlation Analysis:** Performance correlation with system resources

## ## 8. Performance Metrics and KPIs

### ### 8.1 Response Time Metrics

#### #### Web Application Metrics

- **Page Load Time:** Time from request to complete page render
- **Time to First Byte (TTFB):** Server response initiation time
- **Time to Interactive:** Time until page becomes fully interactive
- **Resource Load Time:** Individual asset loading times

#### #### API Performance Metrics

- **API Response Time:** Time from request to response completion
- **Database Query Time:** Individual query execution time
- **Service Processing Time:** Business logic processing duration
- **External Service Call Time:** Third-party service response time

### ### 8.2 Throughput and Capacity Metrics

#### #### System Throughput

- **Requests Per Second (RPS):** HTTP request processing rate
- **Transactions Per Second (TPS):** Business transaction completion rate
- **Data Transfer Rate:** Network data transmission rate
- **Batch Processing Rate:** Bulk operation processing speed

#### #### User Capacity Metrics

- **Concurrent User Capacity:** Maximum simultaneous users supported
- **Session Capacity:** Maximum active user sessions
- **Connection Pool Utilization:** Database connection usage efficiency
- **Resource Scaling Efficiency:** Performance improvement with additional resources

### ### 8.3 System Resource Metrics

#### #### Server Resource Utilization

- **CPU Utilization:** Processor usage percentage

- **Memory Usage:** RAM consumption and efficiency
- **Disk I/O:** Read/write operations and throughput
- **Network I/O:** Network traffic and bandwidth utilization

#### #### Application Metrics

- **Thread Pool Utilization:** Application thread usage
- **Memory Pool Usage:** Application memory allocation
- **Cache Hit Ratio:** Caching effectiveness measurement
- **Garbage Collection Impact:** GC frequency and duration

### ### 8.4 Error and Availability Metrics

#### #### Error Rate Metrics

- **HTTP Error Rate:** Percentage of failed HTTP requests
- **Transaction Error Rate:** Business transaction failure percentage
- **Timeout Rate:** Request timeout frequency
- **System Error Rate:** Application and system error occurrence

#### #### Availability Metrics

- **System Uptime:** Percentage of time system is available
- **Mean Time Between Failures (MTBF):** Average time between system failures
- **Mean Time to Recovery (MTTR):** Average time to restore service
- **Service Level Agreement (SLA) Compliance:** Meeting availability commitments

## ## 9. Success Criteria and Acceptance Thresholds

### ### 9.1 Performance Benchmarks

#### #### Response Time Benchmarks

- **Excellent:** < 1 second response time
- **Good:** 1-2 seconds response time
- **Acceptable:** 2-3 seconds response time
- **Poor:** > 3 seconds response time

#### #### Throughput Benchmarks

- **Minimum Acceptable:** 50 TPS with 100 concurrent users
- **Target Performance:** 100 TPS with 200 concurrent users
- **Optimal Performance:** 150 TPS with 300 concurrent users

### ### 9.2 Pass/Fail Criteria

#### #### Critical Performance Criteria (Must Pass)

- All response time requirements met under normal load

- System supports minimum concurrent user capacity
- Error rate remains below 1% under normal conditions
- No data corruption or loss during testing

#### #### Important Performance Criteria (Should Pass)

- Peak load performance within acceptable degradation limits
- Resource utilization remains within defined thresholds
- System recovers properly after stress conditions
- Performance scales appropriately with additional resources

### ### 9.3 Business Impact Assessment

#### #### Performance Impact on Business Operations

- **Customer Experience:** Response time impact on user satisfaction
- **Revenue Impact:** Performance effect on conversion rates
- **Operational Efficiency:** System performance impact on business processes
- **Competitive Advantage:** Performance comparison with industry standards

#### #### Risk Assessment

- **High Risk:** Performance failures that impact critical business functions
- **Medium Risk:** Performance issues that affect user experience
- **Low Risk:** Minor performance degradation within acceptable limits

## ## 10. Risk Management and Contingency Planning

### ### 10.1 Performance Risks

#### #### Technical Risks

- **Database Bottlenecks:** Poor query performance or connection limits
- **Application Bottlenecks:** Inefficient code or resource contention
- **Infrastructure Limitations:** Hardware or network capacity constraints
- **Third-party Dependencies:** External service performance issues

#### #### Process Risks

- **Test Environment Differences:** Environment not representative of production
- **Test Data Issues:** Insufficient or unrealistic test data
- **Resource Availability:** Testing resources unavailable when needed
- **Timeline Constraints:** Insufficient time for comprehensive testing

### ### 10.2 Risk Mitigation Strategies

#### #### Technical Mitigation

- **Database Optimization:** Query optimization and indexing strategies

- **Application Tuning:** Code optimization and caching implementation
- **Infrastructure Scaling:** Additional resources and load balancing
- **Monitoring Enhancement:** Improved observability and alerting

#### #### Process Mitigation

- **Environment Validation:** Thorough environment setup verification
- **Test Data Management:** Automated test data generation and management
- **Resource Planning:** Advance resource allocation and backup plans
- **Timeline Management:** Realistic scheduling with buffer time

### ### 10.3 Contingency Plans

#### #### Performance Issue Resolution

- **Issue Escalation:** Clear escalation path for performance problems
- **Expert Consultation:** Access to performance specialists and vendors
- **Alternative Solutions:** Backup approaches for critical performance issues
- **Release Decision Process:** Go/no-go criteria based on performance

#### #### Emergency Procedures

- **Critical Issue Response:** Immediate response for severe performance issues
- **Communication Protocol:** Stakeholder notification and status updates
- **Rollback Procedures:** Plans for reverting changes if performance degrades
- **Business Continuity:** Ensuring business operations continue during outages

---

#### **Document Control:**

- **Author:** Performance Test Lead
- **Reviewers:** QA Manager, System Architect, Development Lead
- **Approval:** Project Manager, Technical Director
- **Next Review Date:** [Date + 2 weeks]
- **Distribution:** Performance testing team, development team, stakeholders

#### **Revision History:**

Version	Date	Author	Changes
1.0	08/07/2025	Performance Test Lead	Initial performance test plan

#### **Test Plan Summary:**

- **Total Test Scenarios:** 15
- **Test Duration:** 4 weeks
- **Performance Metrics:** 25 KPIs
- **Test Tools:** 8 different tools

- **Resource Requirements:** 12 infrastructure components
- **Success Criteria:** 20 performance benchmarks

---

Generated from generated-documents\quality-assurance\performance-test-plan.md |  
Requirements Gathering Agent