

Math Review Test 1 Detailed Report

SI	Question	% got it right	Your Answer	Correct Answer
1	If x is a positive odd number, then each of the following is even except:	70.59%	a. (x+4) (x+6)	a. (x+4) (x+6)
2	Which one of the following is the minimum value of the sum of two integers whose product is 81?	5.88%	a. 18	d82
3	If 4 is subtracted from one-sixth of a number, the result is 20. The number is	94.12%	b. 144	b. 144
4	If the product of 2, 9 and 12 is equal to one half the sum of 132 and x, then x =?	64.71%	b. 300	b. 300
5	If $(x+2)^2 = 9$ and $(y + 7)^2 = 25$ then the minimum value of xy is	17.65%	e. None of these	b. –12
6	If ¼ of a number is 16 then ½ of the number is-	94.12%	e. 32	e. 32
7	If $x^2 - y^2 = 16$. Then $4(x + y)(x - y) = ?$	82.35%	b. 32	a. 64
8	What is the value of $(x-2)$. When $3x - 8 = 1$?	94.12%	b. 1	b. 1
9	When $x^2 - 5x + 6 = 0$ and $x^2 - 4 = 0$, what is the value of x?	94.12%	b. 2	b. 2
10	If $x/a + a/b = 6$, what is the value of x?	47.06%		a. (–a^2/b) + 6a
11	If $y = 10x - 16$ and $x = z + 4$, what is y in terms of z?	82.35%		e. None of these
12	If one number exceeds another number by 24 and the larger number is 7/4 times the smaller number, then the smaller number is	70.59%	e. None of these	d. 32
13	If x is not a negative number, what is the minimum possible value of 2- 3x?	41.18%	d. 1	e. None of these
14	The price of 3 tables and 4 chairs is TK. 3300. With the same money one can buy 2 tables and 10 chairs. If one wants to buy 1 table and 1 chair, how much does he need to pay?	52.94%	c. TK. 1040	b. TK. 1050
15	There are 6 working days in a regular week. The regular working hours are 10 hours per day. A man earns TK. 200 per hour for regular work and TK. 300 per hour for overtime. If he earns Tk. 49,500 in 4 weeks, how many hours did he work?	47.06%	b. 285	a. 245
16	A man has some hens and cows. If the number of heads are 48 and the number of feet equals 140, then the number of hens will be	35.29%	b. 24	c. 26
17	If x and y are both odd integers, which of the following numbers must be an even integer?	58.82%	d. xy + 2	b. xy + y^2
18	If x is an odd integer, in which of the following equations must y be an odd integer? I. xy = 5 II. x+2y=11 III. 2x+y = 12	58.82%		a. Only I



Math Review Test 1 Detailed Report

	Five consecutive integers are given. If the			
10		82.35%	b. 31	4 22
19	sum of the first three integers is 27, what is	02.33%	D. 31	d. 33
	the sum of the last three?			
	When x is divided by 17, the answer is y			
00	with a remainder of 3. When x is divided by	47.050/		- 0
20	13, the answer is z with a remainder of 3. If	17.65%		a. 0
	x, y, and z are all possible integers, what is			
	the remainder of yz/17?			
	If all chocolates from a box were equally			
	distributed among some children, each			
	child would get 3 chocolates. If four more			
21	children are added to the group and you	52.94%		c. 18
	want to give each child 2 chocolates, you			
	will run short by two chocolates. How many			
	chocolates do vou have for distribution?			
	n is a whole number which when divided by			
22	4 gives 3 as remainder. What will be the	76.47%	d. 0	b. 2
	remainder when 2n is divided by 4?			
	When a number is divided by 31, the			e. Cannot be
23	remainder is 29. When the same number is	35.29%	c. 15	determined
	divided by 16, what will be the remainder?			determined
	A number when divided by 6 leaves a			
24	remainder 3. When the square of the same	64.71%	e. None of these	d. 3
	number is divided by 6, the remainder is:			
25	If x is an integer and $x>1$, then $x^2(x^2-1)$ is	58.82%	d. multiple of 12	a. 12
25	always divisible by:	30.02 /0	a. Manaple of 12	a. IZ
	A number when divided successively in			
26	order by 4, 5 and 6. The remainders were	52.94%	e. None of these	e. None of these
26		52.94%	e. None of these	e. None of these
26	order by 4, 5 and 6. The remainders were	52.94%	e. None of these	e. None of these
26	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is:	52.94%	e. None of these	e. None of these
	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a	52.94% 52.94%	e. None of these	e. None of these
	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided			
	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6?			
	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555			
27	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6?	52.94%	d. 5	c. 4
	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555			
27	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The number is:	52.94%	d. 5	c. 4
27	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The	52.94%	d. 5	c. 4
27	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The number is:	52.94%	d. 5 e. None of these	c. 4 e. None of these
27	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The number is: It is being given that (2^32 + 1) is	52.94%	d. 5	c. 4
27	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The number is: It is being given that (2^32 + 1) is completely divisible by a whole number. Which of the following numbers is completely divisible by this number?	52.94%	d. 5 e. None of these	c. 4 e. None of these
27	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The number is: It is being given that (2^32 + 1) is completely divisible by a whole number. Which of the following numbers is	52.94%	d. 5 e. None of these	c. 4 e. None of these
28	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The number is: It is being given that (2^32 + 1) is completely divisible by a whole number. Which of the following numbers is completely divisible by this number?	52.94%	d. 5 e. None of these	c. 4 e. None of these
28	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The number is: It is being given that (2^32 + 1) is completely divisible by a whole number. Which of the following numbers is completely divisible by this number? If n is an integer divisible by 15 but not by	52.94% 64.71% 23.53%	d. 5 e. None of these a. (2^16 + 1)	c. 4 e. None of these d. (2^96 + 1)
28	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The number is: It is being given that (2^32 + 1) is completely divisible by a whole number. Which of the following numbers is completely divisible by this number? If n is an integer divisible by 15 but not by 9, then which of the following CANNOT be	52.94% 64.71% 23.53%	d. 5 e. None of these a. (2^16 + 1)	c. 4 e. None of these d. (2^96 + 1)
27 28 29	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The number is: It is being given that (2^32 + 1) is completely divisible by a whole number. Which of the following numbers is completely divisible by this number? If n is an integer divisible by 15 but not by 9, then which of the following CANNOT be an integer?	52.94% 64.71% 23.53%	d. 5 e. None of these a. (2^16 + 1)	c. 4 e. None of these d. (2^96 + 1)
27 28 29	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The number is: It is being given that (2^32 + 1) is completely divisible by a whole number. Which of the following numbers is completely divisible by this number? If n is an integer divisible by 15 but not by 9, then which of the following CANNOT be an integer? The product of two consecutive odd numbers is 22 more than the square of the	52.94% 64.71% 23.53% 41.18%	d. 5 e. None of these a. (2^16 + 1)	c. 4 e. None of these d. (2^96 + 1) e. n/45
27 28 29	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The number is: It is being given that (2^32 + 1) is completely divisible by a whole number. Which of the following numbers is completely divisible by this number? If n is an integer divisible by 15 but not by 9, then which of the following CANNOT be an integer? The product of two consecutive odd	52.94% 64.71% 23.53% 41.18%	d. 5 e. None of these a. (2^16 + 1)	c. 4 e. None of these d. (2^96 + 1) e. n/45
27 28 29	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The number is: It is being given that (2^32 + 1) is completely divisible by a whole number. Which of the following numbers is completely divisible by this number? If n is an integer divisible by 15 but not by 9, then which of the following CANNOT be an integer? The product of two consecutive odd numbers is 22 more than the square of the smaller number. Find the smaller number.	52.94% 64.71% 23.53% 41.18%	d. 5 e. None of these a. (2^16 + 1)	c. 4 e. None of these d. (2^96 + 1) e. n/45
27 28 29 30 31	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The number is: It is being given that (2^32 + 1) is completely divisible by a whole number. Which of the following numbers is completely divisible by this number? If n is an integer divisible by 15 but not by 9, then which of the following CANNOT be an integer? The product of two consecutive odd numbers is 22 more than the square of the smaller number. Find the smaller number. In a certain brick wall, each row of bricks above the bottom row contains one less	52.94% 64.71% 23.53% 41.18% 58.82%	d. 5 e. None of these a. (2^16 + 1) e. n/45	c. 4 e. None of these d. (2^96 + 1) e. n/45 b. 11
27 28 29	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The number is: It is being given that (2^32 + 1) is completely divisible by a whole number. Which of the following numbers is completely divisible by this number? If n is an integer divisible by 15 but not by 9, then which of the following CANNOT be an integer? The product of two consecutive odd numbers is 22 more than the square of the smaller number. Find the smaller number. In a certain brick wall, each row of bricks above the bottom row contains one less brick than the row just below it. If there are	52.94% 64.71% 23.53% 41.18%	d. 5 e. None of these a. (2^16 + 1)	c. 4 e. None of these d. (2^96 + 1) e. n/45
27 28 29 30 31	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The number is: It is being given that (2^32 + 1) is completely divisible by a whole number. Which of the following numbers is completely divisible by this number? If n is an integer divisible by 15 but not by 9, then which of the following CANNOT be an integer? The product of two consecutive odd numbers is 22 more than the square of the smaller number. Find the smaller number. In a certain brick wall, each row of bricks above the bottom row contains one less brick than the row just below it. If there are 5 rows in all and a total of 80 bricks in that	52.94% 64.71% 23.53% 41.18% 58.82%	d. 5 e. None of these a. (2^16 + 1) e. n/45	c. 4 e. None of these d. (2^96 + 1) e. n/45 b. 11
27 28 29 30 31	order by 4, 5 and 6. The remainders were respectively 2, 3 and 4. The number is: A number when divided by 3 leaves a remainder 1. When the quotient is divided by 2, it leaves a remainder 1. What will be the remainder when the number is divided by 6? A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The number is: It is being given that (2^32 + 1) is completely divisible by a whole number. Which of the following numbers is completely divisible by this number? If n is an integer divisible by 15 but not by 9, then which of the following CANNOT be an integer? The product of two consecutive odd numbers is 22 more than the square of the smaller number. Find the smaller number. In a certain brick wall, each row of bricks above the bottom row contains one less brick than the row just below it. If there are	52.94% 64.71% 23.53% 41.18% 58.82%	d. 5 e. None of these a. (2^16 + 1) e. n/45	c. 4 e. None of these d. (2^96 + 1) e. n/45 b. 11



Math Review Test 1 Detailed Report

33	If $x = (0.18)^2$, $y = 1/(0.18)^2$ and $z = (1 - 0.18)^2 - 1$, which of the following is true?	64.71%	d. $y < x$ and $x = z$	c. z < x < y
34	Mr. Mukarram, a renowned engineer, designed a ball so that when it was dropped, it rose with each bounce exactly one-half as high as it had fallen. The engineer dropped the ball from a 36-foot platform and caught it after it had traveled 33.75 yards. How many times did the ball bounce?	5.88%	e. None of these	d. 4
35	Which of the following is true?	76.47%	b. 0.12 < 1/7 < 0.15	b. 0.12 < 1/7 < 0.15
36	2.205 divided by 0.3 gives	70.59%	a. 7.35	a. 7.35
37	When positive integer x is divided by positive integer y, the remainder is 7. If x/y = 78.10, what is the value of y?	29.41%		b. 70
38	By how much is 2/3 larger than 1/5 of 3?	70.59%	e. 3/20	a. 1/15
39	In one classroom exactly two fifth of the seats are occupied. In another classroom with double the seating capacity of the first, exactly three quarters of the seats are occupied. If the students from both rooms are transferred into a third empty classroom that has a seating capacity exactly equal to the first two combined, what fraction of the seats in the third classroom is occupied?	52.94%		d. 19/30
40	A bread is divided into three pieces so that the first piece is four times as big as the second and the second piece is five times as big as the third. What fraction of the entire bread is the smallest piece?	52.94%		c. 1/26
41	If $a/x + x/a = x/b + b/x$, then $x = ?$	47.06%	c. ±√(b/a)	a. ±√(ab)
42	One-third of a number is equal to two-fifth of another number. If 60 is added to the larger number, it becomes two times the second number. What is the smaller number?	11.76%		b. 60
43	Which of the following is the largest?	41.18%	a. √0.4	a. √0.4
44	Which of the following fractions is the smallest?	41.18%	c. 28/57	c. 28/57
45	The reciprocal of p/n is n/p and vice versa. Which of the following is the reciprocal of $2/\sqrt{48}$	29.41%	d. 3 √2	b. 2 √3