```
1.
                                                    2.
#include<stdio.h>
                                                    #include<stdio.h>
                                                    int main()
int main()
{
  double a,b;
                                                      double a,b,c;
  printf("Enter 2 number : ");
                                                      printf("Enter 3 number : ");
  scanf("%lf %lf",&a,&b);
                                                      scanf("%lf %lf %lf",&a,&b,&c);
  if(a>b)
                                                      if(a>=b \&\& a>=c)
    printf("Maximum = %If",a);
                                                        printf("Maximum = %If",a);
                                                      else if(b \ge c \&\& b \ge a)
    printf("Maximum = %If",b);
                                                        printf("Maximum = %lf",b);
                                                        else if(c \ge a \& c \ge b)
  return 0;
                                                           printf("Maximum = %If",c);
                                                      return 0;
#include<stdio.h>
                                                    #include<stdio.h>
int main()
                                                   int main()
{
                                                   {
  double a;
                                                     int x;
  printf("Enter a number : ");
                                                     printf("Enter a number : ");
  scanf("%lf",&a);
                                                     scanf("%d",&x);
                                                     if(x\%5==0 \&\& x\%11==0)
  if(a>0)
    printf("%If is positive\n",a);
                                                      printf("%d is divisible by 5 and 11",x);
  else if(a<0)
    printf("%If is negative\n",a);
                                                      printf("%d is not divisible by 5 and 11",x);
                                                      return 0;
    else if(a==0)
      printf("%If is ZERO\n");
                                                    }
  return 0;
#include<stdio.h>
                                                    #include<stdio.h>
int main()
                                                    int main()
{
 int x;
                                                    int y;
 printf("Enter a number : ");
                                                    printf("ENTER A YEAR: ");
 scanf("%d",&x);
                                                    scanf("%d",&y);
 if(x\%2==0)
                                                    if(y\%400==0){
 printf("%d is even num",x);
                                                    printf("THIS YEAR IS LEAP YEAR ");}
                                                    else if(y%100!=0&&y%4==0){
  printf("%d is odd num",x);
                                                    printf("THIS YEAR IS LEAP YEAR");}
  return 0;
                                                    printf("THIS YEAR IS not a LEAP YEAR");}
}
                                                    return 0;
```

If.....else exercises ::

```
7.
                                                     8.
#include <stdio.h>
                                                     #include<stdio.h>
int main()
                                                     int main()
{
  char ch;
  printf("Enter any character: ");
                                                       char al;
  scanf("%c", &ch);
                                                       printf("ENTER A LETTER:");
  if((ch >= 'a' \&\& ch <= 'z') || (ch >= 'A' \&\& ch
                                                       scanf("%c",&al);
<= 'Z'))
                                                     if(al=='a'||al=='e'||al=='i'||al=='o'||al=='u'||al
    printf("Character is an ALPHABET.");
                                                     =='A'||al=='E'||al=='I'||al=='O'||al=='U')
                                                         printf("THIS LETTER IS 'vowel' ");
  }
                                                       else
  else
                                                         printf("THIS LETTER IS 'consonent' ");
  {
    printf("Character is NOT ALPHABET.");
                                                       return 0;
 return 0;
                                                     10.
#include <stdio.h>
                                                     #include <stdio.h>
int main()
                                                     int main()
                                                     {
  char ch;
                                                       char ch;
  printf("Enter any character: ");
                                                       printf("Enter any character: ");
  scanf("%c", &ch);
                                                       scanf("%c", &ch);
  if((ch >= 'a' \&\& ch <= 'z') || (ch >= 'A' \&\& ch
                                                       if(ch >= 'A' \&\& ch <= 'Z')
<= 'Z'))
                                                         printf("'%c' is uppercase alphabet.", ch);
    printf("'%c' is alphabet.", ch);
                                                       else if(ch >= 'a' && ch <= 'z')
  else if(ch >= '0' && ch <= '9')
                                                         printf("'%c' is lowercase alphabet.", ch);
    printf("'%c' is digit.", ch);
                                                       }
                                                       else
  }
  else
                                                         printf("'%c' is not an alphabet.", ch);
    printf("'%c' is special character.", ch);
                                                     return 0;
  return 0;
                                                     12.
#include <stdio.h>
                                                     #include <stdio.h>
int main()
                                                     int main()
 int week;
                                                       int month;
  printf("Enter week number (1-7): ");
                                                       printf("Enter month number : ");
  scanf("%d", &week);
                                                       scanf("%d", &month);
                                                       if(month == 1)
```

```
if(week == 1)
                                                      printf("31 days");
  printf("Saturday");
                                                    else if(month == 2)
else if(week == 2)
                                                      printf("28 or 29 days");
  printf("Sunday");
                                                    else if(month == 3)
else if(week == 3)
                                                      printf("31 days");
  printf("Monday");
                                                    else if(month == 4)
else if(week == 4)
                                                      printf("30 days");
  printf("Tuesday");
                                                    else if(month == 5)
else if(week == 5)
                                                      printf("31 days");
  printf("Wednesday");
                                                    else if(month == 6)
else if(week == 6)
                                                      printf("30 days");
  printf("Thursday");
                                                    else if(month == 7)
else if(week == 7)
                                                      printf("31 days");
  printf("Friday");
                                                    else if(month == 8)
                                                      printf("31 days");
else
  printf("You Entered Wrong Number !!");
                                                    else if(month == 9)
                                                      printf("30 days");
return 0;
                                                    else if(month == 10)
                                                      printf("31 days");
                                                    else if(month == 11)
                                                      printf("30 days");
                                                    else if(month == 12)
                                                      printf("31 days");
                                                    else
                                                      printf("You enter wrong value !!!");
                                                      return 0; }
```