New TO-DO: Create a new task

Severity	**Priority**	**Behavior**	**Type**
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap "plus" button
Input data	
Expected result	New TO-DO is opened, placeholders are displayed in the fields

Step	3
Action	Fill in the Title
Input data	Shopping list
Expected result	Text is displayed correctly

Step	4
Action	Fill in TO-DO field
Input data	Milk
Expected result	Text is displayed correctly

Step	5
Action	Tap the checkmark
Input data	
Expected result	Task is created

New TO-DO: Create a new task with screen rotation

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap "plus button"
Input data	
Expected result	"New TO-DO" page is opened, keyboard is appeared

Step	3
Action	Rotate the phone
Input data	
Expected result	Screen and keyboard is rotated

Step	4
Action	Input the Title field
Input data	Shopping list
Expected result	Text is displayed in the field

Step	5
Action	Input the TO-DO field
Input data	Bread
Expected result	Text is displayed in the field

Step	6
Action	Tap the checkmark
Input data	
Expected result	Task is saved

New TO-DO: Tap "back button" on the phone for come back to the main page

Severity	**Priority**	**Behavior**	**Type**
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap "plus" button
Input data	
Expected result	New TO-DO is opened

Step	3
Action	Tap "back button" on the phone
Input data	
Expected result	Main page is opened

New TO-DO: Tap "back button" in the app for come back to the main page

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap "plus" button
Input data	
Expected result	New TO-DO is opened

Step	3
Action	Tap "back button" in the app
Input data	
Expected result	Main page is opened

New TO-DO: Keyboard is disappeared by tapping back button and appeared by tapping input field

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap "plus button"
Input data	
Expected result	"New TO-DO" page is opened, keyboard is appeared

Step	3
Action	Tap "back button" on the phone
Input data	
Expected result	Keyboard is disappeared

Step	4
Action	Tap the Title field
Input data	
Expected result	Keyboard is appeared

Step	5
Action	Tap "back button" on the phone
Input data	
Expected result	Keyboard is disappeared

Step	6
Action	Tap "TO-DO" field
Input data	
Expected result	Keyboard is appeared

New TO-DO: Save a new task with blank fields Title and TO-DO

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap the "plus button"
Input data	
Expected result	"New TO-DO" page is opened, keyboard is appeared

Step	3
Action	Leave the fields Title and TO-DO blank
Input data	
Expected result	Tge fields are blank

Step	4
Action	Tap the Checkmark
Input data	
Expected result	Error "TO-DO canot be empty" is appeared

New TO-DO: Save a new task with blank Title

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap the "plus button"
Input data	
Expected result	"New TO-DO" page is opened, keyboard is appeared

Step	3
Action	Leave the Title blank
Input data	
Expected result	Title is blank

Step	4
Action	Fill in TO-DO
Input data	vegetables
Expected result	TO-DO is filled in

Step	5
Action	Tap the Checkmark
Input data	
Expected result	Task is saved

New TO-DO: Save a new task with blank TO-DO field

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap the "plus button"
Input data	
Expected result	"New TO-DO" page is opened, keyboard is appeared

Step	3
Action	Fill in Title
Input data	shopping
Expected result	Text is displayed in the Title

Step	4
Action	Leave TO-DO blank
Input data	
Expected result	TO-DO is blank

Step	5
Action	Tap the Checkmark
Input data	
Expected result	Task is saved

New TO-DO: Fill in the Title with numbers

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap the "plus button"
Input data	
Expected result	"New TO-DO" page is opened, keyboard is appeared

Step	3
Action	Fill in Title with number
Input data	1
Expected result	Number is displayed

Step	4
Action	Leave TO-DO field blank
Input data	
Expected result	TO-DO is blank

Step	5
Action	Tap the Checkmark
Input data	
Expected result	Task is saved

New TO-DO: Fill in the TO-DO field with numbers

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap the "plus" button
Input data	
Expected result	"New TO-DO" page is opened, keyboard is appeared

Step	3
Action	Leave Title blank
Input data	
Expected result	Title is blank

Step	4
Action	Fill in TO-DO field with number
Input data	1
Expected result	Number is displayed

Step	5
Action	Tap the Checkmark
Input data	
Expected result	Task is saved

New TO-DO: Fill in the Title with special characters

Severity	Priority	Behavior	Type
O Normal	─ Not set	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap the "plus button"
Input data	
Expected result	"New TO-DO" page is opened, keyboard is appeared

Step	3
Action	Fill in Title with special characters
Input data	.,$*^#%
Expected result	Special characters is displayed

Step	4
Action	Leave TO-DO field blank
Input data	
Expected result	TO-DO is blank

Step	5
Action	Tap the Checkmark
Input data	
Expected result	Task is saved

New TO-DO: Fill in the TO-DO field with special characters

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap the "plus" button
Input data	
Expected result	"New TO-DO" page is opened, keyboard is appeared

Step	3
Action	Leave Title blank
Input data	
Expected result	Title is blank

Step	4
Action	Fill in TO-DO with special characters
Input data	.,
Expected result	Special characters is displayed

Step	5
Action	Tap the Checkmark
Input data	
Expected result	Task is saved

New TO-DO: Input space in the fields Title and TO-DO

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap the "plus button"
Input data	
Expected result	"New TO-DO" page is opened, keyboard is appeared

Step	3
Action	Input "space" in the fields Title and TO-DO
Input data	
Expected result	Space is displayed in the fields

Step	4
Action	Tap the Checkmark
Input data	
Expected result	Error "TO-DO canot be empty" is appeared

New TO-DO: Input space in the Title, leave the field TO-DO blank

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status
Actual

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap the "plus button"
Input data	
Expected result	"New TO-DO" page is opened, keyboard is appeared

Step	3
Action	Input "space" in the field Title
Input data	
Expected result	Space is displayed in the field

Step	4
Action	Leave the field TO-DO blank
Input data	
Expected result	Field is blank

Step	5
Action	Tap the Checkmark
Input data	
Expected result	Error "TO-DO canot be empty" is appeared

New TO-DO: Save task with with cyrillic in the field TO-DO and Title

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap the "plus button"
Input data	
Expected result	"New TO-DO" page is opened, keyboard is appeared

Step	3
Action	Input cyrillic in the Title
Input data	Список
Expected result	Cyrillic is displayed in the field

Step	4
Action	Input cyrillic in the TO-DO field
Input data	Картошка
Expected result	Cyrillic is displayed in the field

Step	5
Action	Tap the Checkmark
Input data	
Expected result	Task is saved

New TO-DO: Paste text from clipboard into the Title and the field TO-DO

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

The app is installed, the text is saved to the clipboard.

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap the "plus button"
Input data	
Expected result	"New TO-DO" page is opened, keyboard is appeared

Step	3
Action	Paste text from clipboard into the Title
Input data	
Expected result	Text is displayed

Step	4
Action	Paste text from clipboard into the field TO-DO
Input data	
Expected result	Text is displayed

Step	5
Action	Tap the Checkmark
Input data	
Expected result	Task is saved, text is displayed

New TO-DO: Input space in the TO-DO field, leave the Title blank

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap the "plus button"
Input data	
Expected result	"New TO-DO" page is opened, keyboard is appeared

Step	3
Action	Input "space" in the TO-DO field
Input data	
Expected result	Space is displayed in the field

Step	4
Action	Leave the Title blank
Input data	
Expected result	Title is blank

Step	5
Action	Tap the Checkmark
Input data	
Expected result	Error "TO-DO canot be empty" is appeared

New TO-DO: Create new task with cyrillic in uppercase

Severity	**Priority**	**Behavior**	**Type**
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap "plus" button
Input data	
Expected result	New TO-DO is opened, placeholders are displayed in the fields

Step	3
Action	Fill in the Title with cyrillic in uppercase
Input data	СПИСОК ПОКУПОК
Expected result	Text is displayed correctly

Step	4
Action	Fill in TO-DO with cyrillic in uppercase
Input data	МОЛОКО СВИНИНА ОВОЩИ ХЛЕБ
Expected result	Text is displayed correctly

Step	5
Action	Tap the checkmark
Input data	
Expected result	Task is created

Step	5
Action	Tap the checkmark
Input data	
Expected result	Task is created

New TO-DO: Create new task with latin in uppercase

Severity	**Priority**	**Behavior**	**Type**
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

The app is installed

Parameters

Environment: Windows 10 Home version, Android Studio Flamingo 2022.2.1, Pixel 5 API 30, Android 11

Steps to reproduce

Step	1
Action	Open the app
Input data	
Expected result	The app is opened

Step	2
Action	Tap "plus" button
Input data	
Expected result	New TO-DO is opened, placeholders are displayed in the fields

Step	3
Action	Fill in the Title with latin in uppercase
Input data	SHOPPING LIST
Expected result	Text is displayed correctly

Step	4
Action	Fill in TO-DO with latin in uppercase
Input data	MILK PORK VEGETABLES
Expected result	Text is displayed correctly

Step	5
Action	Tap the checkmark
Input data	
Expected result	Task is created

Step	5
Action	Tap the checkmark
Input data	
Expected result	Task is created