

# How Can We Use Quantum Systems To Learn?


---

Matthew Duschenes

University of Waterloo, Institute for Quantum Computing, Perimeter Institute & Vector Institute

June 27, 2024

PSI Start Seminar



# About Me

---

# About Me




Engineering  
Physics

# About Me



Engineering  
Physics




PERIMETER  
SCHOLARS  
INTERNATIONAL

Theoretical  
Physics

# About Me



Engineering  
Physics



PERIMETER  
SCHOLARS  
INTERNATIONAL

Theoretical  
Physics




Applied  
Physics

# About Me



Engineering  
Physics



PERIMETER  
SCHOLARS  
INTERNATIONAL

Theoretical  
Physics




Applied  
Physics



Quantum  
Physics

# Quantum Systems



# Quantum Tasks Of Interest


---

- Ultimately, we want to do something *useful* with these quantum devices




# Quantum Tasks Of Interest

- Ultimately, we want to do something *useful* with these quantum devices
  - *Quantum algorithms* i.e) Factoring numbers







# Quantum Tasks Of Interest

- Ultimately, we want to do something *useful* with these quantum devices
  - *Quantum algorithms* i.e) Factoring numbers
  - *Optimization* problems i.e) Travelling Salesman Problem



# Quantum Tasks Of Interest

- Ultimately, we want to do something *useful* with these quantum devices
  - *Quantum algorithms* i.e) Factoring numbers 
  - *Optimization* problems i.e) Travelling Salesman Problem 
  - *Compilation* tasks i.e) Form operators  $U$  given native gates  $\{V\}$



# Quantum Tasks Of Interest

- Ultimately, we want to do something *useful* with these quantum devices

- *Quantum algorithms* i.e) Factoring numbers




- *Optimization* problems i.e) Travelling Salesman Problem



- *Compilation* tasks i.e) Form operators  $U$  given native gates  $\{V\}$



- *Simulate* quantum systems i.e) Complicated molecules and chemical reactions



# Quantum Tasks Of Interest

- Ultimately, we want to do something *useful* with these quantum devices

- Quantum algorithms* i.e) Factoring numbers




- Optimization* problems i.e) Travelling Salesman Problem




- Compilation* tasks i.e) Form operators  $U$  given native gates  $\{V\}$



- Simulate* quantum systems i.e) Complicated molecules and chemical reactions



- Machine learning* functions i.e) Classification, Regression, Generative



# Quantum Tasks Of Interest

- Ultimately, we want to do something *useful* with these quantum devices

- *Quantum algorithms* i.e) Factoring numbers




- *Optimization* problems i.e) Travelling Salesman Problem



- *Compilation* tasks i.e) Form operators  $U$  given native gates  $\{V\}$



- *Simulate* quantum systems i.e) Complicated molecules and chemical reactions



- *Machine learning* functions i.e) Classification, Regression, Generative



- What makes quantum systems *potentially better* than classical systems?

# What Is Quantum Advantage?

---

- Are (Will) quantum computers even more useful than classical computers?

# What Is Quantum Advantage?

- Are (Will) quantum computers even more useful than classical computers?
- Quantum systems for  $N$  qubits have *exponential*  $2^N$  dimensions

$$\text{Time/Memory of: } |\psi\rangle \sim O(2^N) \quad , \quad \langle\psi| O |\psi\rangle \sim O(2^{2N}) \quad (1)$$



# What Is Quantum Advantage?

- Are (Will) quantum computers even more useful than classical computers?
- Quantum systems for  $N$  qubits have *exponential*  $2^N$  dimensions

$$\text{Time/Memory of: } |\psi\rangle \sim O(2^N) \quad , \quad \langle\psi| O |\psi\rangle \sim O(2^{2N}) \quad (1)$$

- Existing quantum devices are very *noisy*, *error-prone*, and difficult to *scale*

# What Is Quantum Advantage?

- Are (Will) quantum computers even more useful than classical computers?
- Quantum systems for  $N$  qubits have *exponential*  $2^N$  dimensions

$$\text{Time/Memory of: } |\psi\rangle \sim O(2^N) \quad , \quad \langle\psi| O |\psi\rangle \sim O(2^{2N}) \quad (1)$$

- Existing quantum devices are very *noisy*, *error-prone*, and difficult to *scale*
- Back and forth between *state-of-the-art* classical and quantum methods


# What Is Quantum Advantage?

- Are (Will) quantum computers even more useful than classical computers?
- Quantum systems for  $N$  qubits have *exponential*  $2^N$  dimensions

$$\text{Time/Memory of: } |\psi\rangle \sim O(2^N) \quad , \quad \langle\psi| O |\psi\rangle \sim O(2^{2N}) \quad (1)$$


- Existing quantum devices are very *noisy*, *error-prone*, and difficult to *scale*
- Back and forth between *state-of-the-art* classical and quantum methods
- It remains up for *debate* on the quantum-classical *complexity hierarchy*

# Classical versus Quantum Algorithms




Classical Neural Network

# Classical versus Quantum Algorithms




Quantum Unitary Circuit

# Classical versus Quantum Algorithms





Classical Neural Network  
 $f_{\theta}(x)$



Quantum Unitary Circuit  
 $U_{\theta} |\psi(x)\rangle$


# Classical versus Quantum Algorithms








# Variational Quantum Algorithms




# Variational Quantum Algorithms




$$(x, y) \rightarrow |\psi(x, y)\rangle = \frac{x}{\sqrt{x^2+y^2}} |\uparrow\rangle + \frac{y}{\sqrt{x^2+y^2}} |\downarrow\rangle$$

# Variational Quantum Algorithms




# Variational Quantum Algorithms




# Quantum Architecture Selection

- *Basis*: How do we choose our set of parameterized operators  $\{U_{\theta}^{(i)}\}_i^M$ ?




# Quantum Architecture Selection

- *Basis*: How do we choose our set of parameterized operators  $\{U_{\theta}^{(i)}\}_i^M$ ?
- *Depth*: Many models are *periodic layers*, repeated  $M$  times



# Quantum Architecture Selection

- *Basis*: How do we choose our set of parameterized operators  $\{U_{\theta}^{(i)}\}_i^M$ ?
- *Depth*: Many models are *periodic layers*, repeated  $M$  times
- *Structure*: How do we incorporate *patterns* in the data and objectives?



# Classical Simulation and Operator Compilation

- Translate or *compile* operators into a form that suits native device operators

$$U_\theta \approx U : \mathcal{L}_\theta^U \sim \text{Infidelity}(U, U_\theta) \quad (2)$$




# Classical Simulation and Operator Compilation

- Translate or *compile* operators into a form that suits native device operators

$$U_\theta \approx U : \mathcal{L}_\theta^U \sim \text{Infidelity}(U, U_\theta) \quad (2)$$

- Discretize continuously evolving systems into a discrete product of operators



# Classical Simulation and Operator Compilation

- Translate or *compile* operators into a form that suits native device operators

$$U_\theta \approx U \quad : \quad \mathcal{L}_\theta^U \sim \text{Infidelity}(U, U_\theta) \quad (2)$$

- Discretize continuously evolving systems into a discrete product of operators

$$U_\theta(t) = e^{-i \int_0^t d\tau \, H_\theta(\tau)} \rightarrow U_\theta = \prod_i^M e^{-i H_\theta^{(i)}} \quad (3)$$

# Classical Simulation and Operator Compilation

- Translate or *compile* operators into a form that suits native device operators

$$U_\theta \approx U \quad : \quad \mathcal{L}_\theta^U \sim \text{Infidelity}(U, U_\theta) \quad (2)$$

- Discretize continuously evolving systems into a discrete product of operators

$$U_\theta(t) = e^{-i \int_0^t d\tau \, H_\theta(\tau)} \rightarrow U_\theta = \prod_i^M e^{-i H_\theta^{(i)}} \quad (3)$$

- The span of  $\{U_\theta^{(i)}\}_i^M$  determines how *expressive* our model is and how many  $O(2^{2N})$  possible operators or states it can *represent*

# Classical Simulation and Operator Compilation

- Translate or *compile* operators into a form that suits native device operators

$$U_\theta \approx U \quad : \quad \mathcal{L}_\theta^U \sim \text{Infidelity}(U, U_\theta) \quad (2)$$


- Discretize continuously evolving systems into a discrete product of operators

$$U_\theta(t) = e^{-i \int_0^t d\tau \, H_\theta(\tau)} \rightarrow U_\theta = \prod_i^M e^{-i H_\theta^{(i)}} \quad (3)$$

- The span of  $\{U_\theta^{(i)}\}_i^M$  determines how *expressive* our model is and how many  $O(2^{2N})$  possible operators or states it can *represent*
- Develop *quantum-inspired* classical models

# What About Noise?


What if we are unable to *experimentally implement* purely unitary operators, but *noisy* operators?



**Figure 1:** Entropy-Increasing Noise: Unitary Dephasing

# What About Noise?

What if we are unable to *experimentally implement* purely unitary operators, but *noisy* operators?



**Figure 2:** Entropy-Decreasing Noise: Non-Unital Amplitude Damping

# What Have We Learned About Utility Of Quantum Systems?

- Many tasks can be posed as *variational quantum algorithms*

# What Have We Learned About Utility Of Quantum Systems?

- Many tasks can be posed as *variational quantum algorithms*
- Large-scale quantum devices are still *far-off*, requiring *numerical simulation*



# What Have We Learned About Utility Of Quantum Systems?

- Many tasks can be posed as *variational quantum algorithms*
- Large-scale quantum devices are still *far-off*, requiring *numerical simulation*
- Back and forth between *state-of-the-art* classical and quantum methods

# What Have We Learned About Utility Of Quantum Systems?

- Many tasks can be posed as *variational quantum algorithms*
- Large-scale quantum devices are still *far-off*, requiring *numerical simulation*
- Back and forth between *state-of-the-art* classical and quantum methods
- Useful Reviews:
  1. Cerezo, M. *et al.* , Variational quantum algorithms. Nature Reviews Physics, 3(9), 625–644. (2021).
  2. Schuld, M. *et al.* , Is Quantum Advantage the Right Goal for Quantum Machine Learning? PRX Quantum, 3(3), 030101. (2022).
  3. Bharti, K. *et al.* , Noisy intermediate-scale quantum algorithms. Reviews of Modern Physics, 94(1), 015004. (2022).
  4. Duschenes, M. *et al.* , Characterization of overparametrization in the simulation of realistic quantum systems. Phys. Rev. A, 109, 062607. (2024).