


Display XML using JS

```
<!DOCTYPE html> <html>
<head>

  <title>Display XML using JS</title>
  <style>
    /* CSS Styling (from Section 4) */
    #output {
      color: blue;
      font-size: 20px;
      font-weight: bold;
    }
  </style>
</head>
<body>
  <h2>Student Info</h2>
  <div id="output"></div>
  <script>
    // XML Data (from given assignment)
    let xml = `<student>
      <name>Rahul</name>
      <course>BBA</course>
    </student>`;
    let parser = new DOMParser();
    let xmlDoc = parser.parseFromString(xml, "text/xml");
    let name = xmlDoc.getElementsByTagName("name")[0].textContent;
    let course = xmlDoc.getElementsByTagName("course")[0].textContent;

    document.getElementById("output").innerHTML =
      "Name: " + name + "<br>Course: " + course;
  </script>
</body>
</html>
```

OUTPUT



Assignment 6:

Show Name + Course

```
<!DOCTYPE html>

<html>

<head>

<title>Assignment 6</title>

<style>        #output{font-size:20px;font-
weight:bold;} </style>

</head>

<body>

<h2>Student Info</h2>

<div id="output"></div>

<script>

let x=`<student><name>Rahul</name><course>BBA</course></student>`;

let d=new DOMParser().parseFromString(x,"text/xml");

let name=d.getElementsByTagName("name")[0].textContent;

let course=d.getElementsByTagName("course")[0].textContent;

document.getElementById("output").innerHTML=name+" - "+course;

</script>

</body>

</html>
```

OUTPUT:

Student Info

Rahul - BBA

Assignment 7:

Add CSS Styling

```
<!DOCTYPE html>

<html>

<head>

<title>Assignment 7</title> <style>

#output{color:red;font-size:22px;}

</style>

</head>

<body>

<h2>Student Info</h2>

<div id="output"></div>

<script>

let   x=`<student><name>Rahul</name><course>BBA</course></student>`;

let d=new DOMParser().parseFromString(x,"text/xml");

let name=d.getElementsByTagName("name")[0].textContent;

let           course=d.getElementsByTagName("course")[0].textContent;

document.getElementById("output").innerHTML=name+"    -    "+course;

</script>

</body>

</html>
```

OUTPUT :

Student Info

Rahul - BBA

Assignment 8:

Multiple Data Display (Loop)

```
<!DOCTYPE html>

<html>

<head>

<title>Assignment 8</title>

</head>

<body>

<h2>Student List</h2>

<script>

let x=`<students>
<student><name>Rahul</name></student>
<student><name>Priya</name></student>
</students>`;

let d=new DOMParser().parseFromString(x,"text/xml");

let n=d.getElementsByTagName("name");

for(let i=0;i<n.length;i++){

document.write(n[i].textContent+"<br>");

}

</script>

</body>

</html>
```

OUTPUT:

Student List

Rahul
Priya

Assignment 9:

Food Order XML

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Assignment 9</title>
```

```
<style>          #output{font-size:20px;font-
```

```
weight:bold;}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h2>Food Order</h2>
```

```
<div id="output"></div>
```

```
<script>
```

```
let x=`<order><item>Pizza</item><price>500</price></order>`;
```

```
let d=new DOMParser().parseFromString(x,"text/xml");
```

```
let item=d.getElementsByTagName("item")[0].textContent;
```

```
let          price=d.getElementsByTagName("price")[0].textContent;
```

```
document.getElementById("output").innerHTML=item+" - ₹"+price;
```

```
</script>
```

```
</body>
```

```
</html>
```

OUTPUT:

Order Details

Pizza - ₹500

Assignment 10:

Show Order in HTML

```
<title>Assignment 10</title>

<style>

#output{font-size:20px;font-weight:bold;}

</style>

</head>

<body>

<h2>Order Details</h2>

<div id="output"></div>

<script>

let x=`<order><item>Pizza</item><price>500</price></order>`;

let d=new DOMParser().parseFromString(x,"text/xml");

let item=d.getElementsByTagName("item")[0].textContent;

let price=d.getElementsByTagName("price")[0].textContent;

document.getElementById("output").innerHTML=item+" - ₹"+price;

</script>

</body>

</html>
```

OUTPUT:

Food Order

Pizza - ₹500

Assignment 11:

Multiple Orders (Challenge)

```
<!DOCTYPE html>

<html>

<head>

<title>Assignment 11</title>

</head>

<body>

<h2>Orders</h2>

<script>

let x=`<orders> <order><item>Pizza</item><price>500</price>

</order>      <order><item>Burger</item><price>200</price>

</order>      <order><item>Pasta</item><price>300</price>

</order> </orders>`;

let d=new DOMParser().parseFromString(x,"text/xml");

let o=d.getElementsByTagName("order");

for(let i=0;i<o.length;i++){

let   item=o[i].getElementsByTagName("item")[0].textContent;

let   price=o[i].getElementsByTagName("price")[0].textContent;

document.write(item+" - ₹"+price+"<br>");

}

</script>

</body>

</html>
```


OUTPUT:

Orders

Pizza - ₹500
Burger - ₹200
Pasta - ₹300

Assignment 12:

Data Modelling



Assignment13:

Rendering Practice

```
<!DOCTYPE html>

<html>

<head>

<title>Assignment 13</title>
<style>

#output{font-size:20px;font-weight:bold;}

</style>

</head>

<body>

<div id="output"></div>

<script>

let x=`<item>Burger</item><price>200</price>`;

let d=new DOMParser().parseFromString("<data>"+x+"</data>", "text/xml");

let item=d.getElementsByTagName("item")[0].textContent;

let price=d.getElementsByTagName("price")[0].textContent;

document.getElementById("output").innerHTML=item+" - ₹"+price;

</script>

</body>


</html>
```

OUTPUT:

Burger - ₹200

Assignment 14

CI/CD Flow



Assignment 15

Testing Scenario

- What to test in food app
- Order, Payment, Delivery

Testing ensures the app works correctly and provides a good user experience. The main areas to test are:

1. User Interface (UI)

- App layout, buttons, menus
- Proper display on different devices
- Easy navigation

2. User Authentication

- Sign up / Login functionality
- OTP or password validation
- Logout feature

3. Restaurant & Menu

- List of restaurants loads correctly
- Menu items, prices, and images display properly

- Search and filter options work

4. Cart Functionality

- Add/remove items from cart
 - Quantity update
 - Correct total price calculation
-

Order Testing

- Placing an order successfully
 - Correct order details (items, quantity, price)
 - Order confirmation message
 - Order history is saved
 - Cancel or modify order (if allowed)
-

Payment Testing

- Different payment options (UPI, Card, COD)
 - Successful and failed transactions
 - Secure payment gateway
 - Payment confirmation receipt
 - No duplicate payments
-

Delivery Testing

- Correct delivery address selection
- Real-time order tracking
- Delivery status updates (Preparing → Out for delivery → Delivered)
- Estimated delivery time accuracy
- Notifications (SMS / App alerts)