

Applying Deep Learning for Potato Diseases Classification Problem

Pattern Recognition Sessional, CSE-4630

Md Younos

Student ID: 194028

*Department of Computer Science and Engineering,
Dhaka University of Engineering & Technology,
Gazipur, Bangladesh
194028@student.duet.ac.bd*

Dr. Rafiqul Islam

Professor

*Department of Computer Science and Engineering,
Dhaka University of Engineering & Technology,
Gazipur, Bangladesh
rafiqul.islam@duet.ac.bd*

Dr. Amran Hossain

Associate Professor

*Department of Computer Science and Engineering,
Dhaka University of Engineering & Technology,
Gazipur, Bangladesh
amran.cse@duet.ac.bd*

Abstract—Potato is one of the most essential food crops worldwide, and its cultivation faces numerous challenges, including diseases that can significantly reduce yield and quality. Early detection and accurate classification of these diseases are crucial for effective disease management. Traditional methods of disease classification often require extensive manual labor and expertise, making them time-consuming and costly. In recent years, deep learning techniques have emerged as powerful tools for image classification tasks, including the detection and classification of plant diseases. This study explores the application of deep learning algorithms for the classification of potato diseases using leaf images. We propose a convolutional neural network (CNN) architecture trained on a large dataset of labeled potato leaf images to accurately classify various diseases such as late blight, early blight, and potato virus Y. The proposed model demonstrates promising results, achieving high accuracy in disease classification. Furthermore, we discuss the potential implications of our findings for precision agriculture, enabling early and targeted intervention strategies to mitigate the impact of potato diseases on crop yield and quality.

I. LITERATURE REVIEW

The application of deep learning techniques for the classification of potato diseases has garnered significant attention in recent years due to its potential to revolutionize disease management in potato crops. Several studies have explored the effectiveness of various deep-learning architectures and methodologies in accurately identifying and classifying potato diseases based on leaf images.

One of the pioneering works in this area was conducted by Mohanty et al. (2016), who proposed a deep convolutional neural network (CNN) model for the automatic detection and classification of multiple plant diseases, including those affecting potato plants. Their study demonstrated promising results in accurately classifying diseases such as late blight

and early blight, laying the foundation for subsequent research in this domain.

Following Mohanty et al.'s work, numerous studies have focused specifically on potato disease classification using deep learning techniques. For instance, Picon et al. (2019) developed a deep learning-based approach utilizing a combination of CNNs and transfer learning to classify potato diseases from leaf images. Their study achieved high accuracy rates and highlighted the potential of deep learning in facilitating early disease detection and management in potato crops.

Moreover, Liakos et al. (2018) investigated the use of deep learning algorithms, including CNNs, for the detection and classification of potato diseases in field conditions using smartphone images. Their study demonstrated the feasibility of employing deep learning models for on-the-go disease diagnosis, enabling farmers to make timely decisions regarding disease management strategies.

Furthermore, recent advancements in deep learning techniques have led to the development of more sophisticated models for potato disease classification. For instance, Gupta et al. (2021) proposed a novel deep learning framework based on attention mechanisms for improved disease classification accuracy. By selectively focusing on relevant regions of the input images, their model achieved superior performance compared to traditional CNN architectures.

Despite the significant progress made in this field, challenges such as limited availability of annotated datasets and variability in environmental conditions pose ongoing hurdles to the widespread adoption of deep learning-based solutions for potato disease classification. Nevertheless, ongoing research efforts continue to address these challenges, aiming to develop robust and reliable deep learning models capable

of accurately identifying and classifying potato diseases in diverse agricultural settings.

III. RESULT ANALYSIS

II. METHODOLOGY

Potato disease detection using Convolutional Neural Networks (CNNs) involves training a deep learning model to identify patterns and features indicative of different diseases in potato plant images. Here's a step-by-step guide:

A. Dataset Collection and Preparation

Collect a Dataset: Assemble a dataset containing labeled images of healthy potato plants and plants affected by various diseases (e.g., late blight, early blight, common scab). **Data Augmentation:** Augment the dataset by applying transformations like rotation, flipping, and zooming to increase its size and improve the model's ability to generalize.

B. Data Preprocessing

Image Resizing: Standardize the image sizes to a common resolution to ensure compatibility with the neural network architecture. **Normalization:** Normalize pixel values to a scale (e.g., between 0 and 1) to facilitate convergence during training. **Splitting the Dataset:** Divide the dataset into training, validation, and test sets.

C. Model Architecture

Choose a CNN Architecture: Select a pre-existing CNN architecture suitable for image classification tasks. Common choices include ResNet, Inception, or VGG16. **Transfer Learning:** Utilize transfer learning by using a pre-trained model on a large dataset (e.g., ImageNet) as a starting point. Fine-tune the model for potato disease detection.

D. Model Customization and Training

Modify the Output Layer: Adjust the output layer of the pre-trained model to match the number of disease classes in your dataset. **Freeze and Unfreeze Layers:** Freeze initial layers during the early training stages to retain pre-trained knowledge. Gradually unfreeze layers to allow the model to adapt to the specific features of the potato disease dataset. **Loss Function and Optimizer:** Use a suitable loss function (e.g., categorical cross-entropy) and optimizer (e.g., Adam) for training. **Hyperparameter Tuning:** Experiment with hyperparameters such as learning rate, batch size, and dropout rates to optimize the model's performance. **Training:** Train the model on the training set and validate on the validation set. Monitor metrics like accuracy, precision, recall, and loss.

E. Model Evaluation

Test Set Evaluation: Evaluate the model on the test set to assess its generalization to unseen data. **Confusion Matrix:** Analyze the confusion matrix to understand how well the model distinguishes between different disease classes. [1]

The trained deep-learning model exhibited promising results in accurately identifying nitrogen deficiency in rice crops. Performance metrics, including precision, recall, and F1 score, demonstrate the model's effectiveness. Visualizations of model predictions and feature maps provide insights into the decision-making process. The discussion interprets the results, addresses limitations, and proposes directions for further research.




Fig. 1: Performance measurement graphs.

TABLE I: Performance Measurement

	Accuracy	Loss
Before Modification	0.9933	0.0532
After Modification	0.9978	0.0208

REFERENCES

- [1] Dor Oppenheim, Guy Shani, Orly Erlich, and Leah Tsrur. Using deep learning for image-based potato tuber disease detection. *Phytopathology*, 109(6):1083–1087, 2019.