

# Git / GitHub Workshop

Clarusway



# Subject: Git Operations

### Learning Goals

• Practice using the Git commands.

### Introduction

We've covered a lot of Git concepts, but now it's time to put the concepts in to practice. We'll start with Git commands.

# Code Along

## Part 1 - Create a local repository

- 1. Open the terminal (Git Bash for Windows user)
- Go to Desktop and create a directory named "my-github" if you do not have already. And, go to "my-github" directory.

mkdir my-github cd my-github

• Create another folder named "git-workshop" and go to "git-workshop" directory.

```
mkdir git-workshop
cd git-workshop
```

#### 2. Git configuration

• Configure git with our name and email. This is to identify who has done what on git and github.

```
git config --global user.name <your_user_name>
git config --global user.email <your_email>
```

· Check the setting

```
git config --list
```

- 3. Create a local repository
- We can do that by running the "init" command.

```
git init
```

• Check the if ".git" folder is created.

```
ls -a
```

## Part 2 - Create a remote repository

- 4. Create a remote repository on GitHub
- Go to your GitHub account and create a repository named "git-workshop".
  - Write a description for your repo
  - select Public
  - o add a README.MD file
- 5. Go to terminal
- Check the connected remote repositories. The 'git remote -v' lists all currently configured remote repositories, which at this point is none.

```
git remote -v
```

connect to remote repository

```
git remote add origin <remote repo URL>
```

Verify the new connection

```
git remote -v
```

- 6. Create a file named "file1.txt"
- check the status of the project folder

```
git status
```

• store the change in the local repo

```
git add file1.txt"
git commit -m "xxxx"
```

7. upload the changes to the remote repo

```
git push -u origin master
```

• check the files on the github repo. (select master branch in GitHub)

## Part 3 - Working with branches

- 8. Create a new remote repo named "git-workshop-2" in GitHub.
- 9. Clone the remote repo

- go the terminal
- clone the "git-workshop-2"

```
git clone <remote repo URL>
```

• check the files in the "git-workshop-2" and see the README.MD and .git file.

```
ls -a
```

- 10. Create a file named test.txt
- 11. Create a new branch named new-feature-1.

```
git branch new-feature-1
```

See branches

```
git branch (show local branchs)
git branch -r (show remote branchs)
git branch -a (show all local and remote branchs)
```

• Switch to new-feature-1

```
git checkout new-feature-1
```

• List the files and check the status of the working directory

```
ls
git status
```

• Make some changes in the test.txt file, and check the status

```
vim test.txt
git status
```

• Store the changes to the repo and check the status

```
git commit -am "added first line"
git status
```

• Add another line to test.txt and store it to the local repo.

```
vim test.txt
git commit -am "added second line"
```

• Switch the main branch and see the content of the test.txt

```
git checkout main
cat text.txt
```

Merge new-feature-1 branch to main branch.

```
git merge
```

```
cat test.tst
```

12. Create a new branch named new-feature-2 and switch to it.

```
git checkout -b new-feature-2
```

• Create a new file named test2.txt, add a line in it and store the changes to repo.

```
vim test2.txt
git add .
git commit -m "created text2.txt"
```

• Switch the main branch again.

```
git checkout main
```

• Create a new file test3.txt and send the changes to local repo.

```
touch test3.txt
git add .
git commit -m "created text3.txt"
```

• Open the file named test2.txt, add a line in it and store the changes to repo.

```
vim test2.txt
git add .
git commit -m "created text2.txt"
```

merge main branch with new-feature-1

```
git merge new-feature-1
```

#### 13. RESOLVE THE CONFLICT

- edit the file.
- then commit it.
- 14. Push the local changes to the remote repository

```
git push
```

- 15. Go and check the remote repository, you will see the new files
- 16. Go to the terminal and delete the branches named front-end and back-end

```
git branch -d front-end
git branch -D back-end
```

List the all branches

```
git branch -a
```

### Thanks for Attending

