


Fly Code

AI-Powered DevOps Workstation — Feature Overview

March 2026

Fly Code is a customized AI coding assistant built for infrastructure and DevOps workflows. It integrates directly with Jira, Jira Service Management (SECDESK), AWS, and Git to provide a unified workspace where AI agents have full context on every ticket they work on.




Fly Code main interface — sidebar with active projects, chat view, and command tray

1. Jira Ticket Import

Import Jira tickets directly into Fly Code as projects. Each imported ticket automatically:

- Creates a dedicated project workspace

- Generates **summary.md** with full ticket metadata (status, priority, components, labels, assignee)
- Generates **CLAUDE.md** with ticket context, workflow rules (IaC, PRs only), and tool documentation
- Auto-sends the ticket context to the AI agent so it immediately knows what to work on
- Transitions the ticket to **"In Progress"** on Jira
- Filters out tickets that already have active projects



Jira import dropdown — shows unresolved tickets assigned to you, filtered to exclude active projects

Jira REST API

Auto-context


IaC Workflow

On import, the agent receives a pre-built message with the ticket key, summary, description, and Jira URL — plus instructions to read CLAUDE.md and summary.md for full context.

2. Project Management

Active & Waiting Status

Right-click any project to toggle between **Active** and **Waiting** status. Waiting projects are visually dimmed and grouped separately in the sidebar. This status feeds into the daily standup generator.



Project context menu — toggle waiting status or remove projects

Sidebar Project Cards

Each project in the sidebar shows:

- **Ticket key and title** from Jira
- **summary.md** button — quick view of ticket metadata
- **SECDESK** button — create or view SECDESK tickets
- **Jira** link — opens the ticket directly in Jira
- Thread history with last message preview and timestamps

Fly Code DEV

PROJECTS



✓ CE-15114: UserIQ Dev & Growth ...

summary.md SECDESK [Jira](#)

using the jira cli, please summariz... 2d ago

✓ CE-14794: Add slack alert for lo...

summary.md SECDESK [Jira](#)

using the jira cli, please update the... 2d ago

✓ CE-15113: Igus and PepsiCo shut...

summary.md SECDESK-1711 [Jira](#)

what's the summary for this task? 2d ago

✓ CE-15112: Shut down IPresent A...

summary.md SECDESK [Jira](#)

can you summarize this ticket plea... 2d ago

✓ CE-15104: Password protect da...

summary.md SECDESK [Jira](#)

I'm working on CE-15104: Password ... 1d ago

✓ CE-15078: Disable Security Hub

summary.md SECDESK [Jira](#)

I'm working on CE-15078: Disable ... 19h ago

✓ CE-14797: Investigate if a read r...

summary.md SECDESK [Jira](#)

I'm working on CE-14797: Investiga... 19h ago

✓ CE-14456: Route elb/cloudfront...

summary.md SECDESK [Jira](#)

● Working I'm working on CE-14456... 6m ago

Sidebar detail — SECDESK links (blue when filed), Jira links, summary.md buttons on every project

3. SECDESK Integration

Create Jira Service Management (JSM) tickets directly from any project. Used for AWS account closures, access requests, and security operations.

- Pre-populates summary from the parent ticket
- Selects from available JSM request types
- After creation: appends link to **summary.md**, posts comment back to original Jira ticket
- Persists SECDESK link locally — sidebar shows clickable link when a ticket exists
- Auto-detects existing SECDESK links by scanning summary.md files

JSM API

Auto-link

Bi-directional


When a SECDESK ticket is filed, the sidebar button changes from "SECDESK" to a clickable blue link showing the ticket key (e.g., SECDESK-1711), alongside the original Jira ticket link.

4. Daily Standup Generator

Interactive two-step standup message builder:

1. **Select & annotate** — choose which projects to include, add notes per project
2. **Edit & copy** — review the generated Slack-formatted message, edit if needed, copy to clipboard


Projects are automatically grouped by Active vs Waiting/Blocked status. The generated message follows the standard format: **Yesterday** / **Today** / **Blockers**.



Standup modal — select projects, add notes, generate Slack-ready message

5. Command Tray

Quick-action button bar at the bottom of the chat. Each button sends a command to either the **chat** (for AI slash commands) or the **terminal** (for shell commands).



Chat view with command tray — /update, /triage, /commit, AWS SSO, Shell, Claude buttons

Customizable

Chat + Terminal targets

Default buttons: /update, /triage, /commit (chat), AWS SSO (terminal — runs aws sso login), Shell, Claude. Fully editable — add, remove, or reorder buttons via the edit dialog.

6. AI Agent Context System


CLAUDE.md — Agent Instructions

Auto-generated per project with:

- Ticket metadata (key, status, priority, type, assignee)
- Full ticket description
- Workflow rules: always use IaC, introduce changes through PRs
- Tools & Environment reference documenting all available integrations

summary.md — Structured Ticket Data

Machine-readable metadata file with all Jira fields. Updated when SECDESK tickets are filed.



summary.md viewer — quick access to ticket metadata without leaving the app

Tools & Environment Reference

Embedded in every CLAUDE.md, documents:

- Jira REST API endpoints with curl examples
- AWS SSO profile configuration
- GitHub CLI setup
- SECDESK / Jira Service Management API
- Shell, Git, Node.js, and mise environment details

7. Security & Stability

Recent hardening pass addressed 12 findings across the codebase:

Category	Fix	Severity
Security	Auth token removed from terminal process environments	Critical
Security	Centralized credential handling (eliminated 3 inline .netrc readers)	High
Stability	Thread deletion no longer crashes the server	Critical
Stability	SQLite busy_timeout prevents write contention	High
Stability	Jira import rolls back on partial failure	High
Stability	Forked event streams log errors instead of dying silently	High
Usability	Checkpoint revert failures now surface to user	High
Usability	SECDESK follow-up failures show warning toasts	Medium
Stability	WebSocket listener errors are now logged	Medium
Data	Backfill migration for pre-existing project ticket keys	Medium

8. Architecture Overview

Layer	Technology
Frontend	React, TypeScript, Vite, TanStack Router/Query, Tailwind CSS
Backend	Effect-TS, WebSocket API, SQLite (WAL mode), Event Sourcing
Desktop	Electron (sandboxed, context-isolated)
Integrations	Jira REST API, JSM API, GitHub CLI, AWS SSO
AI Providers	Claude (Anthropic), configurable model selection
Auth	~/.netrc (Jira/Bitbucket), local WebSocket token

