```
In [50]:
```

```
#Importing required library
import pandas as pd
import numpy as np
```

Part 1 - NBA Dataset

```
In [51]:
```

```
#loading dataset
df=pd.read_csv("C:/Users/Admin/Desktop/Data3/nba.csv")
```

In [52]:

```
df.shape #Shows the number of rows and columns as a tuple (number of rows,
Out[52]:
(458, 9)
In [53]:
```

df.size

Out[53]:

4122

In [54]:

```
df.columns
```

Out[54]:

In [55]:

df.head(10)

Out[55]:

	Name	Team	Number	Position	Age	Height	Weight	College	Salary
0	Avery Bradley	Boston Celtics	0.0	PG	25.0	6-2	180.0	Texas	7730337.0
1	Jae Crowder	Boston Celtics	99.0	SF	25.0	6-6	235.0	Marquette	6796117.0
2	John Holland	Boston Celtics	30.0	SG	27.0	6-5	205.0	Boston University	NaN
3	R.J. Hunter	Boston Celtics	28.0	SG	22.0	6-5	185.0	Georgia State	1148640.0
4	Jonas Jerebko	Boston Celtics	8.0	PF	29.0	6-10	231.0	NaN	5000000.0
5	Amir Johnson	Boston Celtics	90.0	PF	29.0	6-9	240.0	NaN	12000000.0
6	Jordan Mickey	Boston Celtics	55.0	PF	21.0	6-8	235.0	LSU	1170960.0
7	Kelly Olynyk	Boston Celtics	41.0	С	25.0	7-0	238.0	Gonzaga	2165160.0
8	Terry Rozier	Boston Celtics	12.0	PG	22.0	6-2	190.0	Louisville	1824360.0
9	Marcus Smart	Boston Celtics	36.0	PG	22.0	6-4	220.0	Oklahoma State	3431040.0

In [56]:

df.tail(10)

Out[56]:

	Name	Team	Number	Position	Age	Height	Weight	College	Salary
448	Gordon Hayward	Utah Jazz	20.0	SF	26.0	6-8	226.0	Butler	15409570.0
449	Rodney Hood	Utah Jazz	5.0	SG	23.0	6-8	206.0	Duke	1348440.0
450	Joe Ingles	Utah Jazz	2.0	SF	28.0	6-8	226.0	NaN	2050000.0
451	Chris Johnson	Utah Jazz	23.0	SF	26.0	6-6	206.0	Dayton	981348.0
452	Trey Lyles	Utah Jazz	41.0	PF	20.0	6-10	234.0	Kentucky	2239800.0
453	Shelvin Mack	Utah Jazz	8.0	PG	26.0	6-3	203.0	Butler	2433333.0
454	Raul Neto	Utah Jazz	25.0	PG	24.0	6-1	179.0	NaN	900000.0
455	Tibor Pleiss	Utah Jazz	21.0	С	26.0	7-3	256.0	NaN	2900000.0
456	Jeff Withey	Utah Jazz	24.0	С	26.0	7-0	231.0	Kansas	947276.0
457	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN

In [57]:

df.info() #it returns the total count of not null values and checks the data type

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 458 entries, 0 to 457
Data columns (total 9 columns):

Data	cocamiis (COCa	c 5 cocumins,	•
#	Column	Non-	-Null Count	Dtype
0	Name	457	non-null	object
1	Team	457	non-null	object
2	Number	457	non-null	float64
3	Position	457	non-null	object
4	Age	457	non-null	float64
5	Height	457	non-null	object
6	Weight	457	non-null	float64
7	College	373	non-null	object
8	Salary	446	non-null	float64

dtypes: float64(4), object(5)

memory usage: 32.3+ KB

In [58]:

df.describe()

Out[58]:

	Number	Age	Weight	Salary
count	457.000000	457.000000	457.000000	4.460000e+02
mean	17.678337	26.938731	221.522976	4.842684e+06
std	15.966090	4.404016	26.368343	5.229238e+06
min	0.000000	19.000000	161.000000	3.088800e+04
25%	5.000000	24.000000	200.000000	1.044792e+06
50%	13.000000	26.000000	220.000000	2.839073e+06
75%	25.000000	30.000000	240.000000	6.500000e+06
max	99.000000	40.000000	307.000000	2.500000e+07

In [59]:

n	#Returns data type of	df.dtypes
---	-----------------------	-----------

Out[59]:

Name	object
Team	object
Number	float64
Position	object
Age	float64
Height	object
Weight	float64
College	object
Salary	float64
dtype: obi	act

dtype: object

checking for missing values

In [60]:

df.isnull() #detect missing values(Missing values gets mapped to True an

Out[60]:

	Name	Team	Number	Position	Age	Height	Weight	College	Salary
0	False	False	False	False	False	False	False	False	False
1	False	False	False	False	False	False	False	False	False
2	False	False	False	False	False	False	False	False	True
3	False	False	False	False	False	False	False	False	False
4	False	False	False	False	False	False	False	True	False
							•••		
453	False	False	False	False	False	False	False	False	False
454	False	False	False	False	False	False	False	True	False
455	False	False	False	False	False	False	False	True	False
456	False	False	False	False	False	False	False	False	False
457	True	True	True	True	True	True	True	True	True

458 rows × 9 columns

In [61]:

df.isnull().sum()

Out[61]:

Name 1 Team 1 Number 1 Position 1 1 Age Height 1 Weight 1 College 85 Salary 12 dtype: int64

In [62]:

df.isnull().sum().sum() #returns the number of missing values in the data set.

Out[62]:

104

In [63]:

df['Salary'].fillna(df['Salary'].mean(),inplace=True)

```
18/04/2022, 10:26
                                            31112_DSBDAL_Assignment_03
 In [64]:
  df.isnull().sum()
 Out[64]:
                1
 Name
                1
 Team
 Number
                1
                1
 Position
 Age
                1
 Height
                1
 Weight
                1
 College
               85
 Salary
                0
 dtype: int64
 In [65]:
  mode = df['College'].mode()[0]
  df['College'].fillna(mode,inplace=True)
 In [66]:
  df.isnull().sum()
 Out[66]:
 Name
               1
 Team
               1
 Number
               1
 Position
               1
               1
 Age
 Height
               1
 Weight
               1
 College
               0
 Salary
               0
 dtype: int64
 In [67]:
  df['Age'].fillna(df['Age'].median(),inplace=True)
  df['Weight'].fillna(df['Weight'].median(),inplace=True)
 In [68]:
  df.isnull().sum()
```

```
Out[68]:
```

1 Name Team 1 Number 1 Position 1 0 Age 1 Height 0 Weight College 0 Salary 0 dtype: int64

```
In [69]:
```

```
df.dropna(inplace=True)
```

In [70]:

```
df.isnull().sum()
```

Out[70]:

0 Name Team 0 Number 0 Position 0 0 Age 0 Height Weight 0 College 0 Salary 0 dtype: int64

Statistical Analysis

In [71]:

```
df['Age'].describe()
```

Out[71]:

457.000000 count mean 26.938731 4.404016 std min 19.000000 25% 24.000000 26.000000 50% 75% 30,000000 40.000000 max

Name: Age, dtype: float64

In [72]:

```
df['Age'].value_counts()
Out[72]:
```

```
24.0
        47
25.0
        45
27.0
        41
23.0
        41
26.0
        36
28.0
        31
30.0
        31
29.0
        28
22.0
        26
31.0
        22
21.0
        19
20.0
        19
33.0
        14
32.0
        13
36.0
        10
34.0
        10
35.0
         9
38.0
         4
         4
37.0
40.0
         3
         2
39.0
         2
19.0
```

In [73]:

```
bins= [11,21,31,41]
labels = ['11 to 20','21 to 30','31 to 40']
df['ageGroup'] = pd.cut(df['Age'], bins=bins,labels=labels, right=False)
print(df)
print(df['ageGroup'].unique())
```

ht	Name	Team	Number Po	osition	Age	Height	Weig			
0.0	Avery Bradley	Boston Celtics	0.0	PG	25.0	6-2	18			
1 5.0	Jae Crowder	Boston Celtics	99.0	SF	25.0	6-6	23			
2 5.0	John Holland	Boston Celtics	30.0	SG	27.0	6-5	20			
3 5.0	R.J. Hunter	Boston Celtics	28.0	SG	22.0	6-5	18			
4 1.0	Jonas Jerebko	Boston Celtics	8.0	PF	29.0	6-10	23			
452 4.0	Trey Lyles	Utah Jazz	41.0	PF	20.0	6-10	23			
4.0 453 3.0	Shelvin Mack	Utah Jazz	8.0	PG	26.0	6-3	20			
454 9.0	Raul Neto	Utah Jazz	25.0	PG	24.0	6-1	17			
455 6.0	Tibor Pleiss	Utah Jazz	21.0	С	26.0	7-3	25			
456 1.0	Jeff Withey	Utah Jazz	24.0	С	26.0	7 - 0	23			
0 1 2 3 4	Coll Te Marque Boston Univers Georgia St Kentu	xas 7.730337e+06 tte 6.796117e+06 ity 4.842684e+06 ate 1.148640e+06	21 to 3 21 to 3 21 to 3 21 to 3	30 30 30 30						
452 453 454 455 456	Kentu	-	11 to 2 21 to 3 21 to 3 21 to 3	30 30 30						
[457 rows x 10 columns] [21 to 30, 11 to 20, 31 to 40] Categories (3, object): [11 to 20 < 21 to 30 < 31 to 40]										

In [74]:

```
df['ageGroup'].value_counts()
```

Out[74]:

21 to 30 345 31 to 40 91 11 to 20 21

Name: ageGroup, dtype: int64

In [75]:

df.head(10)

Out[75]:

	Name	Team	Number	Position	Age	Height	Weight	College	Salary	ageGrou
0	Avery Bradley	Boston Celtics	0.0	PG	25.0	6-2	180.0	Texas	7.730337e+06	21 to 3
1	Jae Crowder	Boston Celtics	99.0	SF	25.0	6-6	235.0	Marquette	6.796117e+06	21 to 3
2	John Holland	Boston Celtics	30.0	SG	27.0	6-5	205.0	Boston University	4.842684e+06	21 to 3
3	R.J. Hunter	Boston Celtics	28.0	SG	22.0	6-5	185.0	Georgia State	1.148640e+06	21 to 3
4	Jonas Jerebko	Boston Celtics	8.0	PF	29.0	6-10	231.0	Kentucky	5.000000e+06	21 to 3
5	Amir Johnson	Boston Celtics	90.0	PF	29.0	6-9	240.0	Kentucky	1.200000e+07	21 to 3
6	Jordan Mickey	Boston Celtics	55.0	PF	21.0	6-8	235.0	LSU	1.170960e+06	21 to 3
7	Kelly Olynyk	Boston Celtics	41.0	С	25.0	7-0	238.0	Gonzaga	2.165160e+06	21 to 3
8	Terry Rozier	Boston Celtics	12.0	PG	22.0	6-2	190.0	Louisville	1.824360e+06	21 to 3
9	Marcus Smart	Boston Celtics	36.0	PG	22.0	6-4	220.0	Oklahoma State	3.431040e+06	21 to 3
4										

In [76]:

df.groupby(df['ageGroup']).get_group('11 to 20')

Out[76]:

	Name	Team	Number	Position	Age	Height	Weight	College	Salary	ag
13	James Young	Boston Celtics	13.0	SG	20.0	6-6	215.0	Kentucky	1749840.0	
40	Kristaps Porzingis	New York Knicks	6.0	PF	20.0	7-3	240.0	Kentucky	4131720.0	
56	Jahlil Okafor	Philadelphia 76ers	8.0	С	20.0	6-11	275.0	Duke	4582680.0	
60	Christian Wood	Philadelphia 76ers	35.0	PF	20.0	6-11	220.0	UNLV	525093.0	
62	Bruno Caboclo	Toronto Raptors	20.0	SF	20.0	6-9	205.0	Kentucky	1524000.0	
85	Kevon Looney	Golden State Warriors	36.0	SF	20.0	6-9	220.0	UCLA	1131960.0	
116	D'Angelo Russell	Los Angeles Lakers	1.0	PG	20.0	6-5	195.0	Ohio State	5103120.0	
122	Devin Booker	Phoenix Suns	1.0	SG	19.0	6-6	206.0	Kentucky	2127840.0	
192	Stanley Johnson	Detroit Pistons	3.0	SF	20.0	6-7	245.0	Arizona	2841960.0	
208	Myles Turner	Indiana Pacers	33.0	PF	20.0	6-11	243.0	Texas	2357760.0	
226	Rashad Vaughn	Milwaukee Bucks	20.0	SG	19.0	6-6	202.0	UNLV	1733040.0	
352	Justise Winslow	Miami Heat	20.0	SF	20.0	6-7	225.0	Duke	2481720.0	
356	Aaron Gordon	Orlando Magic	0.0	PF	20.0	6-9	220.0	Arizona	4171680.0	
377	Kelly Oubre Jr.	Washington Wizards	12.0	SF	20.0	6-7	205.0	Kansas	1920240.0	
393	Emmanuel Mudiay	Denver Nuggets	0.0	PG	20.0	6-5	200.0	Kentucky	3102240.0	
401	Tyus Jones	Minnesota Timberwolves	1.0	PG	20.0	6-2	195.0	Duke	1282080.0	
410	Karl- Anthony Towns	Minnesota Timberwolves	32.0	С	20.0	7-0	244.0	Kentucky	5703600.0	
427	Cliff Alexander	Portland Trail Blazers	34.0	PF	20.0	6-8	240.0	Kansas	525093.0	
441	Noah Vonleh	Portland Trail Blazers	21.0	PF	20.0	6-9	240.0	Indiana	2637720.0	
445	Dante Exum	Utah Jazz	11.0	PG	20.0	6-6	190.0	Kentucky	3777720.0	
452	Trey Lyles	Utah Jazz	41.0	PF	20.0	6-10	234.0	Kentucky	2239800.0	
4										•

In [77]:

```
list_of_salaries_by_ageGroup = list(df.groupby('ageGroup')['Salary'])
list_of_salaries_by_ageGroup
Out[77]:
```

```
[('11 to 20',
  13
         1749840.0
  40
         4131720.0
  56
         4582680.0
  60
          525093.0
  62
         1524000.0
  85
         1131960.0
  116
         5103120.0
  122
         2127840.0
  192
         2841960.0
  208
         2357760.0
         1733040.0
  226
  352
         2481720.0
  356
         4171680.0
  377
         1920240.0
  393
         3102240.0
  401
         1282080.0
  410
         5703600.0
  427
          525093.0
  441
         2637720.0
  445
         3777720.0
  452
         2239800.0
  Name: Salary, dtype: float64),
 ('21 to 30',
         7.730337e+06
  0
  1
         6.796117e+06
  2
         4.842684e+06
  3
         1.148640e+06
         5.000000e+06
  451
         9.813480e+05
  453
         2.433333e+06
  454
         9.000000e+05
  455
         2.900000e+06
  456
         9.472760e+05
  Name: Salary, Length: 345, dtype: float64),
 ('31 to 40',
  19
          6300000.0
  31
          1635476.0
  33
         22875000.0
  34
          7402812.0
  43
           947276.0
  406
           947276.0
  413
          3750000.0
  415
          3135000.0
```

Name: Salary, Length: 91, dtype: float64)]

222888.0

5016000.0

420 434

```
In [78]:
```

```
df.groupby('ageGroup')['Salary'].mean()
```

Out[78]:

ageGroup

11 to 20 2.650043e+06 21 to 30 4.679140e+06 31 to 40 5.968707e+06

Name: Salary, dtype: float64

In [79]:

```
df.groupby('ageGroup')['Salary'].median()
```

Out[79]:

ageGroup

11 to 20 2357760.0 21 to 30 2616975.0 31 to 40 4053446.0

Name: Salary, dtype: float64

In [80]:

```
df.groupby('ageGroup')['Salary'].describe()
```

Out[80]:

		count	mean	std	min	25%	50%	75%	
a	geGroup								
	11 to 20	21.0	2.650043e+06	1.454546e+06	525093.0	1733040.0	2357760.0	3777720.0	570
	21 to 30	345.0	4.679140e+06	4.996786e+06	30888.0	1015421.0	2616975.0	6486486.0	2235
	31 to 40	91.0	5.968707e+06	6.065991e+06	200600.0	1474187.0	4053446.0	7474380.0	2500
4									•

In [81]:

```
df['Height'].value_counts()
```

```
Out[81]:
6-9
        59
6-10
        47
6-7
        45
        43
6-8
6-6
        42
6-11
        40
6-3
        33
6-5
        32
6-4
        29
7 - 0
        27
6-1
        16
6-2
        16
6-0
        10
7-1
          7
          4
7-3
7-2
          3
          3
5-11
          1
5-9
```

Name: Height, dtype: int64

In [82]:

df.groupby(df['Height']).get_group('6-11')

Out[82]:

	Name	Team	Number	Position	Age	Height	Weight	College	Sa
24	Chris McCullough	Brooklyn Nets	1.0	PF	21.0	6-11	200.0	Syracuse	11402
55	Nerlens Noel	Philadelphia 76ers	4.0	PF	22.0	6-11	228.0	Kentucky	34578
56	Jahlil Okafor	Philadelphia 76ers	8.0	С	20.0	6-11	275.0	Duke	45826
60	Christian Wood	Philadelphia 76ers	35.0	PF	20.0	6-11	220.0	UNLV	5250
73	Jason Thompson	Toronto Raptors	1.0	PF	29.0	6-11	250.0	Rider	2451
81	Festus Ezeli	Golden State Warriors	31.0	С	26.0	6-11	265.0	Vanderbilt	20087
90	Anderson Varejao	Golden State Warriors	18.0	PF	33.0	6-11	273.0	Kentucky	2897
91	Cole Aldrich	Los Angeles Clippers	45.0	С	27.0	6-11	250.0	Kansas	11006
98	DeAndre Jordan	Los Angeles Clippers	6.0	С	27.0	6-11	265.0	Texas A&M	196890
113	Ryan Kelly	Los Angeles Lakers	4.0	PF	25.0	6-11	230.0	Duke	17242
143	DeMarcus Cousins	Sacramento Kings	15.0	С	25.0	6-11	270.0	Kentucky	158519
162	Joakim Noah	Chicago Bulls	13.0	С	31.0	6-11	232.0	Florida	134000
163	Bobby Portis	Chicago Bulls	5.0	PF	21.0	6-11	230.0	Arkansas	13911
167	Channing Frye	Cleveland Cavaliers	9.0	PF	33.0	6-11	255.0	Arizona	81930
173	Sasha Kaun	Cleveland Cavaliers	14.0	С	31.0	6-11	260.0	Kansas	12760
188	Andre Drummond	Detroit Pistons	0.0	С	22.0	6-11	279.0	Connecticut	32720
204	lan Mahinmi	Indiana Pacers	28.0	С	29.0	6-11	250.0	Kentucky	40000
208	Myles Turner	Indiana Pacers	33.0	PF	20.0	6-11	243.0	Texas	23577
209	Shayne Whittington	Indiana Pacers	42.0	PF	25.0	6-11	250.0	Western Michigan	8450
211	Giannis Antetokounmpo	Milwaukee Bucks	34.0	SF	21.0	6-11	222.0	Kentucky	19539
216	John Henson	Milwaukee Bucks	31.0	PF	25.0	6-11	229.0	North Carolina	29432
220	Greg Monroe	Milwaukee Bucks	15.0	С	26.0	6-11	265.0	Georgetown	164075
224	Miles Plumlee	Milwaukee Bucks	18.0	С	27.0	6-11	249.0	Duke	21092

	Name	Team	Number	Position	Age	Height	Weight	College	Sa
237	Zaza Pachulia	Dallas Mavericks	27.0	С	32.0	6-11	275.0	Kentucky	52000
239	Dwight Powell	Dallas Mavericks	7.0	PF	24.0	6-11	240.0	Stanford	8450
240	Charlie Villanueva	Dallas Mavericks	3.0	PF	31.0	6-11	232.0	Connecticut	9472
251	Dwight Howard	Houston Rockets	12.0	С	30.0	6-11	265.0	Kentucky	223593
294	LaMarcus Aldridge	San Antonio Spurs	12.0	PF	30.0	6-11	240.0	Texas	196890
298	Tim Duncan	San Antonio Spurs	21.0	С	40.0	6-11	250.0	Wake Forest	52500
316	Mike Muscala	Atlanta Hawks	31.0	PF	24.0	6-11	240.0	Bucknell	9472
321	Tiago Splitter	Atlanta Hawks	11.0	С	31.0	6-11	245.0	Kentucky	97562
339	Chris Bosh	Miami Heat	1.0	PF	32.0	6-11	235.0	Georgia Tech	221927
373	Marcin Gortat	Washington Wizards	13.0	С	32.0	6-11	240.0	Kentucky	112173
375	Nene Hilario	Washington Wizards	42.0	С	33.0	6-11	250.0	Kentucky	130000
391	Joffrey Lauvergne	Denver Nuggets	77.0	С	24.0	6-11	220.0	Kentucky	17097
399	Gorgui Dieng	Minnesota Timberwolves	5.0	С	26.0	6-11	241.0	Louisville	14744
400	Kevin Garnett	Minnesota Timberwolves	21.0	PF	40.0	6-11	240.0	Kentucky	85000
405	Nikola Pekovic	Minnesota Timberwolves	14.0	С	30.0	6-11	307.0	Kentucky	121000
418	Enes Kanter	Oklahoma City Thunder	11.0	С	24.0	6-11	245.0	Kentucky	164075
439	Mason Plumlee	Portland Trail Blazers	24.0	С	26.0	6-11	235.0	Duke	14155

In [83]:

```
list_of_salaries_by_HeightGroup = list(df.groupby('Height')['Salary'])
list_of_salaries_by_HeightGroup
Out[83]:
[('5-11',
 22
         1500000.0
 130
           55722.0
          211744.0
 203
 Name: Salary, dtype: float64),
 ('5-9',
        6912869.0
 Name: Salary, dtype: float64),
 ('6-0',
           947276.0
 47
 57
           947276.0
 67
         12000000.0
  100
         21468695.0
 142
          5013559.0
 152
          2250000.0
  228
          4290000.0
  305
          3578947.0
  384
          3000000.0
```

In [84]:

df.groupby('Height')['Salary'].describe()

Out[84]:

	count	mean	std	min	25%	50%	75%	
Height								
5-11	3.0	5.891553e+05	7.926627e+05	55722.0	133733.0	211744.0	8.558720e+05	15
5-9	1.0	6.912869e+06	NaN	6912869.0	6912869.0	6912869.0	6.912869e+06	65
6-0	10.0	5.784075e+06	6.337144e+06	947276.0	2437500.0	3934473.5	4.846419e+06	214
6-1	16.0	5.217919e+06	4.286013e+06	700902.0	1646160.0	3402626.5	8.633373e+06	135
6-10	47.0	5.185375e+06	5.063120e+06	222888.0	1054584.5	3815000.0	7.025766e+06	19€
6-11	40.0	6.544397e+06	6.906416e+06	245177.0	1362370.0	3107656.0	1.143804e+07	223
6-2	16.0	3.523777e+06	3.631376e+06	525093.0	947276.0	1553220.0	4.882013e+06	134
6-3	33.0	5.821784e+06	5.668225e+06	189455.0	1662360.0	4053446.0	8.000000e+06	200
6-4	29.0	4.646163e+06	5.275308e+06	134215.0	1015421.0	2525160.0	5.192520e+06	200
6-5	32.0	4.391786e+06	4.114296e+06	55722.0	1160040.0	3129420.0	6.015152e+06	164
6-6	42.0	3.586813e+06	4.518975e+06	167406.0	955794.0	1903380.0	4.317674e+06	250
6-7	45.0	3.504402e+06	4.337857e+06	30888.0	947276.0	1535880.0	4.000000e+06	164
6-8	43.0	5.950412e+06	6.133934e+06	83397.0	1259700.0	3425510.0	9.321234e+06	229
6-9	59.0	4.157787e+06	4.517154e+06	111444.0	1053814.0	2500000.0	5.250000e+06	201
7-0	27.0	5.287712e+06	4.675298e+06	947276.0	2003580.0	4204200.0	7.574380e+06	19€
7-1	7.0	7.400988e+06	6.587462e+06	1175880.0	3441500.0	4950000.0	9.555017e+06	19€
7-2	3.0	6.835639e+06	7.825718e+06	525093.0	2457350.0	4389607.0	9.990912e+06	155
7-3	4.0	2.307930e+06	1.484918e+06	1000000.0	1150000.0	2050000.0	3.207930e+06	41

Part2 - IRIS Dataset

In [85]:

df1 = pd.read_csv("C:/Users/Admin/Desktop/Data3/iris.csv")

In [86]:

df1.shape

Out[86]:

(150, 6)

```
In [87]:
```

df1.size

Out[87]:

900

In [88]:

df1.columns

Out[88]:

In [89]:

df1.head(10)

Out[89]:

	ld	SepalLengthCm	SepalWidthCm	PetalLengthCm	PetalWidthCm	Species
0	1	5.1	3.5	1.4	0.2	Iris-setosa
1	2	4.9	3.0	1.4	0.2	Iris-setosa
2	3	4.7	3.2	1.3	0.2	Iris-setosa
3	4	4.6	3.1	1.5	0.2	Iris-setosa
4	5	5.0	3.6	1.4	0.2	Iris-setosa
5	6	5.4	3.9	1.7	0.4	Iris-setosa
6	7	4.6	3.4	1.4	0.3	Iris-setosa
7	8	5.0	3.4	1.5	0.2	Iris-setosa
8	9	4.4	2.9	1.4	0.2	Iris-setosa
9	10	4.9	3.1	1.5	0.1	Iris-setosa

In [90]:

df1.describe()

Out[90]:

	ld	SepalLengthCm	SepalWidthCm	PetalLengthCm	PetalWidthCm
count	150.000000	150.000000	150.000000	150.000000	150.000000
mean	75.500000	5.843333	3.054000	3.758667	1.198667
std	43.445368	0.828066	0.433594	1.764420	0.763161
min	1.000000	4.300000	2.000000	1.000000	0.100000
25%	38.250000	5.100000	2.800000	1.600000	0.300000
50%	75.500000	5.800000	3.000000	4.350000	1.300000
75 %	112.750000	6.400000	3.300000	5.100000	1.800000
max	150.000000	7.900000	4.400000	6.900000	2.500000

In [91]:

df1.dtypes

Out[91]:

Id int64
SepalLengthCm float64
SepalWidthCm float64
PetalLengthCm float64
PetalWidthCm float64
Species object

dtype: object

In [92]:

df1.isnull()

Out[92]:

	ld	SepalLengthCm	SepalWidthCm	PetalLengthCm	PetalWidthCm	Species
0	False	False	False	False	False	False
1	False	False	False	False	False	False
2	False	False	False	False	False	False
3	False	False	False	False	False	False
4	False	False	False	False	False	False
145	False	False	False	False	False	False
146	False	False	False	False	False	False
147	False	False	False	False	False	False
148	False	False	False	False	False	False
149	False	False	False	False	False	False

150 rows × 6 columns

In [93]:

```
df1.isnull().sum()
```

Out[93]:

Id 0
SepalLengthCm 0
SepalWidthCm 0
PetalLengthCm 0
PetalWidthCm 0
Species 0
dtype: int64

In [94]:

```
df1['Species'].unique()
```

Out[94]:

array(['Iris-setosa', 'Iris-versicolor', 'Iris-virginica'], dtype=obje
ct)

In [95]:

```
print('Iris-setosa')
Iris_setos=(df1['Species']=='Iris-setosa')
df1[Iris_setos].describe()
```

Iris-setosa

Out[95]:

	ld	SepalLengthCm	SepalWidthCm	PetalLengthCm	PetalWidthCm
count	50.00000	50.00000	50.000000	50.000000	50.00000
mean	25.50000	5.00600	3.418000	1.464000	0.24400
std	14.57738	0.35249	0.381024	0.173511	0.10721
min	1.00000	4.30000	2.300000	1.000000	0.10000
25%	13.25000	4.80000	3.125000	1.400000	0.20000
50%	25.50000	5.00000	3.400000	1.500000	0.20000
75%	37.75000	5.20000	3.675000	1.575000	0.30000
max	50.00000	5.80000	4.400000	1.900000	0.60000

In [96]:

```
print('Iris-versicolor')
Iris_versicolor=(df1['Species']=='Iris-versicolor')
df1[Iris_versicolor].describe()
```

Iris-versicolor

Out[96]:

	Id	SepalLengthCm	SepalWidthCm	PetalLengthCm	PetalWidthCm
count	50.00000	50.000000	50.000000	50.000000	50.000000
mean	75.50000	5.936000	2.770000	4.260000	1.326000
std	14.57738	0.516171	0.313798	0.469911	0.197753
min	51.00000	4.900000	2.000000	3.000000	1.000000
25%	63.25000	5.600000	2.525000	4.000000	1.200000
50%	75.50000	5.900000	2.800000	4.350000	1.300000
75%	87.75000	6.300000	3.000000	4.600000	1.500000
max	100.00000	7.000000	3.400000	5.100000	1.800000

In [97]:

```
print('Iris-virginica')
Iris_virginica=(df1['Species']=='Iris-virginica')
df1[Iris_virginica].describe()
```

Iris-virginica

Out[97]:

	ld	SepalLengthCm	SepalWidthCm	PetalLengthCm	PetalWidthCm
count	50.00000	50.00000	50.000000	50.000000	50.00000
mean	125.50000	6.58800	2.974000	5.552000	2.02600
std	14.57738	0.63588	0.322497	0.551895	0.27465
min	101.00000	4.90000	2.200000	4.500000	1.40000
25%	113.25000	6.22500	2.800000	5.100000	1.80000
50%	125.50000	6.50000	3.000000	5.550000	2.00000
75 %	137.75000	6.90000	3.175000	5.875000	2.30000
max	150.00000	7.90000	3.800000	6.900000	2.50000